



		Part number		
Product Name	Status		Description	MSRP
		USA	US \$	
<b>Fixed Network Cameras</b>				
AXIS M1011		0302-004	Small-sized indoor network camera. Fixed lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264, Motion JPEG and MPEG-4 Part 2 streams; max VGA 640 x 480 resolution at 30 fps. Video motion detection. Includes stand and clamp for easy mounting, and power supply.	179.00
AXIS M1011 10-pack		0302-024	AXIS M1011 in 10-pack/bulk. Cannot be sold separately as single packs. Power supplies included. No clamps.	1,749.00
AXIS M1011 Surveillance Kit		0302-044	Bundle with 4 units of AXIS M1011 and a 4-camera base license of AXIS Camera Station video management software for monitoring, recording, playback and event management. Kits can be scaled and combined to build a truly effective and reliable surveillance solution for any system size up to 50 cameras. To meet any specific need additional cameras and AXIS Camera Station upgrade licenses can be ordered separately.	799.00
AXIS M1011-W		0301-004	Small-sized indoor network camera. Fixed lens. 1/4" progressive scan CMOS sensor. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Multiple, individually configurable H.264, Motion JPEG and MPEG-4 Part 2 streams; max VGA 640 x 480 resolution at 30 fps. Video motion detection. Includes stand and clamp for easy mounting, and power supply.	199.00
AXIS M1011-W 10-pack		0301-024	AXIS M1011-W in 10-pack/bulk. Cannot be sold separately as single packs. Power supplies included. No clamps.	1,949.00
AXIS M1031-W		0300-004	Small-sized indoor network camera. Fixed lens. 1/4" progressive scan CMOS sensor. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Multiple, individually configurable H.264, Motion JPEG and MPEG-4 Part 2 streams; max VGA 640 x 480 resolution at 30 fps. Two-way audio with built-in microphone and speaker. Video motion and audio detection. Passive infrared (PIR) sensor and white LED illuminator integrated. Includes stand and clamp for easy mounting, and power supply.	279.00
AXIS M1031-W 10-pack		0300-024	AXIS M1031-W in 10-pack/bulk. Cannot be sold separately as single packs. Power supplies included. No clamps.	2,749.00
AXIS M1031-W Surveillance Kit		0300-044	Bundle with 4 units of AXIS M1031-W and a 4-camera base license of AXIS Camera Station video management software for monitoring, recording, playback and event management. Kits can be scaled and combined to build a truly effective and reliable surveillance solution for any system size up to 50 cameras. To meet any specific need additional cameras and AXIS Camera Station upgrade licenses can be ordered separately.	1,199.00

AXIS M1054		0338-004	Small-sized indoor network camera. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Two-way audio with built-in microphone and speaker. Video motion and audio detection. Integrated passive infrared (PIR) sensor, white LED illuminator and I/O ports. Powered over Ethernet or by power supply. Includes stand and clamp for easy mounting, optional extension for stand and power supply.	399.00
AXIS M1054 10 pack		0338-021	AXIS M1054 in 10-pack/bulk. Cannot be sold separately as single packs. Power supplies, clamps and stand extensions not included.	3,949.00
AXIS M1054 Surveillance Kit		0338-044	Bundle with 4 units of AXIS M1054 and a 4-camera base license of AXIS Camera Station video management software for monitoring, recording, playback and event management. Kits can be scaled and combined to build a truly effective and reliable surveillance solution for any system size up to 50 cameras. To meet any specific need additional cameras and AXIS Camera Station upgrade licenses can be ordered separately.	1,599.00
AXIS M1013		0519-004	Small-sized indoor network camera. Fixed lens and adjustable focus. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA 800 x 600 resolution at 30 fps. Video motion detection. Connects over wired Ethernet. MicroSD/SDHC memory card slot for edge storage. Includes stand and clamp for easy mounting and power supply.	179.00
AXIS M1013 10-pack		0519-024	AXIS M1013 in 10-pack/bulk. Cannot be sold separately as single packs. Power supplies included.	1,749.00
AXIS M1014		0520-004	Small-sized indoor network camera. Fixed lens and adjustable focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Video motion detection. Connects over wired Ethernet. MicroSD/SDHC memory card slot for edge storage. Includes stand and clamp for easy mounting and power supply.	229.00
AXIS M1014 10-pack		0520-024	AXIS M1014 in 10-pack/bulk. Cannot be sold separately as single packs. Power supplies included.	2,249.00
AXIS M1014 Surveillance Kit		0520-044	Bundle with four units of AXIS M1014 network cameras. The cameras feature 1 megapixel/ HDTV 720p resolution and MicroSD/MicroSDHC card slot. Includes a CD with AXIS Camera Companion video management software with support for up to 16 cameras. Power supplies included. MicroSD/MicroSDHC cards are not included.	799.00
AXIS M1103 2.8MM		0329-001	SVGA camera with fixed, 2.8 mm, CS-mount lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	349.00
AXIS M1103 2.8MM 10-pack		0329-021	AXIS M1103 2.8MM in 10-pack. Cannot be sold separately as single packs. Midspans not included.	3,449.00
AXIS M1103 2.8MM Surveillance Kit		0329-041	Bundle with 4 units of AXIS M1103 2.8mm and a 4-camera base license of AXIS Camera Station video management software for monitoring, recording, playback and event management. Kits can be scaled and combined to build a truly effective and reliable surveillance solution for any system size up to 50 cameras. To meet any specific need additional cameras and AXIS Camera Station upgrade licenses can be ordered separately.	1,399.00

AXIS M1103 6.0MM		0366-001	SVGA camera with fixed, 6.0 mm, CS-mount lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. <u>Midspan not included.</u>	349.00
AXIS M1103 6.0MM 10-pack		0366-021	AXIS M1103 6.0MM in 10-pack. Cannot be sold separately as single packs. Midspans not included.	3,449.00
AXIS M1103 Barebone 10-pack		0329-031	AXIS M1103 Barebone in 10-pack. Cannot be sold separately as single packs. No midspans. No lens.	3,299.00
AXIS M1104 2.8MM		0339-001	HDTV camera with fixed, 2.8 mm, CS-mount lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. <u>Midspan not included.</u>	449.00
AXIS M1104 2.8MM 10-pack		0339-021	AXIS M1104 2.8MM in 10-pack. Cannot be sold separately as single packs. Midspans not included.	4,449.00
AXIS M1104 2.8MM Surveillance Kit		0339-041	Bundle with 4 units of AXIS M1104 2.8mm and a 4-camera base license of AXIS Camera Station video management software for monitoring, recording, playback and event management. Kits can be scaled and combined to build a truly effective and reliable surveillance solution for any system size up to 50 cameras. To meet any specific need additional cameras and AXIS Camera Station upgrade licenses <u>can be ordered separately.</u>	1,799.00
AXIS M1104 6.0MM		0367-001	HDTV camera with fixed, 6.0 mm, CS-mount lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. <u>Midspan not included.</u>	449.00
AXIS M1104 6.0MM 10-pack		0367-021	AXIS M1104 6.0MM in 10-pack. Cannot be sold separately as single packs. Midspans not included.	4,449.00
AXIS M1104 Barebone 10-pack		0339-031	AXIS M1104 Barebone in 10-pack. Cannot be sold separately as single packs. No midspans. No lens.	4,299.00
AXIS M1033-W		0521-004	Small-sized indoor network camera. Fixed lens and adjustable focus. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA 800 x 600 resolution at 30 fps. Two-way audio with built-in microphone and speaker. Video motion and audio detection. Integrated passive infrared (PIR) sensor, white LED illuminator and I/O ports. Connects over wireless LAN (IEEE 802.11b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup™ PBC compatible. Includes stand and clamp for easy mounting, optional extension for stand and <u>power supply.</u>	279.00
AXIS M1033-W Bulk 10pcs		0521-024	AXIS M1033-W in 10-pack/bulk. Cannot be sold separately as single packs. Power supplies included.	2,749.00
AXIS M1034-W		0522-004	Small-sized indoor network camera. Fixed lens and adjustable focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Two-way audio with built-in microphone and speaker. Video motion and audio detection. Integrated passive infrared (PIR) sensor, white LED illuminator and I/O ports. Connects over wireless LAN (IEEE 802.11b/g/n) or wired Ethernet. Supports Wi-Fi Protected Setup™ PBC compatible. Includes stand and clamp for easy mounting, optional extension for stand and <u>power supply.</u>	329.00

AXIS M1034-W Bulk 10pcs		0522-024	AXIS M1034-W in 10-pack/bulk. Cannot be sold separately as single packs. Power supplies included.	3,249.00
AXIS M1114		0341-001	HDTV camera with varifocal 2.8-8 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	549.00
AXIS M1114-E		0432-001	Outdoor, IP66-rated HDTV camera with varifocal 2.8-8 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection and active tampering alarm. Operation in -20°C to +50°C (-4 °F to 122 °F). Power over Ethernet. Includes a removable sunshield and wall bracket. Midspan not included.	649.00
AXIS M1114 10-pack		0341-021	AXIS M1114 in 10-pack. Cannot be sold separately as single packs. Midspans not included.	5,449.00
AXIS M1114 Barebone 10-pack		0341-031	AXIS M1114 Barebone in 10-pack. Cannot be sold separately as single packs. No midspans. No lens.	5,149.00
AXIS M1113		0340-001	SVGA camera with varifocal 2.9-8.2 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	449.00
AXIS M1113-E		0431-001	Outdoor, IP66-rated SVGA camera with varifocal 2.9-8.2 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Operation in -20°C to +50°C (-4 °F to 122 °F). Power over Ethernet. Includes a removable sunshield and wall bracket. Midspan not included.	549.00
AXIS M1113 10-pack		0340-021	AXIS M1113 in 10-pack. Cannot be sold separately as single packs. Midspans not included.	4,449.00
AXIS M1113 Barebone 10-pack		0340-031	AXIS M1113 Barebone in 10-pack. Cannot be sold separately as single packs. No midspans. No lens.	4,199.00
AXIS M1143-L		0435-001	SVGA camera with varifocal boardmount 2.5-6 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA 800x600 resolution at 30 fps. Video motion detection and active tampering alarm. Integrated IR LED illumination up to 15 meters and I/O ports. MicroSD/SDHC memory card slot for edge storage. Includes stand for easy mounting. Power over Ethernet. Midspan not included.	499.00
AXIS M1143-L Bulk 10pcs		0435-021	AXIS M1143-L in 10-pack/bulk. Cannot be sold separately as single packs.	4,949.00
AXIS M1144-L		0436-001	HDTV camera with varifocal boardmount 2.5-6 mm DC-iris lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection and active tampering alarm. Integrated IR LED illumination up to 15 meters and I/O ports. MicroSD/SDHC memory card slot for edge storage. Includes stand for easy mounting.	599.00
AXIS M1144-L Bulk 10pcs		0436-021	AXIS M1144-L in 10-pack/bulk. Cannot be sold separately as single packs.	5,949.00

AXIS P1204		0531-001	Miniature HDTV pinhole camera for discreet surveillance. Cable from sensor unit going with a 90° angle vs the lens. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support.	499.00
AXIS P1204 Bulk 10pcs		0531-021	AXIS P1204 in pack of 10 units.	4,949.00
AXIS P1214		0532-001	Miniature HDTV pinhole camera for discreet surveillance. Cable from sensor unit going in the direction of the lens. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support.	499.00
AXIS P1214 Bulk 10pcs		0532-021	AXIS P1214 in pack of 10 units	4,949.00
AXIS P1214-E		0533-001	Miniature HDTV camera for discreet outdoor surveillance. Cable from sensor unit going in the direction of the lens. Edge storage using microSD card or NAS. ACAP support, I/O port, multiple video streams in H.264 and Motion JPEG. 25/30 fps in all resolutions up to 720p. PoE and 8-28 VDC support.	499.00
AXIS P1214-E Bulk 10pcs		0533-021	AXIS P1214-E in pack of 10 units	4,949.00
AXIS P1311 Network Camera		0293-004	Fixed, CS-mount lens, 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max VGA 640 x 480 resolution at 30 fps. MPEG-4 Part 2 also supported. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Includes power supply.	549.00
AXIS P1311 10 Pack		0293-021	AXIS P1311 in 10-pack. Cannot be sold separately as single packs. No power supplies.	5,399.00
AXIS P1311 Barebone 10 Pack		0293-051	AXIS P1311 Barebone in 10-pack. Cannot be sold separately as single packs. No power supplies. No lens.	5,259.00
AXIS P1343 Network Camera		0320-001	SVGA, day/night, fixed camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included.	749.00

AXIS P1343-E		0349-001	Outdoor, IP66-rated, SVGA, day/night, network camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio. SD/SDHC memory card slot for optional local video storage. Operation in -30°C to +50°C when powered by IEEE 802.3af compliant midspan or -40°C to +50°C with AXIS T8123 High PoE Midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66 rated cable glands. Midspan not included.	999.00
AXIS P1343 10-pack		0320-021	AXIS P1343 in 10-pack. Cannot be sold separately as single packs. No power supplies.	7,349.00
AXIS P1343 Barebone 10-pack		0320-051	AXIS P1343 Barebone in 10-pack. Cannot be sold separately as single packs. No power supplies. No lens.	6,999.00
AXIS P1344 Network Camera		0324-001	HDTV, day/night, fixed camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included.	849.00
AXIS P1344-E		0350-001	Outdoor, IP66-rated, HDTV, day/night, fixed network camera with varifocal 3-8 mm DC-iris lens and remote back focus. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio. SD/SDHC memory card slot for optional local video storage. Operation in -30°C to +50°C when powered by IEEE 802.3af midspan or -40°C to +50°C with AXIS T8123 High PoE Midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66 rated cable glands. Midspan not included.	1,099.00
AXIS P1344 10-pack		0324-021	AXIS P1344 in 10-pack. Cannot be sold separately as single packs. No power supplies.	8,349.00
AXIS P1344 Barebone 10-pack		0324-051	AXIS P1344 Barebone in 10-pack. Cannot be sold separately as single packs. No power supplies. No lens.	7,749.00

<b>AXIS P1346 Network Camera</b>		<b>0328-001</b>	HDTV, day/night, fixed camera with varifocal 3.5-10 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. Digital PTZ support includes multi-view streaming of different view areas. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included.	<b>1,099.00</b>
<b>AXIS P1346-E</b>		<b>0351-001</b>	Outdoor, IP66-rated, HDTV, day/night, fixed camera with varifocal 3.5-10 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. Digital PTZ support includes multi-view streaming of different view areas. WDR. Video motion detection and active tampering alarm. Two-way audio. SD/SDHC memory card slot for optional local video storage. Operation in -30°C to +50°C when powered by IEEE 802.3af midspan or -40°C to +50°C with AXIS T8123 High PoE Midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66 rated cable glands. Midspan not included.	<b>1,399.00</b>
<b>AXIS P1346 10-Pack</b>		<b>0328-021</b>	AXIS P1346 in 10-pack. Cannot be sold separately as single packs. No power supplies.	<b>10,849.00</b>
<b>AXIS P1346 Barebone 10-Pack</b>		<b>0328-051</b>	AXIS P1346 Barebone in 10-pack. Cannot be sold separately as single packs. No power supplies. No lens.	<b>10,249.00</b>
<b>AXIS P1347</b>		<b>0343-001</b>	5MP, day/night, fixed camera with varifocal 3.5-10 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps, 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. Digital PTZ support includes multi-view streaming of different view areas. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included.	<b>1,269.00</b>
<b>AXIS P1347 10-pack</b>		<b>0343-021</b>	AXIS P1347 in 10-pack. Cannot be sold separately as single packs. No power supplies.	<b>12,549.00</b>
<b>AXIS P1347 Barebone 10-pack</b>		<b>0343-051</b>	AXIS P1347 Barebone in 10-pack. Cannot be sold separately as single packs. No power supplies. No lenses.	<b>11,699.00</b>

AXIS P1347-E		0368-001	Outdoor, IP66-rated, 5MP, day/night, fixed camera with varifocal 3.5-10 mm P-Iris lens and remote back focus (camera also supports DC-iris lenses). Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps, 3MP resolution at 20 fps, or HDTV 1080p at 30 fps. Digital PTZ support includes multi-view streaming of different view areas. WDR. Video motion detection and active tampering alarm. Two-way audio. SD/SDHC memory card slot for optional local video storage. Operation in -30°C to +50°C when powered by IEEE 802.3af midspan or -40°C to +50°C with AXIS T8123 High PoE Midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66 rated cable glands. Midspan not included.	1,569.00
AXIS 211W		0270-004	Varifocal DC-iris lens. 1/4" progressive scan CMOS. Connects over wireless LAN (IEEE 802.11g) or wired Ethernet. Exchangeable antenna. Down to 0.75 lux. Up to VGA 640x480 resolution at full 30 fps frame rate. Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way, full duplex audio AAC/G.711 with built-in microphone. Power over Ethernet. Includes antenna, adjustable stand and power supply	699.00
AXIS 211W 10 Pack		0270-024	AXIS 211W in 10-pack. Cannot be sold separately. Power supplies included	6,899.00
AXIS 221 Day & Night Network Camera		0221-004	High-end Day & Night network camera with Progressive Scan CCD. 640x480 resolution @ 45fps, Power over Ethernet, simultaneous MPEG-4 and Motion JPEG, high-quality Pentax lens. Power adapter and adjustable stand included. Indoor and outdoor camera	999.00
AXIS 221 Barebone 10 Pack		0221-054	Includes 10 AXIS 221 Day & Night Network Camera without lenses, but other accessories and one Installation Guide, in one box. Please note: NO LENSES included. Four week lead time. Cannot be sold separately. Power supplies included	9,499.00
AXIS 221 10 Pack		0221-084	Includes 10 AXIS 221 Day & Night Network Camera with lenses, other accessories and one Installation Guide, in one box. LENSES INCLUDED. Cannot be sold separately. Power supplies included	9,899.00
AXIS Q1755		0304-001	2.0 Megapixel HDTV camera with 10x zoom, auto focus and day/night mode. Complying with SMPTE standards for HDTV 1080i and 720P. 25/30 in all resolutions in H.264 or Motion JPEG. Video motion detection and active tampering alarm. Gatekeeper functionality. I/O for alarm/event handling. Two-way audio with audio detection alarm. Power over Ethernet. Power supply not included.	1,499.00



AXIS Q1755 60Hz with PoE midspan		0304-034	2.0 Megapixel HDTV camera with 10x zoom, auto focus and day/night mode. Complying with SMPTE standards for HDTV 1080i and 720P. 25/30 in all resolutions in H.264 or Motion JPEG. Video motion detection and active tampering alarm. Gatekeeper functionality. I/O for alarm/event handling. Two-way audio with audio detection alarm. Power over Ethernet. Includes one-port Midspan.	1,549.00
AXIS Q1755 60Hz 10-pack		0304-021	AXIS Q1755 60Hz in 10-pack. Cannot be sold separately as single packs. No midspan.	14,849.00
AXIS Q1755-E		0348-001	Outdoor, IP66-rated, 2.0 Megapixel HDTV camera with 10x zoom, auto focus and day/night mode. Complying with SMPTE standards for HDTV 1080i and 720P. 25/30 in all resolutions in H.264 or Motion JPEG. Video motion detection and active tampering alarm. Gatekeeper functionality. Two-way audio. Arctic Temperature Control. Operation in -30 °C to 45 °C (-22 °F to 113 °F) when powered by IEEE 802.3af midspan or down to -40 °C (-40 °F) with AXIS T8123 High PoE Midspan. Includes a removable sunshield, wall bracket, Torx T20 screw driver and IP66 rated cable glands. Midspan not included.	1,799.00
AXIS Q1602		0437-001	Extended D1 (768x576) resolution, day/night, fixed camera with varifocal 2.8-8 mm DC-iris lens and remote back focus. Lightfinder technology. Support for P-Iris, multiple, individually configurable H.264 and Motion JPEG streams; Extended D1 resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included.	999.00
AXIS Q1602-E		0438-001	Outdoor, IP66-rated, Extended D1 (768x576) resolution, day/night, fixed camera with varifocal 2.8-8 mm DC-iris lens and remote back focus. Lightfinder technology. Support for P-Iris, multiple, individually configurable H.264 and Motion JPEG streams; Extended D1 resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Arctic Temperature Control, Operation in -30°C to +50°C (-22 °F to 122 °F) when powered by IEEE 802.3af midspan or -40°C to +50°C (-40 °F to 122 °F) with High PoE Midspan. Includes a removable sunshield and wall bracket. Midspan not included.	1,299.00
AXIS Q1602 10-pack		0437-021 Page 9	AXIS Q1602 in 10-pack. Cannot be sold separately as single packs. No power supplies.	9,849.00

<b>AXIS Q1604</b>		<b>0439-001</b>	HDTV, day/night, fixed camera with varifocal 2.8-8 mm DC-iris lens and remote back focus. Support for P-Iris, Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at full frame rate. WDR-dynamic contrast and WDR-dynamic capture. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Power supply not included.	<b>999.00</b>
<b>AXIS Q1604-E</b>		<b>0463-001</b>	Outdoor, IP66-rated HDTV, day/night, fixed camera with varifocal 2.8-8 mm DC-iris lens and remote back focus. Support for P-Iris, Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at full frame rate. WDR-dynamic contrast and WDR-dynamic capture. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Arctic Temperature Control, Operation in -30°C to +50°C (-22 °F to 122 °F) when powered by IEEE 802.3af midspan or -40°C to +50°C (-40 °F to 122 °F) with High PoE Midspan. Includes a removable sunshield and wall bracket. Midspan not included.	<b>1,299.00</b>
<b>AXIS Q1604 Barebone</b>		<b>0439-041</b>	AXIS Q1604 Barebone in single pack. No lens. No power supply.	<b>899.00</b>
<b>AXIS Q1604 10-pack</b>		<b>0439-021</b>	AXIS Q1604 in 10-pack. Cannot be sold separately as single packs. No power supplies.	<b>9,849.00</b>
<b>AXIS Q1604 Barebone 10-pack</b>		<b>0439-031</b>	AXIS Q1604 barebone in 10-pack. Cannot be sold separately as single packs. No lenses. No power supplies.	<b>8,989.00</b>
<b>Fixed Dome Network Cameras</b>				
<b>AXIS 209FD-R M12</b>		<b>0294-001</b>	Fixed dome camera with rugged design, adapted for for mobile video surveillance. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged M12 network connector. NO Midspan	<b>579.00</b>
<b>AXIS 209FD-R M12 10 Pack</b>		<b>0294-021</b>	AXIS 209FD-R M12 in 10-pack/bulk. NO Midspans	<b>5,699.00</b>

AXIS 209MFD-R		0286-004	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged RJ-45 network connector. Includes one-port Midspan.	699.00
AXIS 209MFD-R M12		0295-001	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet only. Rugged M12 network connector. NO Midspan.	679.00
AXIS 209MFD-R M12 10-pack		0295-021	AXIS 209MFD-R M12 in 10-pack. NO Midspans	6,699.00
AXIS M3203		0336-001	Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens with fixed iris. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	399.00
AXIS M3203 10 pack		0336-021	AXIS M3203 in 10-pack. Clear transparent covers. Cannot be sold separately as single packs. No midspans.	3,949.00
AXIS M3203 Surveillance Kit		0336-041	Bundle with 4 units of AXIS M3203 and a 4-camera base license of AXIS Camera Station video management software for monitoring, recording, playback and event management. Kits can be scaled and combined to build a truly effective and reliable surveillance solution for any system size up to 50 cameras. To meet any specific need additional cameras and AXIS Camera Station upgrade licenses can be ordered separately.	1,599.00
AXIS M3203-V		0345-001	Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens with fixed iris. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	439.00
AXIS M3203-V 10 pack		0345-021	AXIS M3203-V in 10-pack. Clear transparent covers. Cannot be sold separately as single packs. No midspans.	4,349.00

<b>AXIS M3204</b>		<b>0337-001</b>	Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens with fixed iris. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	<b>499.00</b>
<b>AXIS M3204 10 pack</b>		<b>0337-021</b>	AXIS M3204 in 10-pack. Clear transparent covers. Cannot be sold separately as single packs. No midspans.	<b>4,949.00</b>
<b>AXIS M3204 Surveillance Kit</b>		<b>0337-041</b>	Bundle with 4 units of AXIS M3204 and a 4-camera base license of AXIS Camera Station video management software for monitoring, recording, playback and event management. Kits can be scaled and combined to build a truly effective and reliable surveillance solution for any system size up to 50 cameras. To meet any specific need additional cameras and AXIS Camera Station upgrade licenses can be ordered separately.	<b>1,999.00</b>
<b>AXIS M3204-V</b>		<b>0346-001</b>	Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens with fixed iris. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Video motion detection and active tampering alarm. Power over Ethernet. Midspan not included.	<b>539.00</b>
<b>AXIS M3204-V 10 pack</b>		<b>0346-021</b>	AXIS M3204-V in 10-pack. Clear transparent covers. Cannot be sold separately as single packs. No midspans.	<b>5,349.00</b>
<b>AXIS P3304</b>		<b>0352-004</b>	Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply.	<b>699.00</b>
<b>AXIS P3304 10-pack</b>		<b>0352-021</b>	AXIS P3304 in 10-pack. Cannot be sold separately as single packs. No power supplies. Wall screws and plugs removed.	<b>5,889.00</b>
<b>AXIS P3304 - No Power Supply</b>		<b>0352-001</b>	Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Power supply not included.	<b>599.00</b>

<b>AXIS P3304-V</b>		<b>0353-004</b>	Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply.	<b>739.00</b>
<b>AXIS P3304-V 10-pack</b>		<b>0353-021</b>	AXIS P3304-V in 10-pack. Cannot be sold separately as single packs. No power supplies. Wall screws and plugs removed.	<b>6,279.00</b>
<b>AXIS P3304-V - No Power Supply</b>		<b>0353-001</b>	Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Power supply not included.	<b>639.00</b>
<b>AXIS M3113-VE</b>		<b>0412-001</b>	Outdoor fixed dome in a flat, discreet and vandal-resistant casing with a weather shield. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Power over Ethernet. Includes lens tool, top cover tool and mounting adapter for surface cable mounting. Midspan not included.	<b>449.00</b>
<b>AXIS M3113-VE Nocap</b>		<b>0441-001</b>	Outdoor fixed dome in a flat, discreet and vandal-resistant casing without weather shield for ceiling mounting. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Power over Ethernet. Includes lens tool, top cover tool and mounting adapter for surface cable mounting. Midspan not included.	<b>449.00</b>
<b>AXIS M3114-VE</b>		<b>0413-001</b>	Outdoor fixed dome in a flat, discreet and vandal-resistant casing with a weather shield. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Power over Ethernet. Includes lens tool, top cover tool and mounting adapter for surface cable mounting. Midspan not included.	<b>549.00</b>

AXIS M3114-VE Nocap		0442-001	Outdoor fixed dome in a flat, discreet and vandal-resistant casing without weather shield for ceiling mounting. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Power over Ethernet. Includes lens tool, top cover tool and mounting adapter for surface cable mounting. Midspan not included.	549.00
AXIS M3114-VE Nocap 2mm		0450-001	Outdoor fixed dome in a flat, discreet and vandal-resistant casing without weather shield for ceiling mounting. Fixed, wide-angle lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Power over Ethernet. Includes lens tool, top cover tool and mounting adapter for surface cable mounting. Midspan not included.	599.00
AXIS M3113-R		0330-001	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Rugged RJ-45 network connector, Power over Ethernet. Includes lens tool, top cover tool and mounting adapters. Midspan not included.	449.00
AXIS M3113-R 10-pack		0330-021	AXIS M3113-R in 10-pack/bulk. NO Midspans	4,419.00
AXIS M3113-R BULK 50-pack		0330-031	AXIS M3113-R in 50-pack/bulk. NO Midspans	22,049.00
AXIS M3113-R M12		0358-001	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Rugged M12 network connector, Power over Ethernet. Includes lens tool, top cover tool and mounting adapters. Midspan not included.	449.00
AXIS M3113-R M12 10 pack		0358-021	AXIS M3113-R M12 in 10-pack/bulk. No midspans, no mounting adapters.	4,419.00
AXIS M3113-R M12 50 pack		0358-031	AXIS M3113-R M12 in 50-pack/bulk. No midspans, no mounting adapters.	22,049.00
AXIS M3114-R		0342-001	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Rugged RJ-45 network connector, Power over Ethernet. Includes lens tool, top cover tool and mounting adapters. Midspan not included.	549.00

AXIS M3114-R 10-pack		0342-021	AXIS M3114-R in 10-pack/bulk. NO Midspans	5,399.00
AXIS M3114-R BULK 50-pack		0342-031	AXIS M3114-R in 50-pack/bulk. NO Midspans	26,959.00
AXIS M3114-R M12		0359-001	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Rugged M12 network connector, Power over Ethernet. Includes lens tool, top cover tool and mounting adapters. Midspan not included.	549.00
AXIS M3114-R M12 10 pack		0359-021	AXIS M3114-R M12 in 10-pack/bulk. No midspans, no mounting adapters.	5,399.00
AXIS M3114-R M12 50 pack		0359-031	AXIS M3114-R M12 in 50-pack/bulk. No midspans, no mounting adapters.	26,959.00
AXIS M3114-R M12 2mm		0448-001	Fixed dome camera with rugged design, adapted for mobile video surveillance. Fixed, wide angle lens. Flat, discreet and tamper-resistant casing. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Rugged M12 network connector, Power over Ethernet. Includes lens tool, top cover tool and mounting adapters. Midspan not included.	599.00
AXIS 209FD		0281-004	Non rugged version of AXIS 209FD-R for generic use. Fixed lens. 1/4" high-quality progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Power over Ethernet incl one-port Midspan.	449.00
AXIS 209FD 10-Pack		0281-021	AXIS 209FD in 10-pack, without Midspans. Cannot be sold separately.	4,299.00
AXIS 209MFD		0283-004	Megapixel version of AXIS 209FD. Fixed lens. 1.3 megapixel 1/3" progressive-scan CMOS sensor. Flat, discreet and tamper-resistant casing. Up to 1280x1024 megapixel resolution at 12 frames per second, 30 frames per second in partial scan 800x600. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and alarm/event handling. Digital PTZ. Power over Ethernet incl one-port Midspan.	549.00

AXIS M3004-V		0516-001	Ultra-compact, indoor fixed mini dome with dust and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. MicroSD/microSDHC memory card slot for optional local video storage. Video motion detection and active tampering alarm. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included.	279.00
AXIS M3005-V		0517-001	Ultra-compact, indoor fixed mini dome with dust and vandal-resistant casing for easy mounting on wall or ceiling. Fixed lens. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p resolution at 30 fps. MicroSD/microSDHC memory card slot for optional local video storage. Video motion detection and active tampering alarm. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included.	379.00
AXIS M3006-V		0514-001	Compact, indoor fixed mini dome with dust- and vandal-resistant casing. Easy mounting on wall or ceiling. Fixed, 134° lens, and digital PTZ can be used as digital varifocal to set the angle of view. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p at 30 fps or 3 MP resolution at 20 fps. MicroSD/microSDHC memory card slot for optional local video storage. Video motion detection and active tampering alarm. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included.	499.00
AXIS M3007-PV	New	0515-001	Compact, indoor fixed mini dome with dust- and vandal-resistant casing, offering 360°/180° panoramic views as well as quad and digital PTZ views. Easy mounting on wall or ceiling. Multiple, individually configurable H.264 and Motion JPEG streams in up to 5MP resolution at 12 fps. MicroSD/microSDHC memory card slot for optional local video storage. Video motion detection and active tampering alarm. Comes with a 2 m (6.6 ft.) network cable and is powered using Power over Ethernet. Midspan not included.	649.00
AXIS M3011		0284-004	Ultra-discreet fixed dome camera for recessed mounting in drop ceilings. Fixed lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max VGA 640 x 480 resolution at 30 fps. MPEG-4 Part 2 also supported. Video motion detection. Power over Ethernet only, one-port midspan included.	399.00
AXIS M3011 10-pack		0284-021	AXIS M3011 in 10-pack. Cannot be sold separately as single packs. NO Midspans	3,429.00



<b>AXIS M3011 - No Midspan</b>		<b>0284-001</b>	Ultra-discreet fixed dome camera for recessed mounting in drop ceilings. Fixed lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max VGA 640 x 480 resolution at 30 fps. MPEG-4 Part 2 also supported. Video motion detection. Power over Ethernet. Midspan not included.	<b>349.00</b>
<b>AXIS M3014</b>		<b>0285-004</b>	Ultra-discreet fixed dome camera for recessed mounting in drop ceilings. Fixed lens, progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection. Power over Ethernet, one-port midspan included.	<b>499.00</b>
<b>AXIS M3014 10-pack/bulk</b>		<b>0285-021</b>	AXIS M3014 in 10-pack. Cannot be sold separately as single packs. No Midspans.	<b>4,419.00</b>
<b>AXIS M3014 - No Midspan</b>		<b>0285-001</b>	Ultra-discreet fixed dome camera for recessed mounting in drop ceilings. Fixed lens, progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. Video motion detection. Power over Ethernet. Midspan not included.	<b>449.00</b>
<b>AXIS 216FD</b>		<b>0240-004</b>	Fixed dome with discreet and tamper-resistant casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply.	<b>629.00</b>
<b>AXIS 216FD-V</b>		<b>0268-004</b>	Fixed dome with vandal-resistant and compact indoor casing. Varifocal DC-iris lens. 1/4" high-quality progressive-scan CMOS sensor. Up to VGA 640x480 resolution at 30 frames per second. Simultaneous Motion JPEG and MPEG-4. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply.	<b>669.00</b>
<b>AXIS 216MFD</b>		<b>0278-004</b>	1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with discreet and tamper-resistant indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply.	<b>729.00</b>

<b>AXIS P3301</b>		<b>0290-004</b>	Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply	<b>599.00</b>
<b>AXIS P3301 10-Pack</b>		<b>0290-021</b>	AXIS P3301 in 10-pack. Cannot be sold separately as single packs. No power supplies. Wall screws and plugs removed.	<b>4,899.00</b>
<b>AXIS P3301 - No Power Supply</b>		<b>0290-001</b>	Fixed dome with discreet and tamper-resistant casing. Varifocal 2.8-10 mm lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Power supply not included.	<b>499.00</b>
<b>AXIS P3301-V</b>		<b>0292-004</b>	Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Includes power supply	<b>639.00</b>
<b>AXIS P3301-V 10-Pack</b>		<b>0292-021</b>	AXIS P3301-V in 10-pack. Cannot be sold separately as single packs. No power supplies. Wall screws and plugs removed.	<b>5,299.00</b>
<b>AXIS P3301-V - No Power Supply</b>		<b>0292-001</b>	Fixed dome with discreet and vandal-resistant casing. Varifocal 2.8-10 mm lens. 1/4" progressive scan CMOS sensor. Multiple, individually configurable H.264 and Motion JPEG streams; max. VGA 640 x 480 resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone, and audio detection. I/O for alarm/event handling. Power over Ethernet. Power supply not included.	<b>539.00</b>

<b>AXIS 216MFD-V</b>		<b>0279-004</b>	1.3 Megapixel 1/3" progressive scan CMOS sensor. Varifocal DC-iris lens. Fixed dome with vandal-resistant and compact indoor casing. Simultaneous Motion JPEG and MPEG-4 in full megapixel 1280x1024 resolution. 12 frames per second in full resolution, 30 frames per second in partial scan 800x600. Video Motion Detection and I/O for alarm/event handling. Two-way audio AAC/G.711. Power over Ethernet. Includes power supply.	<b>769.00</b>
<b>AXIS P3343 12mm</b>		<b>0307-031</b>	SVGA, day/night, fixed dome with discreet, tamper-resistant indoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	<b>799.00</b>
<b>AXIS P3343 6mm</b>		<b>0307-001</b>	SVGA, day/night, fixed dome with discreet, tamper-resistant indoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	<b>799.00</b>
<b>AXIS P3343-V 12mm</b>		<b>0308-031</b>	SVGA, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	<b>839.00</b>

AXIS P3343-V 6mm		0308-001	SVGA, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection- I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	839.00
AXIS P3343-VE 12mm		0299-031	SVGA, day/night, fixed dome with discreet vandal-resistant, IP66-rated outdoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio detection and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included.	999.00
AXIS P3343-VE 6mm		0299-001	SVGA, day/night, fixed dome with discreet vandal-resistant, IP66-rated outdoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio detection and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket.	999.00
AXIS P3344 12mm		0326-041	HDTV, day/night, fixed dome with discreet tamper-resistant indoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	899.00

AXIS P3344 6mm		0326-001	HDTV, day/night, fixed dome with discreet tamper-resistant indoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	899.00
AXIS P3344-V 12mm		0327-041	HDTV, day/night, fixed dome with discreet vandal-resistant indoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	939.00
AXIS P3344-V 6mm		0327-001	HDTV, day/night, fixed dome with discreet vandal-resistant indoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	939.00
AXIS P3344-V 6mm 10-pack/bulk CLEAR		0327-021	AXIS P3344-V 6mm in 10-pack. Cannot be sold separately as single packs. Clear transparent cover only.	9,249.00
AXIS P3344-VE 12mm		0325-041	HDTV, day/night, fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 3.3-12 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio detection and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket.	1,099.00

AXIS P3344-VE 12mm 4-pack/bulk CLEAR		0325-051	AXIS P3344-VE 12mm in 4-pack. Cannot be sold separately as single packs. Clear transparent cover only.	4,349.00
AXIS P3344-VE 6mm		0325-001	HDTV, day/night, fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 2.5-6 mm DC-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1MP resolution at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio detection and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket.	1,099.00
AXIS P3344-VE 6mm 4-pack/bulk CLEAR		0325-021	AXIS P3344-VE 6mm in 4-pack. Cannot be sold separately as single packs. Clear transparent cover only.	4,349.00
AXIS P3346		0369-001	3 MP, day/night fixed dome with discreet, tamper-resistant indoor casing. Varifocal 3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	959.00
AXIS P3346-V		0370-001	3MP, day/night fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	999.00

AXIS P3346-VE		0371-001	3MP, day/night fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 3MP resolution at 20 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket.	1,159.00
AXIS P3364-LV 6mm	New	0485-001	Light-sensitive, day/night fixed dome in a discreet, vandal-resistant indoor casing. Built-in, automatically or manually adjustable IR illumination. Varifocal 2.5-6 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included.	899.00
AXIS P3364-LV 12mm	New	0486-001	Light-sensitive, day/night fixed dome in a discreet, vandal-resistant indoor casing. Built-in, automatically or manually adjustable IR illumination. Varifocal 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included.	899.00
AXIS P3364-LVE 6mm	New	0476-001	Light-sensitive, day/night fixed dome in a vandal-resistant, outdoor casing. Built-in, automatically or manually adjustable IR illumination. Varifocal 2.5-6 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes 5m Ethernet cable with mounted gasket.	1,059.00

AXIS P3364-LVE 12mm	New	0473-001	Light-sensitive, day/night fixed dome in a vandal-resistant, outdoor casing. Built-in, automatically or manually adjustable IR illumination. Varifocal 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes 5m Ethernet cable with mounted gasket	1,059.00
AXIS P3367-V		0406-001	5MP, day/night, fixed dome with discreet, vandal-resistant indoor casing. Varifocal 3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio with built-in microphone and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	1,159.00
AXIS P3367-VE		0407-001	5MP, day/night, fixed dome with vandal-resistant, IP66-rated outdoor casing. Varifocal 3-9 mm P-iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max 5MP resolution at 12 fps or HDTV 1080p at 30 fps. WDR. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling, SD/SDHC memory card slot for optional local video storage. Operation in -40°C to +55°C powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m Ethernet cable with mounted gasket.	1,319.00
AXIS P3353 12mm		0466-001	Light-sensitive, day/night fixed dome with Lightfinder in a discreet, tamper-resistant indoor casing. Varifocal 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	599.00



<p><b>AXIS P3353 6MM</b></p>		<p><b>0464-001</b></p>	<p>Light-sensitive, day/night fixed dome with Lightfinder in a discreet, tamper-resistant indoor casing. Varifocal 2.5-6 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.</p>	<p><b>599.00</b></p>
<p><b>AXIS P3363-V 12MM</b></p>		<p><b>0470-001</b></p>	<p>Light-sensitive, day/night fixed dome with Lightfinder in a discreet, vandal-resistant indoor casing. Varifocal 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.</p>	<p><b>699.00</b></p>
<p><b>AXIS P3363-V 6MM</b></p>		<p><b>0508-001</b></p>	<p>Light-sensitive, day/night fixed dome with Lightfinder in a discreet, vandal-resistant indoor casing. Varifocal 2.5-6 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.</p>	<p><b>699.00</b></p>
<p><b>AXIS P3363-VE 12MM</b></p>		<p><b>0483-001</b></p>	<p>Light-sensitive, day/night fixed dome with Lightfinder in a vandal-resistant, outdoor casing. Varifocal 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to 55°C (-40°F to 131°F) powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m (16 ft.) Ethernet cable with mounted gasket.</p>	<p><b>859.00</b></p>

AXIS P3363-VE 6MM		0468-001	Light-sensitive, day/night fixed dome with Lightfinder in a vandal-resistant, outdoor casing. Varifocal 2.5-6 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max SVGA resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to 55°C (-40°F to 131°F) powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m (16 ft.) Ethernet cable with mounted gasket.	859.00
AXIS P3354 12MM		0467-001	Light-sensitive, day/night fixed dome with Lightfinder in a discreet, tamper-resistant indoor casing. Varifocal 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	699.00
AXIS P3354 6MM		0465-001	Light-sensitive, day/night fixed dome with Lightfinder in a discreet, tamper-resistant indoor casing. Varifocal 2.5-6 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	699.00
AXIS P3364-V 12MM		0471-001	Light-sensitive, day/night fixed dome with Lightfinder in a discreet, vandal-resistant indoor casing. Varifocal 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.	799.00

<p><b>AXIS P3364-V 6MM</b></p>		<p><b>0481-001</b></p>	<p>Light-sensitive, day/night fixed dome with Lightfinder in a discreet, vandal-resistant indoor casing. Varifocal 2.5-6 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.</p>	<p><b>799.00</b></p>
<p><b>AXIS P3364-VE 12MM</b></p>		<p><b>0484-001</b></p>	<p>Light-sensitive, day/night fixed dome with Lightfinder in a vandal-resistant, outdoor casing. Varifocal 3.3-12 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to 55°C (-40°F to 131°F) powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m (16 ft.) Ethernet cable with mounted gasket.</p>	<p><b>959.00</b></p>
<p><b>AXIS P3364-VE 6MM</b></p>		<p><b>0482-001</b></p>	<p>Light-sensitive, day/night fixed dome with Lightfinder in a vandal-resistant, outdoor casing. Varifocal 2.5-6 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. WDR – dynamic contrast. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to 55°C (-40°F to 131°F) powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m (16 ft.) Ethernet cable with mounted gasket.</p>	<p><b>959.00</b></p>
<p><b>AXIS P3384-V</b></p>		<p><b>0511-001</b></p>	<p>Day/night fixed dome with support for WDR – dynamic capture in a discreet, vandal-resistant indoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Light sensitivity with Lightfinder. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers.</p>	<p><b>999.00</b></p>

AXIS P3384-VE		0512-001	Day/night fixed dome with support for WDR – dynamic capture in a vandal-resistant outdoor casing. Varifocal 3-9 mm P-Iris lens, remote focus and zoom. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 720p or 1 MP resolution at 30 fps. Light sensitivity with Lightfinder. Video motion detection and active tampering alarm. Two-way audio and audio detection. I/O for alarm/event handling. SD/SDHC memory card slot for optional local video storage. Operation in -40°C to 55°C (-40°F to 131°F) powered by standard Power over Ethernet. Midspan not included. Includes smoked and clear transparent covers, weather shield against sun, rain or snow, and 5m (16 ft.) Ethernet cable with mounted gasket.	1,159.00
<b>Pan/Tilt/Zoom Network Cameras</b>				
AXIS 212 PTZ		0257-004	Pan/tilt/zoom camera without moving parts. 3x zoom. 140 degrees pan and 105 degrees tilt. Up to VGA resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio. Includes wall mount kit and power supply.	649.00
AXIS 212 PTZ 10-Pack		0257-024	Includes 10 AXIS 212 PTZ Network Cameras. Cannot be sold separately. Power supplies included.	6,399.00
AXIS 212 PTZ-V		0280-004	Vandal resistant AXIS 212 PTZ	699.00
AXIS 212 PTZ-V 10-Pack		0280-024	AXIS 212 PTZ-V in 10 pack. Cannot be sold separately. Power supplies included.	6,899.00
AXIS 214 PTZ Network Camera		0246-004	Pan/tilt/zoom (x18) camera. Auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O for alarm/event handling. Two-way Audio full duplex. Includes ceiling mount kit and power supply.	1,299.00
AXIS 215 PTZ Network Camera		0274-004	Compact Pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and auto-focus zoom lens. Up to 4CIF resolution at 25/30 fps frame rate. Simultaneous MPEG-4 and Motion JPEG. I/O connections for alarm/event handling. Two-way, full duplex audio. Includes power supply, mounting kit for hard and drop ceiling and transparent cover smoked and clear.	999.00

<b>AXIS 215 PTZ-E Network Camera</b>		<b>0306-001</b>	Outdoor, IP66-rated pan/tilt/zoom camera including auto-iris, automatic day/night, and autofocus 12x zoom lens. Up to 4CIF resolution at 30/25 fps. Simultaneous MPEG-4 and Motion JPEG. Pre-mounted wall bracket, 5-meter power and Ethernet cables. 100 - 240 V AC power input. Clear dome bubble.	<b>1,399.00</b>
<b>AXIS P5532 Network Camera</b>		<b>0310-004</b>	PTZ camera with 29x optical zoom, D1 resolution (720x480) and IP51 classification. H.264 and Motion JPEG, Day & Night, WDR, EIS. Two way audio, four I/O and external power with multi-connector cable (not included) Includes High PoE midspan, smoked and clear dome covers, and mounting kit for hard and drop ceilings.	<b>1,999.00</b>
<b>AXIS P5532-E Network Camera</b>		<b>0312-004</b>	Outdoor ready PTZ camera with 29x optical zoom, D1 resolution (720x480), IP66 and NEMA 4X classification. H.264 and Motion JPEG, Day & Night, WDR, Electronic Imaging Stabilization. Includes High PoE midspan, smoked and clear dome covers. Mounting brackets are not included.	<b>2,399.00</b>
<b>AXIS P5534 Network Camera</b>		<b>0314-004</b>	HDTV 720p compliant PTZ camera with 18x optical zoom for indoor use. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, two-way audio, I/O, IP51. Two way audio, four I/O and external power with multi-connector cable (not included) Includes HiPoE midspan, smoked and clear dome covers and mounting kit for hard and drop ceilings	<b>2,499.00</b>
<b>AXIS P5534-E Network Camera</b>		<b>0316-004</b>	HDTV 720p compliant outdoor-ready, PTZ camera with 18x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66 and NEMA 4X classification. Advanced Gatekeeper. Includes High PoE 30 W midspan, smoked and clear dome. Mounting brackets are not included.	<b>2,899.00</b>
<b>AXIS P5534 60Hz Outdoor T95A00 Kit</b>		<b>0314-041</b>	Bundle with unit of AXIS 5534 60Hz and 1 unit of AXIS T95A00 housing. Camera is delivered pre-mounted in the outdoor IP66 rated housing. Includes clear and smoked bubble. 100-240 VAC input. HDTV 720p compliant PTZ camera with 18x optical zoom. HDTV 720p @ 25/30fps (1280x720) in H.264 and Motion JPEG, Day & Night. Mounting bracket not included.	<b>3,149.00</b>
<b>AXIS P5534 60Hz Outdoor T95A10 Kit</b>		<b>0314-031</b>	Bundle with unit of AXIS 5534 60Hz and 1 unit of AXIS T95A10 housing. Camera is delivered pre-mounted in the outdoor IP66 rated housing. Includes clear and smoked bubble. 24 VAC input. (Recommended power supply PS24). HDTV 720p compliant PTZ camera with 18x optical zoom. HDTV 720p @ 25/30fps (1280x720) in H.264 and Motion JPEG, Day & Night. Mounting bracket not included.	<b>3,099.00</b>

AXIS P5544 60HZ		0443-004	PTZ dome camera with 360-degree panoramic view, 18x optical zoom for indoor use. HDTV 720p @ 25/30fps (1280x720) in H.264 and Motion JPEG, Day & Night, two-way audio, I/O, IP51. Includes PoE+ midspan, clear dome covers and mounting kit for hard and drop ceilings	2,999.00
<b>Pan/Tilt/Zoom Dome Network Cameras</b>				
AXIS M5013		0398-001	Ceiling-mount mini PTZ dome camera with SVGA resolution and 3x digital zoom. 800x600 @ 30fps in H.264 and Motion JPEG. IP51 protection against dust and water. Only PoE, midspan not included. Hard and soft ceiling mounting brackets included.	499.00
AXIS M5014		0399-001	Ceiling-mount mini PTZ dome camera with HDTV 720p resolution, 16:9 format and 3x digital zoom. 1280x720 @ 30fps in H.264 and Motion JPEG. IP51 protection against dust and water. Only PoE, midspan not included. Hard and soft ceiling mounting brackets included.	599.00
AXIS P5522		0420-004	PTZ camera with 18x optical zoom, D1 resolution (720x480) and IP51 classification in H.264 and Motion JPEG, Day & Night. Two way audio, four I/O and external power with multi-connector cable (not included). Includes High PoE midspan, smoked and clear dome covers, and mounting kit for hard and drop ceilings.	1,499.00
AXIS P5522-E		0422-004	Outdoor PTZ camera with 18x zoom, D1 resolution (720x480) and IP66 classification in H.264 and Motion JPEG, Day & Night. Includes High PoE midspan, smoked and clear dome covers. Brackets are sold separately.	1,899.00
AXIS P5512		0409-001	Compact pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and autofocus zoom lens. Up to 4CIF resolution at 25/30 fps frame rate. Simultaneous H.264 and Motion JPEG, standard IEEE 802.3af PoE (midspan not included), mounting kit for hard and drop ceiling and transparent cover smoked and clear. I/O connections for alarm/event handling. Two-way, full duplex audio requires multi connection cable (not included)	1,099.00
AXIS P5512-E		0411-001	Outdoor, IP66-rated pan/tilt/zoom (12x) camera including auto-iris, automatic day/night, and autofocus zoom lens. Up to 4CIF resolution at 25/30 fps. Simultaneous H.264 and Motion JPEG. Power over Ethernet IEEE 802.3af, (midspan not included), clear and smoked dome bubble included. Brackets AXIS T91A are sold separately.	1,499.00

AXIS 233D		0266-004	35x optical zoom dome camera with WDR and area zoom. Auto day/night mode down to 0.5 lux in color and 0,008 in night mode. Continuous 360° rotation and 180° tilt with E-flip. Progressive Scan 4CIF resolution at 30/25fps in MPEG-4 or Motion JPEG. Two-way audio, I/O for alarm/event handling. Includes hard and drop ceiling mount kit, smoked and clear transparent covers and power supply.	2,499.00
AXIS Q6032		0357-004	IP52, PTZ dome camera with 35x optical zoom. WDR, EIS. Auto day/night mode down to 0.5 lux in color and 0.008 in night mode. Continuous 360° rotation and 180° tilt with E-flip. Progressive scan Extended D1 resolution (752x480) at 30fps in H.264 and Motion JPEG. Auto-tracking, Tour Recording. Two way audio, four I/O and external power with multi-connector cable (not included)	2,599.00
AXIS Q6032-E PTZ Dome Network Camera		0318-004	Outdoor-ready, IP66 and NEMA 4X classification, PTZ Dome camera with 35x optical zoom. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C. WDR, EIS. Auto day/night mode down to 0.5 lux in color and 0.008 in night mode. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan 4CIF resolution @ 30 fps in H.264 and Motion JPEG. Auto-tracking. Power through High PoE only. Includes clear transparent bubble and High PoE midspan. No mounting bracket included (several different available as accessories).	3,199.00
AXIS Q6032-E 60 Hz Wall		0318-014	Outdoor-ready, IP66 and NEMA 4X classification, PTZ dome camera with 35x optical zoom. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C. WDR, EIS. Auto day/night mode down to 0.5 lux in color and 0.008 in night mode. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan 4CIF resolution at 30fps in H.264 and Motion JPEG. Auto-tracking. Power through High PoE only. Includes AXIS T91A61 Wall Bracket, clear transparent bubble and High PoE midspan.	3,289.00
AXIS Q6032-C 60 Hz		0458-001	Actively cooled, outdoor-ready high-speed PTZ dome camera with 35x optical zoom. IP66-, MIL- and NEMA 4X-rated. Temperature range - 4°F to +167°F. WDR, Active Gatekeeper and autotracking, EIS, Auto day/night mode down to 0.5 lux in color and 0.008 lux in night mode. Continuous 360° rotation and 220° tilt with E-flip. Progressive scan, Extended D1 resolution @ 30 fps in H.264 and Motion JPEG. Including 5 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 12 V in. Power supply and brackets are not included.	3,699.00

AXIS Q6034		0363-004	HDTV 720p compliant high speed PTZ Dome camera with 18x optical zoom for indoor use. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP52. Two way audio, four I/O and external power with multi-connector cable (not included) Includes Hi PoE midspan, smoked and clear dome covers and mounting kit for hard and drop ceilings.	2,999.00
AXIS Q6034-E 60HZ		0362-004	Top performance HDTV 720p compliant Outdoor ready, high speed PTZ camera with 18x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66 and NEMA 4X classification. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C. Active Gate Keeper and auto-tracking. Includes Hi PoE midspan and clear dome. Mounting brackets are not included.	3,599.00
AXIS Q6034-C 60Hz		0460-001	Actively cooled, outdoor-ready HDTV 720p high-speed PTZ dome camera with 18x optical zoom. IP66-, MIL- and NEMA 4X-rated. Temperature range -4 °F to +167 °F. Continuous 360° rotation and 220° tilt with E-flip. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, WDR. Active Gatekeeper and autotracking. Including 5 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 12 V in. <b>Power supply and brackets are not included.</b>	4,099.00
AXIS Q6035		0444-004	HDTV 1080p compliant high speed PTZ dome camera with 20x optical zoom for indoor use. Continuous 360° rotation. HDTV 1080p (1920x1080) @ 25/30 fps, HDTV 720p @ 50/60 fps in H.264, Day & Night, WDR, IP52. Two-way audio, I/O and external power with multi-connector cable (not included). Smoked and clear dome covers, mounting kit for hard and drop ceiling, and midspan are included.	3,399.00
AXIS Q6035-E		0445-004	HDTV 1080p compliant outdoor-ready, IP66 and NEMA 4X-rated, PTZ dome camera with 20x optical zoom. Arctic Temperature Control enables operation and start up from -40 °C to +50 °C. WDR. Auto day/night mode. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps, HDTV 720p @ 60 fps in H.264. Auto-tracking. Power through High PoE only. Clear transparent dome cover and High PoE midspan are included. Brackets are not included.	3,999.00



AXIS Q6035-C 60Hz		0462-001	Actively cooled, outdoor-ready HDTV 1080p high-speed PTZ dome camera with 20x optical zoom. IP66-, MIL- and NEMA 4X-rated. Temperature range -4 °F to +167 °F. WDR. Continuous 360° rotation and 220° tilt with E-flip. HDTV 1080p (1920x1080) @ 30 fps, HDTV 720p @ 60 fps in H.264 and Motion JPEG. Day&Night, Active Gatekeeper and autotracking. Including 5 m cable, media converter switch with 2xSFP slots for optical fiber modules, 2xRJ-45, 2xI/O and 12 V in. Power supply and brackets are not included.	4,499.00
<b>Thermal Cameras</b>				
AXIS Q1910		0334-001	Indoor Thermal Network Camera, 160x128 resolution, 8.33 fps, and 17° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform.	2,999.00
AXIS Q1910-E		0335-001	Outdoor ready Thermal Network Camera, IP66-rated, 160x128 resolution, 8.33 fps, and 17° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform.	3,499.00
AXIS Q1921 19mm 30fps		0384-001	Indoor Thermal Network Camera, 384x288 resolution, 30 fps, and 29° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform.	3,999.00
AXIS Q1921-E 19mm 30fps		0385-001	Outdoor ready Thermal Network Camera, IP66-rated, 384x288 resolution, 30 fps, and 29° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform.	4,499.00
AXIS Q1921 10mm 30fps		0388-001	Indoor Thermal Network Camera, 384x288 resolution, 30 fps, and 55° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform.	3,999.00
AXIS Q1921-E 10mm 30fps		0389-001	Outdoor ready Thermal Network Camera, IP66-rated, 384x288 resolution, 30 fps, and 55° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform.	4,499.00
AXIS Q1921-E 35mm 30fps		0390-001	Outdoor ready Thermal Network Camera, IP66-rated, 384x288 resolution, 30 fps, and 15° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform.	5,399.00
AXIS Q1921-E 60mm 30fps		0391-001	Outdoor ready Thermal Network Camera, IP66-rated, 384x288 resolution, 30 fps, and 9° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform.	7,599.00

AXIS Q1922 10MM 30 FPS		0506-001	Indoor Thermal Network Camera, 640x480 resolution, 30 fps, and 57° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform.	8,499.00
AXIS Q1922 19MM 30 FPS		0502-001	Indoor Thermal Network Camera, 640x480 resolution, 30 fps, and 32° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform.	8,499.00
AXIS Q1922-E 10MM 30 FPS		0507-001	Outdoor ready Thermal Network Camera, IP66-rated, 640x480 resolution, 30 fps, and 57° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform.	8,999.00
AXIS Q1922-E 19MM 30 FPS		0503-001	Outdoor ready Thermal Network Camera, IP66-rated, 640x480 resolution, 30 fps, and 32° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform.	8,999.00
AXIS Q1922-E 35MM 30 FPS		0477-001	Outdoor ready Thermal Network Camera, IP66-rated, 640x480 resolution, 30 fps, and 18° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform.	9,899.00
AXIS Q1922-E 60MM 30 FPS		0478-001	Outdoor ready Thermal Network Camera, IP66-rated, 640x480 resolution, 30 fps, and 10° angle of view. It supports ONVIF, PT heads, H.264, audio, local storage, I/O, PoE, tampering alarm, motion detection, and AXIS Camera Application Platform.	12,099.00
<b>Covert Network Cameras</b>				
AXIS P8513, White (Ft. Decal)		0451-004	White eye-level camera for face identification. Covertly pre-installed at a height of 160cm (5.2 ft.) in a steel pipe with height indicator decal, it offers a subtle indoor video surveillance that blends in with any retail, hotel and banking environment. SVGA resolution at 30 fps, fixed focal pinhole lens, multiple, individually configurable H.264 and Motion JPEG streams, video motion detection and active tampering alarm. Power over Ethernet, pre-mounted 130cm (4.3 ft.) Ethernet cable with female RJ45 connector	999.00
AXIS P8513, Black (Ft. Decal)		0452-004	Black eye-level camera for face identification. Covertly pre-installed at a height of 160cm (5.2 ft.) in a steel pipe with optional height indicator decal, it offers a subtle indoor video surveillance that blends in with any retail, hotel and banking environment. SVGA resolution at 30 fps, fixed focal pinhole lens, multiple, individually configurable H.264 and Motion JPEG streams, video motion detection and active tampering alarm. Power over Ethernet, pre-mounted 130cm (4.3 ft.) Ethernet cable with female RJ45 connector	999.00

AXIS P8513, Chrome (Ft. Decal)		0453-004	Chrome eye-level camera for face identification. Covertly pre-installed at a height of 160cm (5.2 ft.)in a steel pipe with optional height indicator decal, it offers a subtle indoor video surveillance that blends in with any retail, hotel and banking environment. SVGA resolution at 30 fps, fixed focal pinhole lens, multiple, individually configurable H.264 and Motion JPEG streams, video motion detection and active tampering alarm. Power over Ethernet, pre-mounted 130cm (4.3 ft.)Ethernet cable with female RJ45 connector	999.00
AXIS P8514, White (Ft. Decal)		0454-004	White eye-level camera for face identification. Covertly pre-installed at a height of 160cm (5.2 ft.)in a steel pipe with height indicator decal, it offers a subtle indoor video surveillance that blends in with any retail, hotel and banking environment. HDTV 720p resolution at 30 fps, fixed focal pinhole lens, multiple, individually configurable H.264 and Motion JPEG streams, video motion detection and active tampering alarm. Power over Ethernet, pre-mounted 130cm (4.3 ft.)Ethernet cable with female RJ45 connector	1,099.00
AXIS P8514, Black (Ft. Decal)		0455-004	Black eye-level camera for face identification. Covertly pre-installed at a height of 160cm (5.2 ft.)in a steel pipe with optional height indicator decal, it offers a subtle indoor video surveillance that blends in with any retail, hotel and banking environment. HDTV 720p resolution at 30 fps, fixed focal pinhole lens, multiple, individually configurable H.264 and Motion JPEG streams, video motion detection and active tampering alarm. Power over Ethernet, pre-mounted 130cm (4.3 ft.)Ethernet cable with female RJ45 connector	1,099.00
AXIS P8514, Chrome (Ft. Decal)		0456-004	Chrome eye-level camera for face identification. Covertly pre-installed at a height of 160cm (5.2 ft.)in a steel pipe with optional height indicator decal, it offers a subtle indoor video surveillance that blends in with any retail, hotel and banking environment. HDTV 720p resolution at 30 fps, fixed focal pinhole lens, multiple, individually configurable H.264 and Motion JPEG streams, video motion detection and active tampering alarm. Power over Ethernet, pre-mounted 130cm (4.3 ft.)Ethernet cable with female RJ45 connector	1,099.00
<b>Thermal Camera Housing</b>				
AXIS T92E23 Thermal Camera Housing		0386-001	Aluminum outdoor thermal housing for AXIS Q1910 and AXIS Q1921 with 10mm, 19mm or 35mm lens. Wallbracket and sunshield included.	899.00
AXIS T92E24 Thermal Camera Housing		0387-001	Aluminum outdoor thermal housing for AXIS Q1921 with 60mm lens. Wallbracket and sunshield included.	1,599.00
<b>Recorder</b>				

AXIS Q8108-R		0332-031	8-channel network video recorder (NVR) developed to withstand shocks, vibrations and temperature fluctuations in public and commercial transportation applications. AXIS Q8108-R provides uninterrupted in-vehicle recording also in full frame rate HDTV resolution and offers an integrated 8-port PoE switch for easy and cost efficient installation. Hard disks not included.	3,799.00
<b>1-port Video Encoders</b>				
AXIS 241S Video Server		0186-004	One port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled events.	499.00
AXIS 241S Video Server 10 Pack		0186-024	Includes 10 pcs of AXIS 241S in a bulk pack. No manuals are included.	4,849.00
AXIS 241S Blade 10 Pack		0210-031	Includes 10 pcs of AXIS 241S Blade in a bulk pack. No manuals are included.	3,849.00
AXIS 243SA Video Server		0256-004	One channel, high quality full frame rate video up to 25/30 fps in all resolutions, in MPEG-4 as well as Motion JPEG. Support for simultaneous MPEG-4 and Motion JPEG streams. Two-way audio, motion detection, remote pan/tilt/zoom control and security package including HTTPS encryption	699.00
AXIS 247S 10 Pack		0272-021	Includes 10 AXIS 247S Video Servers	4,849.00
AXIS 282 20 Pack		0237-011	20 PCS of Bare board 1 channel video server for built-in purposes. Motion JPEG and MPEG-4. Up to 30 fps. I/O for alarm/event handling. RS-232 or RS-485 for data and PTZ control	9,599.00
AXIS M7001		0298-001	1-channel video encoder. Dual streaming in H.264 and Motion JPEG; max. D1 resolution at 30/25 fps. Video motion detection. Power over Ethernet (IEEE 802.3af) only. NO midspan	249.00
AXIS M7001 10-pack		0298-021	AXIS M7001 in 10-pack/bulk. Cannot be sold separately as single packs. NO midspans	2,490.00
AXIS M7001 Covert Surveillance Kit		0298-031	1-channel video encoder together with a small IP66 covert camera. Dual streaming in H.264 and Motion JPEG; max. D1 resolution at 30/25 fps. Video motion detection. Power over Ethernet (IEEE 802.3af) only with power out for the covert camera. NO midspan	399.00
AXIS M7001 Covert Surveillance Kit 10-pack		0298-041	AXIS M7001 Covert Surveillance Kit in 10-pack/bulk. Cannot be sold separately as single packs. NO midspans	3,849.00
AXIS Q7401		0288-004	1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power out for the analog camera. SD/SDHC memory card slot for local storage. Includes power supply.	399.00

AXIS Q7401 Video Encoder Bare Board		0288-041	Bare board 1 channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection. Power over Ethernet (IEEE 802.3af) with power out for the analog camera. SD/SDHC memory card slot for local storage.. No power supply.	399.00
AXIS Q7401 Video Encoder Bare Board Bulk 20pcs		0288-051	AXIS Q7401 Barebone in 20-pack. Cannot be sold separately as single packs. No power supplies.	7,980.00
AXIS P8221		0321-004	Network I/O and audio module. Eight digital ports configurable as inputs or outputs. Two-way audio configurable to simplex, half or full duplex. Built-in pre-amp, phantom power and gain control for a balanced microphone. Line and speaker output. Serial port RS-232/422/485. Power over Ethernet enabled. Includes power supply.	349.00
AXIS P8221 10-pack		0321-021	AXIS P8221 in 10-pack/bulk. Cannot be sold separately as single pack. NO midspans. Power supplies not included.	3,449.00
<b>4-port Video Encoders</b>				
AXIS M7014 Video Encoder		0415-004	Four-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 15 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC card. PTZ support. Includes power supply.	499.00
AXIS M7014 Video Encoder Bulk 10pcs		0415-021	AXIS M7014 in 10-pack. Power supply not included. Cannot be sold separately as single packs.	4,740.00
AXIS M7014 Surveillance Kit		0415-044	Bundle with 1 unit of AXIS M7014 Video Encoder and a 4-camera base license of AXIS Camera Station video management software for monitoring, recording, playback and event management. Kits can be scaled and combined to build a truly effective and reliable surveillance solution for any system size up to 50 cameras. To meet any specific need additional cameras and AXIS Camera Station upgrade licenses can be ordered separately.	599.00
AXIS P7214 Video Encoder		0417-004	Four-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC card. PTZ support. Includes power supply.	699.00
AXIS P7214 Video Encoder Bulk 10pcs		0417-021	AXIS P7214 in 10-pack. Power supply not included. Cannot be sold separately as single packs.	6,640.00

AXIS P7214 Surveillance Kit		0417-044	Bundle with 1 unit of AXIS P7214 Video Encoder and a 4-camera base license of AXIS Camera Station video management software for monitoring, recording, playback and event management. Kits can be scaled and combined to build a truly effective and reliable surveillance solution for any system size up to 50 cameras. To meet any specific need additional cameras and AXIS Camera Station upgrade licenses can be ordered separately.	799.00
AXIS P7224 Video Encoder Blade		0418-001	Four-channel video encoder blade. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. PTZ support. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK.	699.00
AXIS P7224 Video Encoder Blade 10-pack		0418-021	AXIS P7224 in 10-pack. Cannot be sold separately as single packs.	6,790.00
AXIS Q7424-R Video Encoder		0487-001	Rugged Video Encoder with H.264 and Motion JPEG support. 1-4 video channels. Video motion detection. Two-way audio with audio detection. ACAP support on one channel. Ethernet port and SFP slot for fiber connection. Support for Power over Ethernet (IEEE 802.3af) and Power Supply (optional). Edge storage using SDHC card or NAS. PTZ support and configurable I/O connectors.	1,199.00
AXIS Q7424-R Bulk 10pcs		0487-021	AXIS Q7424-R in 10-pack. Power supply not included. Cannot be sold separately as single packs.	11,390.00
AXIS 240Q Video Server		0232-004	4 channel NTSC/PAL video encoder. Motion JPEG. Up to 24/20 total fps. I/O for alarm/event handling. RS-232/RS-485 for data and PTZ control.	499.00
AXIS 240Q Blade		0232-024	Blade version of 240Q Video Server. Requires the AXIS Video Server Rack for installation.	399.00
AXIS 241Q Video Server		0185-004	Four port high frame rate Motion JPEG and MPEG-4 video server. Security package with IP filtering, HTTPS support, multi-level password protection and built-in motion detection. Event management based on triggered or scheduled events.	799.00
AXIS 241Q Video Server 10 Pack		0185-024	Includes 10 pcs of AXIS 241Q in a bulk pack. No manuals are included.	7,749.00
AXIS 241Q Blade		0209-011	The AXIS 241Q Video Server Blades offer full frame-rate simultaneously on all channels and have the ability to digitize up to 4 analog video sources, making this available on the network as streams of real time Motion JPEG and MPEG-4 video	699.00
AXIS 241Q Blade 10 Pack		0209-031	Includes 10 pcs of AXIS 241Q Blade in a bulk pack. No manuals are included.	6,749.00

AXIS 241QA Video Server		0230-004	High quality video at up to 30 fps per channel on four channels. Simultaneous MPEG-4 and Motion JPEG streams in resolutions up to 704x480. Two-way audio, motion detection, remote pan/tilt/zoom control and security package including HTTPS encryption.	849.00
AXIS 243Q Blade		0261-001	4 channel Blade Server, high quality full frame rate video up to 25/30 fps in all resolutions, in MPEG-4 or Motion JPEG. Support for simultaneous MPEG-4 and Motion JPEG streams, motion detection, remote pan/tilt/zoom control and security package including HTTPS encryption. ONLY COMPATIBLE WITH AXIS 291 1U VIDEO SERVER RACK	999.00
AXIS 243Q Blade 10 Pack		0261-021	Includes 10 pcs of AXIS 243Q in a bulk pack. No manuals are included.	9,699.00
AXIS Q7404 Video Encoder		0291-004	Four-channel video encoder. Multiple, individually configurable H.264 and Motion JPEG streams per channel; max. D1 resolution at 30/25 (NTSC/PAL) fps. Video motion detection. Active tampering alarm. Two-way audio and audio detection on one channel. PTZ support. Includes power supply.	1,099.00
AXIS Q7404 10-pack/bulk		0291-024	AXIS Q7404 in 10-pack. Cannot be sold separately as single packs. Power supplies included.	10,649.00
AXIS Q7411 Video Encoder		0518-004	Video Encoder with H.264 (Main and Base profile) and Motion JPEG support. Supports 60/50 frames per second. Coax PTZ Control, video motion detection, two-way audio, configurable I/O connectors and ACAP support. 8-28 VD and Power over Ethernet (IEEE 802.3af). Edge storage using microSDHC card or NAS.	499.00
AXIS Q7411 Video Encoder 10pcs		0518-021	AXIS Q7411 in 10-pack. Power supply not included. Cannot be sold separately as single	4,949.00
AXIS Q7414 Video Encoder Blade		0354-001	Four channel video encoder blade. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps per channel. Four bi-directional audio channels with AAC encoding. Video motion detection. Active tampering alarm. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK.	1,199.00
AXIS Q7414 Video Encoder Blade 10-pack		0354-021	AXIS Q7414 in 10-pack. Cannot be sold separately as single packs.	11,690.00
<b>6-port Video Encoders</b>				
AXIS Q7406		0289-001	6 channel video encoder blade. Multiple, individually configurable H.264 and Motion JPEG streams; max. D1 resolution at 30/25 fps per channel. Video motion detection. Active tampering alarm. COMPATIBLE WITH AXIS Q7900 RACK AND AXIS 291 1U VIDEO SERVER RACK.	1,499.00
<b>16-port Video Encoders</b>				
AXIS M7010 Video Encoder		0414-004	Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 15 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC cards. PTZ support. Includes power supply.	1,999.00

AXIS M7010 Surveillance Kit		0414-044	Bundle with 1 unit of AXIS M7010 Video Encoder and a 16-camera base license of AXIS Camera Station video management software for monitoring, recording, playback and event management. Kits can be scaled and combined to build a truly effective and reliable surveillance solution for any system size up to 50 cameras. To meet any specific need additional cameras and AXIS Camera Station upgrade licenses can be ordered separately.	2,199.00
AXIS P7210 Video Encoder		0416-004	Sixteen-channel video encoder. Dual streaming H.264 and Motion JPEG on all channels. Max D1 resolution at 30/25 (NTSC/PAL) fps on all streams. Video motion detection. Active tampering alarm. Two-way audio with audio detection. Power over Ethernet (IEEE 802.3af). Local storage using microSDHC cards. PTZ support. Includes power supply.	2,499.00
AXIS P7210 Surveillance Kit		0416-044	Bundle with 1 unit of AXIS P7210 Video Encoder and a 16-camera base license of AXIS Camera Station video management software for monitoring, recording, playback and event management. Kits can be scaled and combined to build a truly effective and reliable surveillance solution for any system size up to 50 cameras. To meet any specific need additional cameras and AXIS Camera Station upgrade licenses can be ordered separately.	2,699.00
<b>Multiport Video Encoders</b>				
AXIS 12 Channel Video Server Bundle		0277-004	3 x AXIS 243Q Blade mounted in an AXIS 291 1U Rack.	3,349.00
AXIS 18 Channel Video Encoder Bundle		0322-004	3 x AXIS Q7406 Blade mounted in an AXIS 291 1U Rack.	4,849.00
AXIS 84 Channel Video Encoder Bundle		0323-004	14 x AXIS Q7406 Blade mounted in an AXIS Q7900 Rack.	23,749.00
<b>1-port Video Decoder</b>				
AXIS P7701		0319-004	1 channel network video decoder. Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. Includes power supply.	499.00
AXIS P7701 Video Decoder Barebone		0319-041	Bare board 1 channel video decoder. Decodes H.264 and MPEG-4 Part 2 in max. D1 resolution at 30/25 (NTSC/PAL) fps and 720p in Motion JPEG. Decodes AAC, G726 and G.711 audio streams in mono. Supports video source sequencing. Power over Ethernet enabled. No power supply.	499.00
AXIS P7701 Video Decoder Barebone Bulk 20pcs		0319-051	AXIS P7701 bare board in 20-pack. Cannot be sold separately as single packs. No power supplies.	9,980.00
<b>Blade Video Server Rack</b>				



AXIS Video Server Rack		0192-004	Video server rack unit. 19". Will hold up to 12 Blade video servers. Comes complete with integrated power supply and blanking panels. (Will NOT hold AXIS 243Q blade)	1,299.00
AXIS 291 1U Video Server Rack		0267-004	1U 19" rack unit with three expansions slots, compatible with all Axis Blade video servers. Universal built-in power supply. One 10/100/1000Base-T output.	399.00
AXIS Q7900 Rack		0287-004	4U 19" rack with 14 slots for Axis video encoder blades. Supports up to 84 analog channels. Multiple video streams per channel through four Gigabit Ethernet ports. Two redundant power supply units. Each slot offers six RS-485 connectors for PTZ control and 12 I/O ports for connections to external devices. Compatible with all current Axis video encoder blades.	2,999.00
<b>VIDEO ACCESSORY PRODUCTS</b>				
AXIS T8310 Control Board		5020-001	Modular control board for professional camera and video management. AXIS T8310 Control Board is a complete control board solution which includes AXIS T8311 Joystick, AXIS T8312 Keypad and AXIS T8313 Jog Dial. Includes required USB cables inter-connecting the units and a 2 meter USB cable to the workstation. AXIS T8310 Video Surveillance Control Board is supported in ACS ver. 3.3 or later.	1,149.00
AXIS T8311 Joystick		5020-101	Professional joystick for accurate control of Axis pan/tilt/zoom and dome network cameras. Connects to the workstation over USB. Features a three-axis joystick with X/Y-axis for positioning and turning knob for zoom and 6 push-buttons. Includes a 2 meter USB cable for connection to the workstation. AXIS T8311 Joystick is supported in ACS ver. 3.3 or later.	399.00
AXIS T8312 Keypad		5020-201	Professional 22 button keypad for quick navigation between workspaces, camera views and PTZ. Connects to the workstation over USB. Includes a 2 meter USB cable for connection to the workstation. AXIS T8312 Keypad is supported in ACS ver. 3.3 or later.	449.00
AXIS T8313 Jog Dial		5020-301	Professional video surveillance jog dial for high precision playback, facilitating functions such as play, pause, index, image steps and fast search. 6 built-in push buttons additionally simplifies video forensics. AXIS T8313 Jog Dial is supported in ACS ver. 3.3 or later.	399.00
<b>SOFTWARE</b>				
AXIS Camera Station 10 Camera Base License		0202-004	Versatile PC Software for up to ten Axis video sources/cameras. Scheduled, continuous, event or motion based recording. Remote monitoring via Web or Windows client. Includes 1 year of free upgrades. Can not be combined with other Camera Base Licenses.	999.00

AXIS Camera Station - 4 Camera Base License		0202-054	AXIS Camera Station contains a license for four video sources/cameras. Additional cameras/channels can be added with the 5 camera add-on license or 1 camera add-on license to a maximum of 50 cameras/channels. Can not be combined with other Camera Base Licenses.	649.00
AXIS Camera Station 20 License Add On		0202-264	Additional license to be added to "Axis Camera Station 10" base license, provides recording for additional 20 Axis network video channels; 20 Camera Add-On License.	1,979.00
AXIS Camera Station 5 License Add On		0202-014	Additional license to be added to "Axis Camera Station 10" base license, provides recording for additional 5 Axis network video channels; 5 Camera Add-On License.	499.00
AXIS Camera Station 1 License Add On		0202-034	Additional license to be added to "Axis Camera Station 10" base license, provides recording for additional 1 Axis network video channels; 1 Camera Add-On License.	99.00
AXIS Camera Station 1 year support extension		0202-024	Adds a 1 year free support and software upgrade right to the 1 year period included in the AXIS Camera Station 4 or 10 license base pack.	149.00
AXIS MPEG-4 Decoder 50-user license pack		0160-030	A license document that grants installation of AXIS MPEG-4 decoder onto 50 separate computers. Applicable for all Axis MPEG-4 products that does not support AAC audio encoding. (e.g. models: 210, 211, 210A, 211A, 213, 214, 221, 231D+, 232D+, 241S,241Q, 241SA, 241QA, 242SIV, 243SA, 282, 282A)	49.00
AXIS MPEG-4 +AAC decoder 50-user license		0160-040	A license document that grants installation of AXIS MPEG-4 and AAC decoder onto 50 separate computers. Applicable for all Axis products that supports MPEG-4. Required for models that supports AAC audio encoding (e.g. models: 207, 207W, 207MW, 212PTZ, 216FD, 223M)	69.00
AXIS H.264 50-user decoder license pack		0160-050	A license document that grants installation of AXIS AVC/H.264 decoder onto 50 separate computers. Applicable for all AXIS products that supports H.264 but does not have support for audio.	49.00
AXIS H.264 +AAC decoder 50-user decoder license pack		0160-060	A license document that grants installation of AXIS AVC/H.264 and AAC decoder onto 50 separate computers. Applicable for all AXIS products that supports H.264 that also have support for audio.	59.00
<b>AXIS Camera Application Platform</b>				
AXIS Cross Line Detection		0333-011	License code that grants installation of Axis Cross Line Detection application on one camera/encoder. Visit <a href="http://www.axis.com">www.axis.com</a> for supported cameras/encoders products and download of the application.	29.00
AXIS Cross Line Detection 10-pack		0333-031	License code that grants installation of Axis Cross Line Detection application on up to 10 cameras/encoders. Visit <a href="http://www.axis.com">www.axis.com</a> for supported cameras/encoders products and download of the application.	279.00

AXIS Cross Line Detection 50-pack		0333-051	License code that grants installation of Axis Cross Line Detection application on up to 50 cameras/encoders. Visit <a href="http://www.axis.com">www.axis.com</a> for supported cameras/encoders products and download of the application.	1,359.00
<b>PTZ Housing and Mounts</b>				
AXIS Pendant Dome Indoor		25735	Indoor, IP66 classified housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (No Electronics) Pendant mount.	299.00
AXIS Pendant Dome Outdoor		25733	Outdoor, IP66 housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (Heater and Blower) Pendant Mount. Must use PB24 Adaptor to power the 233D PTZ in Pendant Dome/Pendant Vandal Dome.	599.00
AXIS Pendant Vandal Dome		25734	Outdoor, vandal-resistant housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, and AXIS 23xD+ Network Cameras (Heater and Blower) Pendant Mount. Must use PB24 Adaptor to power the 233D PTZ in Pendant Dome/Pendant Vandal Dome.	849.00
Axis Pendant Dome Indoor Smoked		35540	Indoor, IP66 classified housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (No Electronics) Pendant mount. Smoked Dome.	299.00
Axis Pendant Dome Outdoor Smoked		35541	Outdoor, IP66 housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Cameras (Heater and Blower) Pendant Mount. Must use PB24 Adaptor to power the 233D PTZ in Pendant Dome/Pendant Vandal Dome. Smoked Dome.	599.00
Axis Pendant Vandal Dome Smoked		35542	Outdoor, vandal-resistant housing with clear dome for the AXIS 213, AXIS 214, AXIS 215, and AXIS 23xD+ Network Cameras (Heater and Blower) Pendant Mount. Must use PB24 Adaptor to power the 233D PTZ in Pendant Dome/Pendant Vandal Dome. Smoked Dome.	849.00
Smoked Bubble Pendant Dome		25740	Smoked Bubble for AXIS Pendant Domes (Spare Part)	69.00
Clear Bubble Pendant Dome		25741	Clear Bubble for AXIS Pendant Dome (Spare Part)	69.00
Electronic kit T95A10		5700-091	Electronic boards for replacement in AXIS T95A10 24 VAC. Includes 3 boards.	129.00
Heater / Fan kit T95A10		5700-111	Replacement kit with 3 heaters and fans for AXIS T95A10	99.00
AXIS Q60XX-C Cooling Module	New	5800-501	Peltier element, inside and outside fan for AXIS Q60XX-C	999.00
Bubble kit clear T95A		5700-121	Replacement clear bubble for AXIS T95A. Includes aluminum ring, rubber gasket and screws.	129.00
Bubble kit smoked T95A		5700-131	Replacement smoked bubble for AXIS T95A. Includes aluminum ring, rubber gasket and screws.	129.00
Sunshield kit T95A		5700-141	Replacement sunshield and lid for AXIS T95A	59.00
Screw and gland kit T95A		5700-151	Replacement cable gland plate, cable glands and screws for AXIS T95A	24.00

AXIS P851X Wall Bracket Kit, Black		5503-511	Black telescopic wallbracket kit for the AXIS P85-series. Kit content: two wallbrackets and one floor bracket	69.00
AXIS P851X Wall Bracket Kit, White		5503-501	White telescopic wallbracket kit for the AXIS P85-series. Kit content: two wallbrackets and one floor bracket	69.00
Front Kit T92E23		5800-031	Front kit including metal frame, window, heater, gasket and screws for AXIS T92E23 Thermal camera housing. Compatible with 10mm, 19mm and 35mm TA-lenses.	249.00
Front Kit T92E24		5800-041	Front kit including metal frame, window, heater, gasket and screws for AXIS T92E24 Thermal camera housing. Compatible with the 60mm TA-lens.	949.00
Sunshield Kit T92E		5700-941	Sunshield for AXIS P134X-E, AXIS Q1755-E and AXIS Q192X-E. Includes mounting screws and Torx key.	35.00
Spare fan cassette AXIS Q7900 E2		5800-271	Original spare part fan cassette for AXIS Q7900 E2.	199.00
Spare power supply 1U 310W front		5700-071	Replacement power supply for AXIS Q7900 encoder rack	329.00
Spare connector kit AXIS Q7401		5500-831	Connectors for AXIS Q7410 as spare parts. Includes two 2pin STR 2.50MM, one 6pin STR 2.50MM and one 2pin STR 3.81MM. In total 4 connectors.	19.00
Spare connector kit for AXIS Q7404		5700-161	Terminal connectors for AXIS Q7404. Includes 8 pcs 2P 2.50MM, 4 pcs 4P 2.50MM and one 2P 3.81MM. In total 13 connectors.	35.00
Gooseneck Wall Mount		25736	Gooseneck Wall mount for the AXIS Pendant Dome	99.00
Parapet Mount		25738	Parapet Mount for the AXIS Pendant Dome	399.00
24VAC cold weather kit outdoor Fusion Dome		25742	Cold Weather Kit for the AXIS Pendant Fusion Dome Line	59.00
Pole Mount Adapter		21896	Pole mount adaptor for the AXIS Pendant Indoor, Outdoor and Vandal Dome housings.	59.00
Corner Mount Adapter		22059	Corner mount adaptor for the AXIS Pendant Indoor, Outdoor and Vandal Dome housings.	89.00
Ceiling Mount 12" Extension		26349	The Ceiling mount options are used to secure the AXIS Pendant Dome family of housing to hard ceilings. They ship with either a twelve or twenty-four inch extension pipe that connects to the top of the housing. All cables pass through the extension pipe to the point of fix	149.00
Ceiling Mount 24" Extension		26350	The Ceiling mount options are used to secure the AXIS Pendant Dome family of housing to hard ceilings. They ship with either a twelve or twenty-four inch extension pipe that connects to the top of the housing. All cables pass through the extension pipe to the point of fix	169.00
AXIS Indoor Recessed Enclosure		21898	Indoor, recessed ceiling housing with smoked glass for the AXIS 213, AXIS 214, AXIS 215, AXIS 23xD+ and AXIS 233 Network Camera.	199.00
AXIS T95A00 Dome Housing		5010-001	100-240 VAC input. Incl heater/fan.	649.00
AXIS T95A10 Dome Housing		5010-101	24VAC input (Rec power supply PS24)	599.00
AXIS T95A61 Wall Bracket		5010-611	Wall bracket for T95A00 and T95A10	99.00

AXIS T95A62 Ceiling Bracket		5010-621	Ceiling / Parapet bracket for AXIS T95A00 and T95A10 dome housing. Length: 48.5cm	199.00
AXIS T95A63 Extension Bracket		5010-631	Extension bracket for AXIS T95A00 and T95A10 dome housing. Used with AXIS T95A62 Ceiling / Parapet bracket. Length: 27 cm	139.00
AXIS T95A64 Corner Bracket		5010-641	Corner bracket for AXIS T98A-VE Surveillance Cabinet and AXIS T95A00/T95A10 Dome Housings. When used with the AXIS T95 Dome Housings the wall bracket AXIS T95A61 is required.	89.00
AXIS T95A66 Rotation Bracket		5010-661	Rotation bracket for AXIS T95A00 and T95A10 dome housing. Used with AXIS T95A62 Ceiling / Parapet bracket.	89.00
AXIS T95A67 Pole Bracket		5010-671	Pole bracket for AXIS T98A-VE Surveillance Cabinet and AXIS T95A00/T95A10 Dome Housings. When used with the AXIS T95 Dome Housings the wall bracket AXIS T95A61 is required.	129.00
Corner Mount AXIS 215 PTZ-E		5502-291	Corner bracket for AXIS 215 PTZ-E.	69.00
Pole Mount AXIS 215 PTZ-E		5502-301	Pole bracket for AXIS 215 PTZ-E.	69.00
AXIS T91A02 Din Rail Clip 77mm		5017-027	DIN rail clip for AXIS Q7401, AXIS P8221 and AXIS 7701.	12.00
AXIS T91A02 Din Rail Clip 86mm		5017-028	DIN rail clip for AXIS M7014 and AXIS P7214	12.00
AXIS T91A03 Din Rail Clip		5503-194	DIN rail clip for AXIS Q7424-R.	19.00
AXIS T91A61 Wall Bracket		5017-611	Wall Bracket. For use with AXIS P55-series, AXIS Q60-series PTZ Dome Network Cameras, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. Includes mounting plate. White.	99.00
AXIS T91A62 Bracket Parapet		5017-621	Parapet Bracket. For use with AXIS P55-series, AXIS Q60-series PTZ Dome Network Cameras, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. 67 x 36 cm / 26 x 14 inch. White.	189.00
AXIS T91A63 Ceiling Bracket		5017-631	Ceiling Bracket. 70 cm / 28 inch. For use with AXIS P55-series, AXIS Q60-series PTZ Dome Network Cameras, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. White.	119.00
AXIS T91A67 Pole Bracket		5017-671	Pole Bracket. AXIS P55-series, AXIS Q60-series PTZ Dome Network Cameras, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. Includes steel pole straps. White. Requires mounting tool Part no: 21776	99.00
AXIS T91A64 Corner Bracket		5017-641	Corner Bracket. Requires AXIS T91A61 Wall Bracket, AXIS P55-series, AXIS Q60-series PTZ Dome Network Cameras, AXIS P33 Series Pendant kit, AXIS P33-VE Series Pendant kit, AXIS 225 Pendant kit and AXIS 216/P3301 Pendant kit. White.	79.00
AXIS Column Bracket K		5503-481	Bracket for mounting an AXIS Q87-E on top of a column/pole or parapet.	119.00
AXIS Wall Bracket K		5503-491	Bracket for mounting an AXIS Q87-E on a wall.	119.00

AXIS T91A06 pipe adapter 3/4-1.5"		5503-091	Pipe adapter step up from 3/4" NPT thread to 1.5" NPS thread. Compatible with all pendant kits that are made for the AXIS T91A range of brackets.	12.00
AXIS Q6032-E Pendant Kit	Description Change	5502-431	Pendant kit for the AXIS Q60-series and AXIS P55-series PTZ Network Cameras, enables mount on standard '1,5" NPT threaded brackets. White.	49.00
<b>Fixed Camera Housings and Mounts</b>				
AXIS 206/207 Ceiling Mount Housing		26549	Indoor recessed ceiling housing for AXIS 206/AXIS 207 (not wireless) Network Cameras. Bronze Smoked Dome.	149.00
AXIS Indoor Fixed Housing		21899	Indoor, IP65 classified housing for AXIS 210, AXIS 211, AXIS 221 AXIS 223M Network Cameras.	149.00
AXIS Fixed Wireless Housing		29892	Outdoor, IP65 classified housing for the AXIS 211W network camera. Removable antennae included.	499.00
AXIS Outdoor Fixed Housing		24889	Outdoor, IP65 classified housing with heater and blower for AXIS 211, AXIS 221and AXIS 223M Network Cameras. Can be pole mounted.	299.00
AXIS T92A10 Housing		5015-101	Outdoor IP66 rated housing for AXIS 210/210A, 211/211A/211M/211W, 221 and 223M. Made of die-cast aluminum, the sunshield of ABS material. Includes UL certified 110VAC power supply, heater and wall bracket with internal cable channel. Built in 12VDC camera power supply	299.00
AXIS T92A20 Housing		5015-204	Outdoor High PoE powered IP66 rated housing for AXIS 210/210A, 211/211A/211M/211W, 221 and 223M. Made of die-cast aluminum, the sunshield of ABS material. Also includes heater, wall bracket with internal cable channel and AXIS T8121 single port High PoE midspan.	449.00
AXIS T92E05 Protective Housing		0344-001	Protective camera housing for P13XX, M11XX and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X rated and IK10 impact-resistant. Sunshield, wallbracket, 5m network cable and screwdriver included.	199.00
AXIS T93E05 Protective Housing		5502-871	The protective housing, AXIS T93E05, is compatible with the AXIS M11 series. Made of ASA polymer, it is IP66-rated and the operating temperature ranges between -20 °C to +50 °C (-4 °F to 122 °F). Wall bracket and sun shield are included.	120.00
AXIS T92E20 Outdoor Housing		0433-001	Outdoor PoE camera housing with window-/camera heaters and fan for P13XX, M11XX and Q1755. Die cast aluminum casing and wallbracket, polycarbonate sunshield. The housing is IP66-, Nema 4X-, Vibration 4M3 rated and IK10 impact-resistant. Sunshield, wallbracket, 5m network cable and screwdriver included.	329.00
AXIS Indoor Fixed Camera Dome		22870 Page 46	Indoor, recessed ceiling housing for AXIS 210, AXIS 211, AXIS 221, and AXIS 223M Network Cameras.	199.00

AXIS Indoor Fixed Wall Housing		24886	Vandal-resistant, wall mount, indoor housing for AXIS 210, AXIS 211, AXIS 221and AXIS 223M Network Cameras.	299.00
AXIS Indoor Fixed Corner Housing		24887	Vandal-resistant, corner mount, indoor housing for AXIS 210, AXIS 211, AXIS 221and AXIS 223M Network Cameras.	299.00
AXIS Indoor Fixed Ceiling Housing		24888	Vandal-resistant, corner mount, indoor housing for AXIS 210, AXIS 211, AXIS 221and AXIS 223M Network Cameras.	199.00
<b>Mounts and Accessories</b>				
Weathershield Kit P3343/44-VE		5800-011	Original weathershield for AXIS P3343, AXIS P3344-VE, AXIS P3363-VE and AXIS P3364-VE. Screws included.	20.00
Weathershield Kit P3346/67-VE		5800-021	Original weathershield for AXIS P3346, AXIS P3367-VE and AXIS P3384-VE. Screws included.	20.00
Mounting Bracket AXIS P33XX-VE		5700-691	Original AXIS P33XX-VE mounting bracket for wall or hard ceiling.	29.00
AXIS P33XX-VE 3/4" NPS Adapter		5503-131	Stainless steel adapter used for mounting 3/4" NPS or NPT pipes to AXIS P33XX-VE cameras for cable protection.	29.00
AXIS P33XX-VE 3/4" NPS Conduit Adapter Single Pack		5503-711	Aluminum cable cover with stainless steel adapter used for mounting 3/4" NPS or NPT pipes to AXIS P33XX-VE cameras for cable protection.	39.00
AXIS P33XX-VE 3/4" NPS Conduit Adapter 4PCS		5503-721	Aluminum cable cover with stainless steel adapter used for mounting 3/4" NPS or NPT pipes to AXIS P33XX-VE cameras for cable protection. Four complete units.	144.00
AXIS P33XX-VE Cable Cover 4 PCS		5503-731	Aluminum cable cover for AXIS P33XX-VE cameras. 4 pcs.	59.00
AXIS Q603X-E Clear Dome		5503-001	Stand alone clear dome for the AXIS Q603X-E with slightly decreased optical quality compared to the HD dome version, but with the line higher up to enable greater tilt without distortion.	39.00
AXIS Q603X-E Smoked Dome B		5800-091	Smoked dome for AXIS Q603X-E. With visible line.	39.00
AXIS Q603X-E Smoked Dome C		5800-341	Stand alone HD quality smoked dome without line for the AXIS Q603X-E.	79.00
AXIS Q60XX-C Clear Dome D	New	5800-481	Clear dome cover for AXIS Q60XX-C series	79.00
AXIS T97A10 Enclosure		5021-101	IP66-rated enclosure for AXIS Q7401, AXIS P8221 and AXIS P7701. Operating temperature ranges between 0 °C to 45 °C (32 °F to 113 °F). Optional accessories for impact resistance and polemount are available.	84.00
Steel Strap AXIS T91A67 1 Pair		5700-981	Steel straps for the AXIS T91A67 Pole bracket, one pair.	14.00
ACC Outdoor Antenna Kit for AXIS 211W		5500-311	External antenna for AXIS 211W. Includes 3 m cable.	129.00
ACC Lightning Protector for AXIS 211W		5500-321	Lightning protector for AXIS 211W when used outdoors with external antenna	89.00
Dry bags for AXIS 209FD-R, 100 pcs		5500-591	Dry bags for AXIS 209FD-R, 100 pcs	40.00
Cover AXIS 209FD-R 10 pcs		5500-301	Replaceable cover for AXIS 209FD-R, 10 pcs. Includes dry bags	249.00
Cover for AXIS 209FD		5500-971	Replaceable cover for AXIS 209FD/209MFD	26.00
Cover for AXIS 209FD, 10 pcs		5500-961	Replaceable cover for AXIS 209FD/209MFD, 10 pcs	249.00
PL Adapter Flat AXIS M311X 10pcs		5502-541	Optional plastic adapter for mounting AXIS M311X on flat surfaces. Used when the cable must enter from the side. 10 pack	29.00

PL Adapter Curved AXIS M311X 10pcs		5502-551	Optional adapter for mounting AXIS M311X on curved surfaces. 10 pack	29.00
Adapter Curve L Grey M311X 10pcs		5503-061	Optional light grey adapter for mounting AXIS M311X on curved surfaces. 10 pack	29.00
PL Adapter Flat L Grey M311X 10 pcs		5503-071	Optional light grey plastic adapter for mounting AXIS M311X on flat surfaces. Used when the cable must enter from the side. 10 pack	29.00
Mount Bracket M311X 10 pcs		5503-081	Original mount bracket for hard ceiling AXIS M311X, 10 pcs	39.00
Adapter AXIS 209 to M31 50 pcs		5503-192	Adapter plate for mounting an AXIS M31 using the same foot print as the AXIS 209. 50 pcs	249.00
MALE RJ45 for AXIS 209FD-R		5502-061	Vibration resistant male RJ-45 connector suitable for RJ-45 version of AXIS M31XX-R and AXIS 209FD-R/MFD-R Network Cameras.	15.00
MALE RJ45 for AXIS 209FD-R 10 pack		5502-051	10-pack of MALE RJ45 Connector	149.00
Connector M12 Female - Female Adapter 100 pcs		5502-691	M12 connector adapter female-female (100 pcs)	1,499.00
Connector M12 Female 10PCS	Description Change	5502-141	Rugged, female D-coded M12 connector compatible with Connector M12 male 4P, 209FD-R M12 /209MFD-R M12. Field installable with screw-in contacts. 10 pcs	149.00
Connector M12 Male 10PCS		5502-131	Rugged, male D-coded M12 connector compatible with AXIS M31XX-R M12 and Connector M12 Female 4P . Field installable with screw-in contacts. 10 pcs	149.00
Connector kit for AXIS P1311		5500-851	Kit for the AXIS P13XX-series. Content: one terminal connector 4P str 250mm BP LF and one 2P STR 3.81MM BP LF. As spare part.	9.00
Power Supply PS-V		5700-221	Power supply PS-V for AXIS M10 series. White	39.00
Cover for AXIS M30 Series, Black 10pcs		5502-181	Black cover with clear bubble for AXIS M30 Series. 10 pack	149.00
Cover for AXIS M30 Series, Silver 10pcs		5502-191	Silver cover with clear bubble for AXIS M30 Series. 10 pack	149.00
Cover for AXIS M30 Series, Gold 10pcs		5502-201	Gold cover with clear bubble for AXIS M30 Series. 10 pack	149.00
Cover for AXIS M30 Series, Mix 10pcs		5502-341	Mixed covers with clear bubble for AXIS M30 Series. Includes 3 black, 3 silver, 3 gold and 1 white cover.	149.00
Cover for AXIS M30 Series, White 10pcs		5502-171	White cover with clear bubble for AXIS M30 Series as spare part. 10 pack.	149.00
AXIS M3004-V/05-V Black Cover 10pcs	New	5503-591	Clip on black cover for AXIS M3004-V and AXIS M3005-V.	99.00
AXIS M3004-V/05-V White Cover 10pcs	New	5503-601	Clip on white cover for AXIS M3004-V and AXIS M3005-V.	99.00
Top cover for AXIS M311X-R 10 pcs.		5700-641	Original dark grey top cover including dome and screws for AXIS M311X-R. 10 pcs	249.00
Top Cover AXIS M311X-R Black 10pcs		5700-661	Black top cover including dome and screws for AXIS M311X-R. 10 pcs. Approved for use in buses and trams. Not for trains.	249.00
Top Cover M311X-VE 10 PCS		5800-051	Original top cover including dome and screws for AXIS M311X-VE. 10 pcs.	249.00
Top Cover M311X-VE NOCAP 10 PCS		5800-061	Original top cover including dome and screws for AXIS M311X-VE No Cap. 10 pcs.	249.00
AXIS M501X mounting kit		5800-121	Original ceiling mount kit for both hard- and drop ceilings for the AXIS M501X.	15.00



Mount Clamp for AXIS M10 Series 10 Pack		5502-391	Clamp to mount AXIS M10 series. 10 pack.	29.00
Top Cover AXIS 209FD Bk 10PCS		5502-481	Replaceable black cover for AXIS 209FD/209MFD. 10 pcs	249.00
Camera Mount Adapter Plate		30337	Adapter plate for mounting AXIS M32xx series, P3303, P3304, 212 and 216 Network Camera to either a single or double gang electrical box.	44.00
AXIS 212 Wall Bracket		5500-271	AXIS 212 plastic wall bracket as spare part	19.00
AXIS 213 Wall Bracket		5500-071	Allows you to mount the AXIS 213 PTZ Network Camera on a wall, or other vertical surface.	49.00
Drop ceiling mount for AXIS 216FD/216MFD/P3301, clear		5005-031	Drop ceiling mount kit for AXIS 216FD, AXIS M32 Series, AXIS P3301 and P3304 Network Cameras including clear transparent cover.	59.00
Drop ceiling mount for AXIS 216FD/216MFD/P3301/M32 Series, smoked		5005-041	Drop ceiling mount kit for AXIS 216FD/216MFD/P3301/M32 Series including smoked transparent cover	59.00
Vandal-resistant casing for AXIS 216FD-V/216MFD-V/P3301-V, clear		5005-051	Vandal-resistant casing with clear transparent cover. Can also upgrade an AXIS 216FD/216MFD/P330X/M320X to an AXIS 216FD-V/216MFD-V/P330X-V/M320X-V.	109.00
Vandal-resistant casing for AXIS 216FD-V/216MFD-V, P3301-V smoked		5005-061	Vandal-resistant casing with smoked transparent cover. Can also upgrade an AXIS 216FD/216MFD/P330X/M320X to an AXIS 216FD-V/216MFD-V/P330X-V/M320X-V	109.00
Screw kit for AXIS 216FD/216FD-V/216MFD/216MFD-V/P3301/P3301-V		5005-021	Spare set of tamper-proof screws for AXIS 216FD/216FD-V/216MFD/216MFD-V/P3301/P3301-V, with Torx screw driver. Mounting screws also included.	6.00
Casing for AXIS 216FD/216MFD/P3301/M32, clear		5005-011	Casing with clear transparent cover for AXIS 216FD/216MFD/P3301/M32	29.00
Casing for AXIS 216FD/216MFD/P3301/M32, smoked		5005-001	Casing with smoked transparent cover for AXIS 216FD/216MFD/P3301/M32	29.00
Casing for AXIS 216FD/216MFD/P3301 black, clear		5500-821	Interchangeable black casing for AXIS 216FD, AXIS M32 Series, AXIS P3301 and P3304 Network Cameras with transparent cover.	29.00
Casing for AXIS 216FD/216MFD/P3301 black, clear 10-pack		5500-771	Interchangeable black casing for AXIS 216FD, AXIS M32 Series, AXIS P3301 and P3304 Network Cameras with transparent cover. 10-pack.	279.00
VT Wall bracket Ball joint WBJA		0217-021	Wall bracket with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	24.00
VT Wall bracket Internal Cable WBOVA1		0217-031	Wall bracket with internal cable channel. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	36.00
VT Ceiling Bracket Ball Joint WCM3A		0217-041	Simple square tubing ceiling bracket with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	76.00
VT Ceiling Bracket Internal Cable WCM4A		0217-051	Stylish round tubing ceiling bracket with internal cable channel. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	109.00
VT Ceiling Bracket Ball Joint WCM5A		0217-061	Stylish round tubing ceiling bracket with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	119.00

VT Column Mount Ball Joint WFWCA		0217-071	Column mount with ball joint. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	99.00
VT Pole Mount Adapter WSFPA		0217-081	Pole mount adapter for AXIS T92A Housing. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	68.00
Vt Wall Bracket Adapter Plate WCPA		0217-091	Wall bracket adapter plate. For use with AXIS T92A00/T92A10/T92A20, VT VERSO and AXIS HOV HOUSING VT	39.00
VT Corner Mount WCWA		0217-101	Corner mount. For use with AXIS T92A00/T92A10, VT VERSO and AXIS HOV HOUSING VT	59.00
1.5 inch to M30 Male adapter		5502-441	Adapter to convert M30 to 1.5" thread. Used to convert VT Dome mounts to 1.5" NPT thread. Black color.	19.00
AXIS T8412 Installation Display		5018-004	AXIS T8412 is a battery-powered handheld device that allows live view from Axis cameras or encoders. Used for quick and easy installation of Axis network products. Can also show analog video via BNC input. Includes casing, battery, charger, car charger, cable tester connector, protective rubber gasket, ethernet cable and analog BNC cable.	649.00
AXIS T8414 Installation Display		5900-144	AXIS T8414 is a battery-powered, PoE enabled handheld device that displays live view from Axis cameras and encoders for easy angle of view- and focus setting. You can take snapshots and record/view video clips, make image settings and more. It can also show analog video via BNC input. Includes carrying case with sunshield, battery, mains charger, car charger, cable tester connector, protective rubber gasket, Ethernet cable and analog BNC cable.	649.00
AXIS T98A15-VE Surveillance Cabinet		5900-151	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included.	269.00
AXIS T98A16-VE Surveillance Cabinet	Description Change	5900-161	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible cameras: AXIS M111X-E, P13XX-E, Q16XX-E, Q1755-E, Q191X-E Q192X-E.	269.00

AXIS T98A17-VE Surveillance Cabinet	Description Change	5900-171	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible cameras: AXIS P33-VE/-LVE.	269.00
AXIS T98A18-VE Surveillance Cabinet		5900-181	IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits.	269.00
AXIS T98A Sunshield		5503-551	Metal sunshield for AXIS T98A-VE Surveillance Cabinet series. Reduces the temperature inside the cabinet, caused by sun radiation, with up to 15°C (27°F).	74.00
AXIS T98A Mounting Bracket		5800-351	Original stainless steel mounting bracket for AXIS T98A-VE Surveillance Cabinet series.	59.00
Electrical Safety Kit A 120VAC		5503-521	Electrical safety kit for AXIS T98A in countries where the mains power is 120 V DC. Included products: Surge protector class 2, Fuse/main switch, terminal blocks and an intrusion door switch.	199.00
YP3040 Pan Tilt Motor		5502-461	YP3040 Pan Tilt Motor is a compact PT motor for use with AXIS Q1755 Network Cameras and AXIS Q19 Series Network Thermal Cameras. Indoor and outdoor use. IP66-rated. 24VAC input. Compatible with AXIS T92A Housing and AXIS T92E Housing. YP3040 Wall bracket required. AXIS PS24 recommended.	499.00
YP3040 Wall Bracket		5502-471	Wall bracket for YP3040 Pan Tilt Motor. White.	49.00
AXIS P33 Series Pendant Kit		5502-351	With AXIS P33 Series PENDANT KIT it is possible to mount the AXIS P3343/-V, AXIS P3344/-V, AXIS P3346/-V, AXIS P3353, AXIS P3354, AXIS P3363-V, AXIS P3364-V, AXIS P3367/-V and AXIS P3384-V Fixed Dome Network Cameras on AXIS T91A Brackets or on standard 1.5" NPT threaded brackets. White	39.00
AXIS P33-VE Series Pendant Kit		5502-321	With AXIS P33-VE Series PENDANT KIT it is possible to mount the AXIS P3343-VE, AXIS P3344-VE, AXIS P3346-VE AXIS P3363-VE and AXIS P3364-VE, AXIS P3367-VE, AXIS P3384-VE Fixed Dome Network Cameras on AXIS T91A Brackets or on standard 1.5" NPT threaded brackets. White	49.00
Drop Ceiling Kit Clear AXIS P3343/4		5502-361	Drop ceiling mount for AXIS P3343, AXIS P3344, AXIS P3353 and AXIS P3354 including clear transparent bubble. For indoor use	69.00

Drop Ceiling Kit Smoked AXIS P3343/4		5502-371	Drop ceiling mount for AXIS P3343, AXIS P3344, AXIS P3353 and AXIS P3354 including smoked transparent bubble. For indoor use	69.00
Drop Ceiling Kit for AXIS P3346, Clear		5502-781	Drop ceiling mount for AXIS P3346, AXIS P3367-V and AXIS P3384-V including clear bubble. For indoor use	69.00
Drop Ceiling Kit for AXIS P3346, Smoked		5502-791	Drop ceiling mount for AXIS P3346, AXIS P3367-V and AXIS P3384-V including smoked bubble. For indoor use	69.00
Spare AXIS P3346 Dome Kit		5700-901	Dome Kit for AXIS P3346 as spare part. Includes a clear bubble, mounted on a plastic dome cover and a separate smoked bubble.	34.00
Spare AXIS P3346-V Dome Kit		5700-911	Dome kit for AXIS P3346-V, P3367-V and AXIS P3384-V as spare part. Includes a clear bubble, mounted on a zinc alloy dome cover and a separate smoked bubble.	74.00
Spare AXIS P3346-VE Dome Kit		5700-921	Dome Kit for AXIS P3346-VE, P3367-VE, AXIS P3384-VE as spare part. Includes a clear bubble, mounted on an aluminium dome cover and a separate smoked bubble.	74.00
Mounting Plate for AXIS P33 Series		5502-401	Mounting plate for AXIS P3343/-V, AXIS P3344/-V, AXIS P3353, AXIS P3354, AXIS P3363-V and AXIS P3364-V. Used when mounted on a single or double gang box.	29.00
AXIS P3346 Dome Kit CL Black		5503-151	Black cover with clear dome for AXIS P3346.	29.00
AXIS P3353/54 Dome Kit CL Black		5503-141	Black cover with clear dome for the AXIS P3343, P3344, P3353, P3354.	29.00
AXIS 216FD/216MFD/P3301 (-V) Pendant Kit, black		5500-881	With AXIS 216FD PENDANT KIT it is possible to mount AXIS 212PTZ, 216FD, AXIS M32 Series, AXIS P3301 and P3304 Network Cameras on AXIS T91A Brackets, VT Dome Brackets and on 1,5"NPT threaded brackets. Includes 1.5 inch to M30 Male adapter. Black.	49.00
AXIS 216FD/216MFD/P3301 (-V) Pendant Kit black 1,5"NPT		5502-011	With AXIS 216FD PENDANT KIT it is possible to mount AXIS 212PTZ, 216FD, AXIS M32 Series, AXIS P3301 and P3304 Network Cameras on AXIS T91A Brackets and on 1,5"NPT threaded brackets. Black.	39.00
AXIS 216FD/216MFD/P3301 (-V) Pendant Kit, white		5500-891	With AXIS 216FD PENDANT KIT it is possible to mount AXIS 212PTZ, 216FD, AXIS M32 Series, AXIS P3301 and P3304 Network Cameras on AXIS T91A Brackets, VT Dome Brackets and on 1,5"NPT threaded brackets. Includes 1.5 inch to M30 Male adapter. White.	49.00
AXIS 216FD/216MFD/P3301 (-V) Pendant Kit white 1,5"NPT		5502-021	With AXIS 216FD PENDANT KIT it is possible to mount AXIS 212PTZ, 216FD, AXIS M32 Series, AXIS P3301 and P3304 Network Cameras on AXIS T91A Brackets and on 1,5"NPT threaded brackets. White.	39.00
AXIS 231D+/232D+ Clear Cover		5500-191	Clear plastic dome for AXIS 231D+/232D+ Network Dome Camera.	28.00
AXIS 231D+/232D+ Smoked Cover		5500-201	Smoked plastic dome for AXIS 231D+/232D+ Network Dome Camera.	28.00
Smoke colored dome, indoor for 231D/232D		21774	Smoked dome, indoor for AXIS 231/232D.	28.00

MOUNT KIT FOR AXIS 231D+/232D+ T-bar		21779	Mounting kit for AXIS 231D+/232D+ Network Dome Camera.	56.00
JUNCTION BOX FOR AXIS 23xD		21781	Junction box for AXIS 231D+/232D+ Network Dome Camera.	90.00
CABLE FOR AXIS 231D+/232D+ I/O 1M		21782	Accessory for AXIS 231D+/232D+ Outdoor housing: 1 meter power cable for outdoor power box	12.00
CABLE FOR AXIS 231D+/232D+ I/O 2M		21783	Accessory for AXIS 231D+/232D+ Outdoor housing: 2 meter power cable for outdoor power box	14.00
CABLE FOR AXIS 231D+/232D+ I/O 5M		21784	Accessory for AXIS 231D+/232D+ Outdoor housing: 5 meter power cable for outdoor power box	23.00
CABLE FOR AXIS 231D+/232D+ I/O 10M		21785	Accessory for AXIS 231D+/232D+ Outdoor housing: 10 meter power cable for outdoor power box	40.00
JUNCTION CABLE FOR AXIS 23xD 1M		21786	Accessory for AXIS 23xD+ Outdoor housing: 1 meter junction cable	18.00
JUNCTION CABLE FOR AXIS 23xD 2M		21787	Accessory for AXIS 23xD+ Outdoor housing: 2 meter junction cable	21.00
JUNCTION CABLE FOR AXIS 23xD 5M		21788	Accessory for AXIS 23xD+ Outdoor housing: 5 meter junction cable	31.00
JUNCTION CABLE FOR AXIS 23xD 10M		21789	Accessory for AXIS 23xD+ Outdoor housing: 10 meter junction cable	53.00
MAINS CABLE AXIS 23xD		21790	Accessory for AXIS 23xD+ Indoor housing: mains cable	3.00
MAINS ADAPTOR AXIS 23xD		21795	Indoor 110V power supply unit for AXIS 23xD+ indoor housing (outdoor version is included in AXIS 23xD)	42.00
ACC DOME AXIS 233D CLEAR & SMOKED COVER		5500-601	Clear and Smoked plastic dome for AXIS 233D dome cameras	69.00
BRACKET OUTDOOR AXIS 233D		5500-471	AXIS 233D mounting bracket for Video Alarm and Video Techs outdoor housing that are designed for AXIS 231/232D	39.00
Cable RJ45 outdoor 5M		5502-731	Outdoor CAT6 ethernet cable. IP66 rated male push pull connector for AXIS Q6032-E, IP20 rated male RJ45 connector for midspan. Length 5 meters. Color black.	79.00
Network Cable Coupler IP66		5503-431	Compact IP66-rated female/female RJ45 cable coupler. Perfect when you need to extend a pre-terminated outdoor cable.	29.00
CABLE FOR AXIS 233D I/O		28256	Cable to connect 233D to PS24 power supply.	24.00
AXIS P55/Q60 Multi Conn Cable 5m	Description Change/Name Change	5502-491	Multi-connector cable for power, audio and I/O. Used for Indoor AXIS P55-series and Indoor Q60-series PTZ Dome Network Camera.	109.00
ACC Drop ceiling mount kit for AXIS 215 PTZ		5500-681	Drop ceiling mount kit for AXIS 215 PTZ as spare part	30.00
ACC Screw kit for AXIS 215 PTZ		5500-691	Screw kit for AXIS 215 PTZ as spare part	10.00
MOUNTING TOOL		21776	Tool for steel strap tensioning. For use with 21764 and AXIS T91A67	145.00
AXIS 212PTZ-V vertical tilt bracket		5500-791	Vertical tilt 37.7 degree downward	49.00
AXIS 212 PTZ-V wall bracket Aluminum		5502-041	Aluminum side wall bracket as spare	59.00
Casing for AXIS 212PTZ-V Clear		5502-091	Vandal-resistant casing with clear transparent cover as a spare part for AXIS 212PTZ-V.	69.00
AXIS M320X dome kit sm black		5503-191	Interchangeable black casing with smoked dome for AXIS 216FD, AXIS M32 Series, AXIS P3301 and P3304.	29.00
Smoked and clear dome kit for AXIS 215 PTZ		5500-671	Smoked and clear dome kit for AXIS 215 PTZ as spare part	69.00
AXIS P5512 Dome Kit		5800-143	Dome kit for AXIS P5512. Clear-/smoked dome and ome cover included.	49.00

AXIS P5512-E Dome Kit		5800-281	Dome kit for AXIS P5512-E. Clear-/smoked dome and dome cover included.	49.00
Dome Kit for AXIS Q6032-E		5700-491	Dome kit for AXIS Q6032-E as spare part. Includes a clear bubble mounted on dome ring and a separate smoked bubble.	89.00
Dome Kit for AXIS P33-V Series		5700-311	Dome kit for AXIS P3343-V, AXIS P3344-V, AXIS P3363-V and AXIS P3364-V as spare part. Includes a clear bubble, mounted on an aluminium dome cover and a separate smoked bubble.	69.00
Dome Kit for AXIS P33 Series		5700-321	Dome Kit for AXIS P3343, AXIS P3344, AXIS P3353 and AXIS P3354 as spare part. Includes a clear bubble, mounted on o plastic dome cover and a separate smoked bubble.	29.00
Dome Kit for AXIS P33-VE Series		5700-341	Dome Kit for AXIS P3343-VE, P3344-VE, AXIS P3363-VE and AXIS P3364-VE as spare part. Includes a clear bubble, mounted on an aluminium dome cover and a separate smoked bubble.	69.00
AXIS P553X dome kit		5700-631	Dome kit for AXIS P553X as spare part. Includes one clear and one smoked bubble.	59.00
AXIS P5544 Lens Kit		5800-401	Spare part lens kit for AXIS P5544	399.00
AXIS Dome Clear P554		5800-391	Spare part dome for AXIS P5544. Note that this product does not contain the fisheye lens.	49.00
AXIS P553X Clear Dome		5800-251	Original clear dome for AXIS P5522/-E, AXIS P5532/-E, AXIS P5534/-E.	34.00
AXIS P553X Smoked Dome		5800-191	Original smoked dome for AXIS P5522/-E, AXIS P5532/-E, AXIS P5534/-E.	34.00
AXIS Q603X-E Dome Cover Ring		5800-101	Dome cover ring for AXIS Q603X-E including screws.	18.00
AXIS Q603X-E HD Dome Kit		5700-801	HD optimized dome kit for AXIS Q603X-E as spare part. Includes a clear bubble mounted on dome ring and a separate smoked bubble.	99.00
AXIS Q603X-E Clear Dome C		5800-081	Stand alone HD quality clear dome without line for the AXIS Q603X-E.	79.00
AXIS Q603X HD Dome Kit		5700-811	HD optimized dome kit for AXIS Q603X as spare part. Includes a clear bubble mounted on dome ring and a separate smoked bubble.	89.00
AXIS M501X Dome		5800-111	Spare part AXIS M501X dome, pre-mounted in the white top casing. Opening tool and gasket are included.	29.00
Spare bracket kit for AXIS Q60XX/P55XX		5700-851	Bracket kit for surface mounting a camera on a hard ceiling. Compatible with Q603X-E and P553X-E. Content: Bracket, screws with washers and wave springs.	24.00
AXIS P5512-E Sunshield		5800-151	Sunshield for AXIS P5512-E.	24.00
Sunshield Kit for AXIS P553X-E		5700-961	Sunshield for AXIS P553X-E including mounting screws.	29.00
Electronics Kit AXIS T92E20		5700-971	Sparepart including the electronics module of the AXIS T92E20 housing including fan and screws.	179.00
Drop Ceiling Kit AXIS P553X/4X		5800-131	Original kit for mounting a AXIS P553X/4X pan tilt zoom camera in a soft/drop ceiling	79.00
Sunshield for AXIS Q603X-E		5700-951	Sunshield for AXIS Q603X-E.	29.00
AXIS Q60XX-C Sunshield	New	5800-471	Sunshield for AXIS Q60xx-C series	39.00

AXIS P8514 Demo Case		5503-193	Demo case in a travel friendly size. Short version of the white AXIS P8514 camera, short chrome & black pipes, wall bracket kit/bracket in a grey professional case with custom made interior. The case also has a dedicated space for midspan and cables (not included).	1,169.00
Front Glass Kit AXIS T92E20/21		5700-831	Complete Front Kit for AXIS T92E20/21. Content: Front Cover, Front Glass, Gasket & Screws.	20.00
Installation Kit AXIS P55XX/T95A		5502-991	All required parts for installing an AXIS P553X into an AXIS T95A housing. Kit contents: Bracket, connector, I/O and audio cable, network cable and screws.	89.00
AXIS T8640 Wall Mount Bracket		5026-411	Wall mount bracket for AXIS T8640 Ethernet over Coax adapter base or device unit.	13.00
AXIS T8640 Rack Mount Bracket		5026-421	Rack mount bracket for AXIS T8640 Ethernet over Coax adapter (8 units in 1U).	62.00
AXIS T8640 DIN RAIL CLIP		5026-431	DIN rail clip for AXIS 8640 Ethernet over Coax adapter.	22.00
AXIS T8129 PoE Extender		5025-281	Power over Ethernet extender repeats the data signal and forward the PoE to the camera, PoE+ compliant it is compatible with all Axis cameras. No additional power supply is required. The maximum total distance between switch and camera depends on the power input and the power required by the camera, but all cameras can be at least extended to 200 meter connection.	199.00
AXIS T8604 Media Converter Switch		5027-041	Four port media converter switch with 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Shelf or DIN-rail mount. Temp spec: -40°C to +75°C (-40°F to 167°F).	399.00
AXIS T8605 Media Converter Switch		5028-051	Original Media converter switch for AXIS Q60-C series. 2 RJ45 ports and 2 SFP slots for optical fiber connection (SFP modules not included). Two I/O ports (only active when connected to an AXIS Q60-C camera) and a combined communication and powering port for the camera. Temp spec. -40 °C to 75 °C (-40 °F to 167 °F). 12 V DC power input. Shelf or DIN-rail mount	449.00
P1204 Mounting Kit T 5-P		5800-421	Original mounting kit for AXIS P1204. Kit contents: Sensor unit cover skin, bracket, angled bracket and camera holder. 5 pack.	49.00
P1214/-E Mount Kit Inc Hous 5-P		5800-431	Original mounting kit for AXIS P1214/-E. Kit contents: sensor unit housing, flush wall mount bracket. 5 pack.	99.00
P1214/-E Mount Kit Exc Hous 5-P		5800-461	Mounting kit for AXIS P1204/E. Kit contents: Flush mount wall bracket. 5 pack.	29.00
Main body cup M30 Series 10pcs		5700-511	Metal cup for AXIS M30-series, 10 pcs. As spare part.	210.00
AXIS T98A05 Cabinet Door	New	5800-521	Cabinet door for AXIS T98A Surveillance Cabinet. Stand alone.	129.00
AXIS T98A06 Cabinet Door	New	5800-531	Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS M111X-E, AXIS P12XX-E, AXIS Q6XX-E, AXIS Q17XX	129.00
AXIS T98A07 Cabinet Door	New	5800-541	Cabinet door for AXIS T98A Surveillance Cabinet. Compatible cameras: AXIS P33-VE/-LVE.	129.00
AXIS T98A08 Cabinet Door	New	5800-551	Cabinet door for T98A. Compatible products: AXIS T91A61 Wall bracket for use with AXIS P55 and Q60-series or fixed dome pendant kits.	129.00

Surveillance Sticker 10 pcs. (English)		5502-811	Axis branded sticker showing a Camera. Text: Video surveillance in operation	8.00
Surveillance Sticker 50 pcs. (English)		5502-821	Axis branded sticker showing a Camera. Text: Video surveillance in operation	18.00
<b>AXIS Network Camera Stands</b>				
Stand for AXIS M10		5700-481	Plastic stand for AXIS M10 series as spare part. 7cm. White.	13.00
M10 stand extension 10cm 10pcs		5502-701	AXIS M10-series 10 cm stand extension. 10 pcs. Cable clip included.	29.00
AXIS T91A04 Camera Holder ¾" NPS		5017-041	Holding device for pendant mounted cameras. For use with ¾" pipes with NPS or NPT threading. Compatible with all cameras with standard tripod threading.	29.00
AXIS T91A05 Camera Holder 1.5" NPS		5017-051	Holding device for pendant mounted cameras. For use with 1,5" pipes with NPS or NPT threading. Compatible with all cameras with standard tripod threading.	29.00
AXIS T91A11 stand, white		5017-111	Plastic camera stand. Original stand for the AXIS M11-series.	15.00
AXIS T91A21 stand, white		5017-211	Metal stand for wall or hard ceiling mount. Compatible with all standard tripod thread cameras e.g. AXIS Q17/19 series and AXIS P13 series.	29.00
AXIS T91A21 stand, black		5022-211	Metal stand for wall or hard ceiling mount. Compatible with all standard tripod thread cameras e.g. AXIS Q17/19 series and AXIS P13 series.	29.00
Camera stand		22473	Gray plastic stand for AXIS 20x series Network Cameras	14.00
Camera stand		23452	Plastic stand for AXIS 210 and AXIS 211 Network Cameras	14.00
Camera stand		18618	Metal stand for AXIS 221, AXIS 230	20.00
Camera stand for AXIS 20X, plastic (BLACK)		5500-131	Black plastic stand for AXIS 205, 206, 206M, 206W, 207, 207W Network Cameras	14.00
AXIS 206/207 Mount Clamp		5004-001	Clamp to mount AXIS 206 series and AXIS 207 series.	9.00
<b>LENS</b>				
TA-LENS LWIR 10mm		5503-021	Thermal camera lens 10mm for AXIS Q1921	249.00
TA-LENS LWIR 19mm		5503-031	Thermal camera lens 19mm for AXIS Q1921	249.00
TA-LENS LWIR VGA 19MM		5503-641	Thermal camera lens 19mm for AXIS Q1922/-E	699.00
TA-LENS LWIR 35mm		5503-041	Thermal camera lens 35mm for AXIS Q1921	1,249.00
TA-LENS LWIR 60mm		5503-051	Thermal camera lens 60mm for AXIS Q1921	2,249.00
AXIS Q1921/Q1922 Lens Demo Case		5503-011	Aluminum case for professional demonstrations of thermal lenses. 10mm, 35mm and 60mm LWIR TA-lenses are included. The fitting inside the case has tailor made compartments to fit AXIS Q1921/Q1922 Thermal Network Camera, 1-port midspan, AXIS T91A21 stand and cables. The camera and accessories are not included. For more information see partner pages.	3,749.00
Lens CS 2.8mm		5700-821	Fixed Iris Megapixel Lens 2.8mm, F2.0, CS mount. Original Lens for AXIS M1103/4.	49.00
Lens Converter 0.5X for Q1755		5500-501	Super wide angle conversion lens for AXIS Q1755. Converts AXIS Q1755 lens to 2.55 - 25.5mm.	219.00



Lens Converter 2.2X for Q1755		5500-511	Super telephoto conversion lens for AXIS Q1755. 2.2X. Converts AXIS Q1755 lens to 102mm. For use in full focal length.	249.00
Lens CS 9-20mm F=1.6 P-Iris 5mp		5502-801	Varifocal 5 Mega Pixel P-Iris Lens 9-20mm, F1.6, CS mount, IR-corrected, for AXIS P1347 and AXIS P1346 firmware release 5.20 (or later)	349.00
Cable Sealing IP65 for Q8108-R		5502-711	Accessory cable sealing to meet IP65 rating for Q8108-R.	249.00
Lens		18614	CS mount Varifocal 3.5-8 mm DC-iris, for 2120 and 2420	149.00
Lens 4mm F=1.2		5500-161	CS mount 4mm for 210/210A, new lens. RoHS Compatible	49.00
Lens		5500-051	CS mount Varifocal 3-8 mm DC-Iris, for AXIS 211	99.00
Lens		5500-061	CS mount Varifocal 3-8mm DC-Iris, for AXIS 221	125.00
Pentax Varifocal Lens 5-50mm		5500-291	CS mount Varifocal 5-50 mm DC-Iris for AXIS P1343 and AXIS 211/221	169.00
Pentax Varifocal Lens 5-50mm 10-pack		5500-941	CS mount Varifocal 5-50 mm DC-Iris for AXIS P1343 and AXIS 211/221 in 10 pack	1,599.00
Tamron Varifocal 10-40mm DC-iris lens		5502-121	C mount Varifocal Lens 10-40mm DC Iris day and night corrected for AXIS 221. Includes C mount ring for AXIS 221.	199.00
Varifocal MegaPixel Lens 2.4-6mm		5500-871	CS mount Varifocal Megapixel Lens 2.4-6mm DC Iris for AXIS P1344 and AXIS 211M/223M. Includes CS mount ring for AXIS 223M.	199.00
Varifocal MegaPixel Lens 4-8mm		5500-951	Original lens for AXIS 223M as spare	299.00
Lens CS 2.4-6mm Manual Iris		5503-181	Manual iris lens, varifocal 2.4-6MM compatible with AXIS M1103 and M1104.	79.00
Lens 3-8mm M13VG308		5700-001	Original lens for AXIS 211M as spare part	199.00
Lock Ring		18593	Lock Ring, for Axis 2120	14.00
Varifocal MegaPixel Lens 5-50mm		5502-221	CS mount Varifocal Megapixel Lens 5-50mm DC Iris for AXIS P1344 and AXSIS 211M.	249.00
Lens CS 16mm F1.8 MP		5502-741	Fixed Iris Megapixel Lens 16mm, F1.8, CS mount for AXIS M1103/4	49.00
Lens CS VF 2.2-6mm F1.3 DC-I MP		5502-751	Varifocal 2.2-6mm DC-Iris Megapixel Lens, F1.3, CS mount for AXIS M1113/4	149.00
Lens CS Varifocal 9-40mm DC-Iris D/N		5503-171	Varifocal IR-corrected lens for cameras up to 5 mega pixel resolution. Compatible with e.g. AXIS M1114/-E, AXIS P1344/-E, AXIS P1346/-E, AXIS P1347/-E.	295.00
Lens CS VF 15-50mm F1.5 DC-I MP		5502-761	Varifocal Mega Pixel DC-Iris Lens 15-50mm, F1.5, CS mount, for AXIS M1113/14	199.00
Lens CS 15-50mm F1.5 DC-I MP D/N		5503-421	Varifocal Megapixel DC-Iris Lens 15-50mm, F1.5, CS mount, Day/Night for AXIS Q1602.	199.00
Theia Fixedfocal Megapixel 1.7MM		5502-451	Wideangle lens without barrel distortion. CS mount Fixedfocal Lens 1.7 mm DC-Iris for AXIS P1343 and AXIS P1344.	248.00
Theia Lens CS Varifocal 1.8-3MM DC-Iris		5503-161	Barrel distortion corrected and IR corrected wideangle lens for cameras up to 5 mega pixel resolution. Compatible with e.g. AXIS M1114/-E, AXIS P1344/-E, AXIS P1346/-E, AXIS P1347/-E.	299.00
Lens CS 6.0mm F1.8 MP		5700-861	CS mounted 6.0 mm megapixel lens. Original lens for AXIS M1103/4	49.00
Lens CS 2.9-8.2mm F1.4 DC SVGA		5700-871	Varifocal 2.9-8.2mm CS mounted SVGA DC-iris lens. Original lens for AXIS M1113	69.00

Lens CS 2.8-8MM F1.2 DC-I MP		5700-881	CS mounted Varifocal 2.8-8 mm DC-iris megapixel lens. Original lens for AXIS M1114.	149.00
Lens 3-8MM for AXIS P1343		5700-601	Varifocal 3-8mm DC-Iris Lens, CS mount. Original Lens for AXIS P1343.	75.00
Lens 4-10mm for AXIS P1346		5700-621	Varifocal 4-10mm P-Iris Lens, CS mount. Original Lens for AXIS P1346	219.00
Spare lens CS 3.5-10MM F=1.6 P-iris MP		5800-001	Original CS mounted varifocal P-Iris lens 3.5-10mm for AXIS P1347 and AXIS P1346 firmware release 5.20 (or later).	319.00
M3004-V/05-V Focus Tool 2pcs	New	5503-581	Focus tool for AXIS M3004-V/M3005-V (2pcs)	11.00
<b>M12 Lenses</b>				
Lens M12 Megapixel 10pcs		5502-421	Mixed pack of M12 Megapixel lenses. Focal length: 2.8mm, 3.6mm, 6mm, 8mm and 16mm for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter. 10pcs=2 pcs of each lens.	149.00
Lens M12 Megapixel 2.8mm 10pcs		5502-101	Megapixel lens 2.8mm with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter. 10pcs	199.00
Lens M12 Megapixel 3.6mm 10pcs		5502-151	Megapixel lens 3.6mm with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter 10pcs	149.00
Lens M12 Megapixel 6mm 10pcs		5502-111	Megapixel lens 6mm lens with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter 10pcs	149.00
Lens M12 Megapixel 8mm 10 pcs		5502-411	Megapixel lens 8mm with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter. 10pcs	149.00
Lens M12 Megapixel 16mm 10pcs		5502-161	Megapixel lens 16mm with M12 thread for AXIS M3113-R, AXIS M3114-R, AXIS 209FD, AXIS 209MFD, AXIS M3011, AXIS 3014. With IR filter. 10pcs	149.00
Lens Tool AXIS M311X 4pcs		5502-771	Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with AXIS M311X (except 2mm lens version). Content: Lens tool and Opening tool 4 pcs of each.	24.00
LENS TOOL KIT AXIS M311X 2MM 4PCS		5503-561	Tool kit for simplifying adjustment of viewing direction and focus setting. Compatible with AXIS M311X cameras with 2mm lens. Content: Lens tool and Opening tool 4 pcs of each.	24.00
Lens for P1344 - original megapixel lens		5700-611	Original DC-IRIS IR-corrected Megapixel lens for P1344.	195.00
AXIS M3004-V/05-V LENS M12 6MM	New	5503-651	Optional lens, 6mm for M3004-V/M3005-V	49.00
AXIS Lens Cloth 10pcs		5502-661	Axis accessory lens cloth. 10 pack	39.00
AXIS Lens Cloth 50pcs		5502-721	Axis accessory lens cloth. 50 pack	169.00
<b>POWER SUPPLIES AND CABLES</b>				
Power Supply		18604	Power supply PS-D for AXIS 2100, 2110, 2120, 2420, 2400/2401, 2400+/2401+, and 2490	35.00
Power Supply		22512	Power supply for the Axis Video Encoder Rack	499.00
Power Supply		5500-721	Power supply PS-P for AXIS 215 PTZ	39.00

Spare Power Supply AXIS 215 PTZ-E		5700-271	Spare Power supply for AXIS 215PTZ-E. Not for Japan	39.00
Spare fan/heater ring AXIS 215 PTZ-E		5700-281	Spare fan and heater ring for AXIS 215-PTZ-E. Includes 2 fans and 2 heaters.	119.00
Spare dome clear for AXIS 215 PTZ-E		5700-291	Spare clear dome for AXIS 215-PTZ-E. Includes mounting ring, clear bubble, rubber gasket and 4 screws.	99.00
Spare power supply AXIS 215 PTZ-E		5700-361	Spare Power supply for AXIS 215PTZ-E. All regions incl. Japan.	39.00
Power Supply		5500-211	Main adapter, AXIS 214, spare-part	39.00
Power supply PS-K Multi-country		5500-221	Power supply PS-K for AXIS Q7401, P1311, P7701, P8221, P1343, P1344, P1346, P1347. No plug. Multi-country version for US/JP, AUS, KOR, ARG, EUR and UK	49.00
Power Supply PS-K		5500-231	Power supply PS-K for AXIS 211/A, 241Q/S/SA/QA, 243SA. Multi-country version for US/JP, AUS, KOR, ARG, EUR and UK	39.00
Power Supply PS-H		5500-331	Power supply PS-H for 207W and AXIS 207MW, AXIS 212 PTZ and AXIS 216FD series. Multi-country version for US/JP, AUS, KOR, EUR and UK	39.00
Power Supply PS-R		5500-901	Indoor P/S for AXIS 233D	69.00
Power supply PS-R US		5500-914	Indoor power supply for AXIS 233D. Input 100-240VAC. Output 24VDC, 1.5 A US only. Can also be used for AXIS 231D+/232D+.	69.00
Mains Adap PS-P T-C		5502-261	Power supply PS-P T-C for AXIS Q1755 and AXIS Q7404	39.00
Power supply PS-T 10-pack		5500-931	Power supply PS-T for AXIS P1311/43/44 and AXIS Q7401 as spare part. 10 pack	299.00
AXIS T8003 PS57		5029-034	Power supply for the AXIS T8640 Coax Over Ethernet Adapter. If connected to the base end COAX adapter part, it powers up the connection, the device end unit and the PoE camera and thereby removes the need for a separate midspan. Can also be connected to the device end, to secure enough power (max 30W) to the connected PoE camera (COAX cable quality/long distance).	54.00
AXIS T8006 PS12		5030-064	Power supply with extended temperature specification -40°C to +75°C (-40°F to +167°F) providing 12 V DC to units such as AXIS T8604 and AXIS Q7424-R.	89.00
AXIS T8008 PS12	New	5503-661	Power supply for AXIS Q60XX-C series -40 to +75C (-40 to 167F).	399.00
Power supply for AXIS T8412		5700-704	Power supply for AXIS T8412 Installation Display	59.00
AXIS T8412/T8414 Carrying Case		5800-331	Sparepart carrying case for the AXIS T8412 and T8414 installation displays, with included sunshield, velcro wrist strap and lanyard.	29.00
Spare Conn Push Pull Plug IDC-8 IP67		5700-371	Spare RJ45 connector plug for AXIS Q603X-E & AXIS P55XX-E. IP 66 rated.	49.00
Network Cable with Gasket 5M		5700-331	Shielded outdoor network cable 5 meter. Pre mounted rubber gasket and male RJ45 connectors. For use with AXIS M11-E series, AXIS P13-E series, AXIS Q16-E series, AXIS Q1755-E, AXIS Q19-E series, AXIS P33-VE series and AXIS T92/3-E housings.	10.00

AXIS Q60XX-C Multi Connect Cable 5M	New	5800-491	Cable between AXIS Q60XX-C and connection box AXIS T8605	139.00
AXIS T81B22 DC 30W Midspan		5023-121	PoE midspan for PTZ dome- and fixed outdoor cameras. IEEE802.3af compliant (max. 15W) at 12/24V DC input. IEEE802.3at compliant (max. 30W) at 12V DC input. Temp spec: -20 °C to 65 °C (-4 °F to 149 °F).	99.00
AXIS T8124 High PoE Midspan		5700-401	High PoE 1-port midspan 60W. Compliant with 802.3.at and PoE 802.3af. Original power solution for AXIS Q603X-E.	149.00
AXIS T8124-E Outdoor Midspan 60W		5031-244	Outdoor ready IP66-rated midspan for AXIS Q60-E compliant with IEEE802.3af and 802.3at. Built in surge protection and IP66-rated male RJ45 connector is included. Delivers up to 60W. Temperature specification: -40°C to 50°C (-40° to 122°F) for 60W and -40°C to 55°C (-40° to 131°F) for 30W.	319.00
AXIS T8124 60w Midspan Angle	New	5026-454	High PoE 1-port midspan 60W. Compliant with 802.3.at and PoE 802.3af. Power solution for AXIS T98A Surveillance Cabinet.	149.00
Pole Mount Bracket F		5503-631	Polemount bracket for AXIS T8123-E and AXIS T8124-E outdoor midspans.	59.00
Screw Kit for AXIS P33 Series		5700-301	Screw kit for AXIS P3343, P3343-V, P3344 and P3344-V as spare part. Includes mounting screws, plugs and I/O connector.	4.00
Screw Kit for AXIS P33-VE Series		5700-351	Screw Kit for AXIS P3343-VE and P3344-VE as spare part. Includes mounting screws, plugs and I/O connector.	5.00
Mains Adapter AXIS Q8108-R		5502-071	Indoor mains adapter for powering an AXIS Q8108-R when not installed in a vehicle	70.00
Mains Cable IEC-C13		5800-201	Mains cable for AXIS One-Port Midspan, AXIS T8123/24, AXIS 291, AXIS Q7900, AXIS Video Server Rack, AXIS PoE Midspan 8-Port/16-Port, Power Supply AXIS T8412.	15.00
ACC MAINS ADAPTER AXIS PS24		5000-001	24V AC power adapter for Axis 23xD. AC Input: 100-120VAC / 220-240VAC, max 800mA / 400mA, 80VA. AC Output: 24VAC, max 63VA. Requires part # 21764 or similar.	149.00
ACC Mains Adapter PB24		30334	Rugged cast aluminum power box. 220/115VAC input, 24VAC output at 96VA, Fused, UL and CE approved. Includes pole mounting clips.	349.00
ACC Mains Adapter PB24-S		30335	Rugged cast aluminum power box. 220/115VAC input, 24VAC output at 96VA, Fused, UL and CE approved. Ethernet Surge protector / POE. Includes pole mounting clips.	499.00
ACC Mains Adapter PB24-F		30336	Rugged cast aluminum power box. 220/115VAC input, 24VAC output at 96VA, Fused, UL and CE approved. Multimode media converter. Includes pole mounting clips.	899.00
AXIS PS12 ACC Mains Adaptor		5000-021 Page 60	12V outdoor/indoor power supply. 5 meter (16.4 ft) input and output cable. Supplied without power plug.	179.00

ACC MAINS ADAPTOR PS-S		5500-251	Mains adapter for IR-illuminators, spare part. (PS-S)	39.00
Mains Adapter T90C10		5503-104	Indoor mains power supply for the AXIS T90C10 illuminator. Output 24VDC 1.5A.	69.00
MOUNT KIT FOR AXIS 231D+/232D+ WIDE POLE		21764	Required housing for 24V AC outside power supply unit (#5000-001) Wall and pole mount included. Pole mount requires use of mounting tool (part #21776 or similar)	40.00
Wall Mount AXIS PS24		5000-011	Metal box used to mount AXIS PS24 Outdoor Power Supply. (5000-001)	49.00
Terminal Connector		18599	4 pin terminal connector 3.81 mm for 210, 211, 207W, 216FD, 250S	4.00
Terminal Connector		18601	8 pin terminal connector 3.81 mm for 2400/2401, 2400+/2401+, 2490	8.00
Terminal Connector		20242	12 pin terminal connector 3.81 mm	10.00
Covert Camera for M7001		5700-471	Covert Camera for AXIS M7001 as spare part.	129.00
AXIS P1204 Sensor Unit		5503-801	Original sensor unit for AXIS P1204 with premounted cable. Cover skin and mounting kit is included.	199.00
AXIS P1214 Sensor Unit		5503-811	Original sensor unit for AXIS P1214 with premounted cable. Flush mount bracket included.	199.00
AXIS P1214-E Sensor Unit		5503-821	Original sensor unit for AXIS P1214-E with premounted cable. Flush mount bracket and sensor unit housing included.	199.00
Extension cable PS-H 1.8M		5500-141	1.8M extension Cable for PS-H and PS-L products	7.00
ACC Extension Cable for PS-K 3M		5500-081	Black 3 meter long extension cable for the AXIS PS-K power supply.	11.00
Audio I/O Cable for AXIS P33 Series 5m		5502-331	Audio and I/O extension cable for AXIS P33 series. Includes 4 pin terminal connector 2.5mm Female to Male, 2 x stereo plug 3.5mm Male to Female. 5 meter.	39.00
Cable extension		18608	Extension cable for Power Supply, 3.3 meters, for PS-D	11.00
Cable adapter - Y/C to BNC		21832	Cable adapter to connect a Y/C (S-Video) cable to the Axis 241S Video Server. Same as 21833 but for US	17.00
Cable - Visca to Server		18620	Cable to connect PTZ control of Sony EVI VISCA to Video server, 3 meters	15.00
Camera Cable AXIS 247S		5500-351	10m extension multi-cable between AXIS 247S and the analog camera and microphone. 6-pin mini-DIN to RCA (video in), RCA (audio in) and Mini DC Jack (power out). Includes RCA to BNC adapter.	59.00
Cable - Visca to Visca		18622	Extension cable for PTZ control of Sony EVI VISCA, 3 meters	15.00
Power Splitter 2400+/2401+		21242	The 8 to 1 Power Splitter for 2400/01+. Feeds up to eight Axis 2400+/2401+. One 6.5 feet input cord and eight 2.9 feet output cords. Snap-mount for 35mm DIN rails. NOTE; No power supply included.	149.00
BNC to RCA adaptor		5500-441	4 pack of BNC to RCA adaptors. Replaces 19403 and 19404.	19.00

AXIS T8640 PoE+ Over Coax Adap		5026-401	Pair of Ethernet over COAX adapters that enable use of COAX cables for PoE applications, supports IEEE802.3af/at. Powered by either PoE or power supply, dependent on power requirement at the device end. Diagnostics LEDs for power and link status in both base and device unit. Connectors: BNC and RJ45 connector and power input (for optional power supply). The package contains one base unit and one device unit.	414.00
AXIS T8641 PoE+ Over Coax Base		5028-411	Single Base unit of Ethernet over COAX adapter. The package contains one base unit.	207.00
AXIS T8642 PoE+ Over Coax Devi		5027-421	Single Device unit of Ethernet over COAX adapter. The package contains one device unit.	207.00
<b>POWER OVER LAN/POWER OVER ETHERNET</b>				
AXIS T8123 High PoE Midspan 1-Port		5014-204	High PoE 1-port midspan 30W. Compliant with 802.3.at and PoE 802.3af. Can be used with AXIS T8126/T8128 splitter. Replacing AXIS T8121	89.00
AXIS T8123-E Outdoor Midspan 30w		5030-234	Outdoor ready IP66-rated midspan compliant with IEEE802.3af and 802.3at. Built in surge protection and IP66-rated male RJ45 connector is included. Delivers up to 30W. Temperature specification: -40°C to 55°C (-40° to 131°F) for 30W and -40°C to 65°C (-40°F to 149°F) for 15.4W.	249.00
AXIS T8123 30w Midspan Angle	New	5026-444	High PoE 1-port midspan 30W. Compliant with 802.3.at and PoE 802.3af. Power solution for AXIS T98A Surveillance Cabinet.	89.00
AXIS T8120 15W Midspan 1-Port		5026-204	Provides power over Ethernet to Axis network video products with built-in PoE support. AXIS T8120 is IEEE 802.3af compliant, ensuring compatibility with all Axis PoE Class 1-3 products. The midspan can be installed on a wall or shelf.	59.00
AXIS T8120 15W Midspan 10-Pack		5026-224	Provides power over Ethernet to Axis network video products with built-in PoE support. AXIS T8120 is IEEE 802.3af compliant, ensuring compatibility with all Axis PoE Class 1-3 products. The midspan can be installed on a wall or shelf. 10 pcs.	529.00
T8126 High PoE Splitter 12V		5014-501	12V DC High PoE splitter (802.3.at pre-standard). Requires either a AXIS T8121 midspan (max 24W output) or a 802.3af PoE midspan (max 12W output)	89.00
T8128 High PoE Splitter 24V		5014-511	24V DC High PoE splitter (802.3.at pre-standard). Requires High PoE midspan (AXIS T8121).	89.00
AXIS PoE Active Splitter - 5V		5008-001	Power over Ethernet (802.3af) compatible. Use with Power over Ethernet-midspans or PoE-enabled switches to enable Power over Ethernet for AXIS M1011/-W, AXIS M1031-W, AXIS M1043-W and AXIS 1044-W.	59.00
AXIS PoE Midspan 8-port		5012-004	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 328ft/100m. Supporting up to eight Axis Network cameras/video servers. Metal casing.	599.00

<b>AXIS PoE Midspan 16-port</b>		<b>5012-014</b>	802.3af compliant power injector for standard Cat 5 network cables. Maximum cable length is 328ft/100m. Supporting up to sixteen Axis Network cameras/video servers. Metal casing.	<b>799.00</b>
<b>AXIS PoE Midspan 1-Port</b>		<b>0226-004</b>	Axis branded. Secure injection of power into a single standard Cat 5 network cable. Maximum cable length 328ft/100m/ Supports single Axis Network Camera/Video Server. Plastic casing	<b>69.00</b>
<b>IR ILLUMINATORS</b>				