



Pelco  
3500 Pelco Way  
Clovis, CA 93612-7061

## Price List

Model Number	Description	MSRP
13M15-50	Lens, 1/3-inch format 3 megapixel varifocal 15-50mm F/1.5-2.1 auto iris CS-mount	\$ 496
13M2.2-6	Lens, 1/3-inch format 3 megapixel varifocal 2.2-6mm F/1.3-2.0 auto iris CS-mount	\$ 364
13M2.8-12	Lens, 1/3-inch format 3 megapixel varifocal 2.8-12mm F/1.4-2.7 auto iris CS-mount	\$ 347
13M2.8-8	Lens, 1/3-inch format 3 megapixel varifocal 2.8-8mm F/1.2-1.9 auto iris CS-mount	\$ 224
13VA1-3	Lens, 1/3-inch format varifocal zoom, 1- 3mm manual iris, manual focus and zoom, f1.4-closed, CS-mount.	\$ 209
13VA2.8-12	Lens, 1/3-inch format varifocal zoom, 2.8- 12mm manual iris, manual focus and zoom, f1.4-closed, CS-mount.	\$ 101

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
13VA3-8	Lens, 1/3-inch format varifocal zoom, 3-8mm manual iris, manual focus and zoom, f1.0-closed, CS-mount.	\$ 81
13VA5-40	Lens, 1/3-inch format varifocal zoom, 5-40mm manual iris, manual focus and zoom, f1.6-closed, CS-mount.	\$ 184
13VA5-50	Lens, 1/3-inch format varifocal zoom, 5-50mm manual iris, manual focus and zoom, f1.4-closed, CS-mount.	\$ 203
13VD1-3	Lens, 1/3-inch format varifocal zoom, 1-3mm auto iris direct drive, manual focus and zoom, f1.4-360, CS-mount.	\$ 256
13VD15-50	LENS,1/3 IN VDCL 15-50MM F1.5 DC AI for CAMCLOSURE 2 only	\$ 146
13VD2.5-6	Lens, 1/3-inch format varifocal zoom, 2.5-6mm auto iris direct drive, manual focus and zoom, f1.8-360, CS-mount.	\$ 216
13VD2.8-12	Lens, 1/3-inch format varifocal zoom, 2.8-12mm auto iris direct drive, manual focus and zoom, f1.4-closed, CS-mount.	\$ 146

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
13VD3-8	Lens, 1/3-inch format varifocal zoom, 3-8mm auto iris direct drive, manual focus and zoom, f1.0-360, CS-mount.	\$ 88
13VD5-40	Lens, 1/3-inch format varifocal zoom, 5-40mm auto iris direct drive, manual focus and zoom, f1.6-360, CS-mount.	\$ 199
13VD5-50	Lens, 1/3-inch format varifocal zoom, 5-50mm auto iris direct drive, manual focus and zoom, f1.4-360, CS-mount.	\$ 252
13VD5.5-82.5	Lens, 1/3-inch format varifocal zoom, 5.5-82.5mm auto iris direct drive, manual focus and zoom, f1.6-360, CS-mount.	\$ 347
13VDIR2.8-11	Lens, 1/3-inch format, IR-corrected, varifocal zoom, 2.8-11mm auto iris, direct drive, manual focus and zoom, F1.0-360, CS-mount.	\$ 164
13VDIR3-8.5	Lens, 1/3-inch format, IR-corrected, varifocal zoom, 3-8.5mm auto iris, direct drive, manual focus and zoom, F1.0-360, CS-mount.	\$ 115

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
13VDIR7.5-50	Lens, 1/3-inch format, IR-corrected, varifocal zoom, 7.5-50mm auto iris, direct drive, manual focus and zoom, F1.3-360, CS-mount.	\$ 214
13ZD5.5X30	Lens, 1/3-inch format motorized zoom auto iris direct drive spot filter, 30X motorized manual zoom and focus, 5.5-165mm, f1.6-360, CS-mount.	\$ 2324
13ZD5.5X30P	Lens, 1/3-inch format motorized zoom auto iris direct drive presets and spot filter, 30X motorized manual zoom and focus, 5.5-165mm, f1.6-360, CS-mount.	\$ 2427
13ZD5.6X20	Lens, 1/3-inch format motorized zoom auto iris direct drive spot filter, 20X motorized manual zoom and focus, 5.6-112mm, f1.6-360, CS-mount.	\$ 1346
13ZD5.6X20P	Lens, 1/3-inch format motorized zoom auto iris direct drive presets and spot filter, 20X motorized manual zoom and focus, 5.6-112mm, f1.6-360, CS-mount.	\$ 1517

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
13ZD6X10	Lens, 1/3-inch format motorized zoom auto iris direct drive spot filter, 10X motorized manual zoom and focus, 6-60mm, f1.6-360, CS-mount.	\$ 691
13ZD6X10P	Lens, 1/3-inch format motorized zoom auto iris direct drive presets and spot filter, 10X motorized manual zoom and focus, 6-60mm, f1.6-360, CS-mount.	\$ 832
13ZD6X15P	Lens, 1/3-inch format motorized zoom auto iris direct drive presets and spot filter, 15X motorized manual zoom and focus, 6-90mm, f1.6-360, CS-mount.	\$ 1067
13ZD6X8	Lens, 1/3-inch format motorized zoom auto iris direct drive spot filter, 6X motorized manual zoom and focus, 6-48mm, f1.4-360, CS-mount.	\$ 614
6990-00299	Customer Certification Required - SATABoy Power Supply	\$ 2835
AH1000	Manually adjustable pan/tilt head for EH4700 series enclosures. Use with WM2000 wall mount or PM2000/PM2010 ceiling/pedestal mount.	\$ 60

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
AH2000	Manually adjustable pan/tilt head for EH5700 series, EH6740-1, EH8106/EH8108, EHX*E series, HT10V, MT10P enclosures. Use with WM2000 wall mount or PM2000/PM2010.	\$ 71
ALM-1	USB alarm accessory to be used with Sarix and Spectra HD cameras. 4 alarms, 2 auxiliaries. Includes USB cable adapters.	\$ 81
ALM2064	The Alarm Interface Unit connects directly to the System 6800 controller. Each unit can monitor up to 64 alarms. Up to two units can be connected, using the CM6800's M port, allowing up to 128 external alarms.	\$ 1311
AUD-1	USB audio accessory to be used with Sarix and Spectra HD cameras. Bi-directional audio and echo cancellation. Includes USB cable adapters.	\$ 81
AUSVR-SW-1L	Archive Utility SW w/1 DVMS License	\$ 672
B5-F	Spectra® HD Backbox, Flush	\$ 740

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
B5-F-E	Spectra® HD Backbox, Environmental Flush/In-Ceiling Mount	\$ 1222
B5-PB	Spectra® HD Backbox, Standard Pendant Mount, Black	\$ 868
B5-PG	Spectra® HD Backbox, Standard Pendant Mount, Gray	\$ 868
B5-PG-E	Spectra® HD Backbox, Standard Environmental Pendant Mount, Gray	\$ 1365
B52-F	Spectra® HD 1080p 20X Backbox, Flush/In-Ceiling Mount, Black	\$ 823
B52-F-E	Spectra® HD 1080p 20X Backbox, Environmental Flush/In-Ceiling Mount, Gray	\$ 1358
B52-PB	Spectra® HD 1080p 20X Backbox, Standard Pendant Mount, Black	\$ 964
B52-PG	Spectra® HD 1080p 20X Backbox, Standard Pendant Mount, Gray	\$ 964
B52-PG-E	Spectra® HD 1080p 20X Backbox, Environmental Pendant Mount, Gray	\$ 1516

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
BB4-F	Spectra IV SE Back Box, indoor. Single back box for suspended or in-ceiling applications. Built-in memory to store camera and location specific dome settings. Installation requires only 5.25 inches space above ceiling and 3.25-inches below.	\$ 274
BB4-F-E	Spectra IV SE Back Box, outdoor. Single back box for suspended or hard ceiling applications. Built-in memory to store camera and location specific dome settings. Installation requiring only 4.4 inches space above ceiling and 4.3-inches below.	\$ 520
BB4-PB	Spectra IV SE Back Box, standard pendant mount, black. Built-in memory to store camera and location specific dome settings. Pendant 10.6-inches overall Length (including dome).	\$ 413

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
BB4-PG	Spectra IV SE Back Box, standard pendant mount, gray. Built-in memory to store camera and location specific dome settings. Pendant 10.6-inch overall Length (including dome).	\$ 413
BB4-PG-E	Spectra IV SE Back Box, environmental pendant, gray. Built-in memory to store camera and location specific dome settings. Pendant 10.6-inch overall Length (including dome).	\$ 520
BB4-PR-E	Spectra IV SE Press Back Box, environmental pendant, gray. Built-in memory to store camera and location specific dome settings.	\$ 1544
BB4-PRM-E	Spectra IV SE Press Back Box, environmental pendant, gray. Built-in memory to store camera and location specific dome settings.	\$ 2389

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
BB4-PRS-E	Spectra IV SE Press Back Box, environmental pendant, gray. Built-in memory to store camera and location specific dome settings.	\$ 2389
BB4-PSG-E	Spectra IV SE Back Box, stainless steel, environmental pendant, gray. Built-in memory to store camera and location specific dome settings. Pendant 10.6-inch overall Length (including dome).	\$ 1240
BB4-SMB	Spectra IV SE Back Box, surface mount, black. Built-in memory to store camera and location specific dome settings. Installs quickly and easily to any type of ceiling.	\$ 232
BB4-SMW	Spectra IV SE Back Box, surface mount, white. Built-in memory to store camera and location specific dome settings. Installs quickly and easily to any type of ceiling.	\$ 232
BB4E-F	Spectra® IV IP H.264 Backbox Flush with TXB-N-F	\$ 1021

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
BB4E-F-E	Spectra® IV IP H.264 Backbox Flush Environmental with TXB-N-F	\$ 1267
BB4E-PB	Spectra® IV IP H.264 Backbox Standard Pendant Black with TXB-N-P	\$ 1160
BB4E-PG	Spectra® IV IP H.264 Backbox Standard Pendant Gray with TXB-N-P	\$ 1160
BB4E-PG-E	Spectra® IV IP H.264 Backbox Environmental Pendant Gray with TXB-N-P	\$ 1267
BB4E-PSG-E	Spectra® IV IP H.264 Stainless Steel Backbox Environmental Pendant Gray with TXB-N-P	\$ 1874
BB4EHD-F	Spectra® IV IP H.264 Heavy Duty Backbox Flush with TXB-N-F	\$ 1139
BB4EHD-PG	Spectra® IV IP H.264 HeavyDuty BackBox Pendant Gray with TXB-N-P	\$ 1278
BB4EHD-PG-E	Spectra® IV IP H.264 Heavy Duty Backbox Environmental Pendant Gray with TXB-N-P	\$ 1421
BB4HD-F	Spectra IV Back box, heavy-duty, in- ceiling.	\$ 432

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
BB4HD-PG	Spectra IV SE Back Box, heavy-duty, gray pendant mount. Built-in memory to store camera and location specific dome settings.	\$ 584
BB4HD-PG-E	Spectra IV SE Back Box, heavy-duty, gray pendant mount, environmental. Built-in memory to store camera and location specific dome settings.	\$ 742
BB4N-F	Spectra® IV IP Backbox Flush TXB-IP-F	\$ 1021
BB4N-F-E	Spectra® IV IP Backbox FLSH TXB-IP-F	\$ 1267
BB4N-PB	Spectra® IV IP Backbox Std Pend Blk TXB-IP-P	\$ 1160
BB4N-PG	Spectra® IV IP Backbox Std Pend Gry TXB-IP-P	\$ 1160
BB4N-PG-E	Spectra® IV IP Backbox Env Pend Gray TXB-IP-P	\$ 1267
BB4N-PSG-E	Spectra® IV IP Backbox Env Pend Gray TXB-IP-P	\$ 2062
BB4NHD-F	Spectra® IV IP Heavy Duty Backbox FLSH TXB-IP-F	\$ 1253
BB4NHD-PG	Spectra® IV IP HeavyDuty BackBox PendGray TXB-IP-P	\$ 1406

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
BB4NHD-PG-E	Spectra® IV IP Heavy Duty Backbox ENVPND TXB-IP-P	\$ 1564
BB4NT-F	Spectra® IV IP Backbox Flush TXB- IP-F	\$ 959
BB4NT-F-E	Spectra® IV IP Backbox Flush Env TXB-IP-F	\$ 1205
BB4NT-PG	Spectra® IV IP Backbox Std Pend Gray TXB-IP-P	\$ 1099
BB4NT-PG-E	Spectra® IV IP Backbox Env Pend Gray TXB-IP-P	\$ 1205
BB4T-F	Spectra® IV Back Box, in-ceiling. Single back box for suspended or hard ceiling applications. Very easy installation requiring only 5.25- inches space above ceiling and 3.25- inches below.	\$ 212
BB4T-F-E	Spectra® IV Back Box, in-ceiling. Single back box for suspended or hard ceiling applications. Very easy installation requiring only 4.4- inches space above ceiling and 4.3- inches below.	\$ 458
BB4T-PB	Spectra® IV Back Box, standard pendant, black. Pendant 10.6-inches overall length (including dome).	\$ 352

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
BB4T-PG	Spectra® IV Back Box, standard pendant, gray. Pendant 10.6-inches overall length (including dome).	\$ 352
BB4T-PG-E	Spectra® IV Back Box, environmental, pendant gray. Pendant 10.6-inches overall length (including dome).	\$ 458
BB4T-SMB	Spectra® IV Back Box, surface mount, black. Installs quickly and easily to any type of ceiling.	\$ 171
BB4T-SMW	Spectra® IV Back Box, surface mount, white. Installs quickly and easily to any type of ceiling.	\$ 171
BB5-PCA-BK	Spectra II® pendant mount conduit adapter kit, black, for Spectra® and DF5 domes. Use in pendant mount applications when conduit is being used for electrical connections. Must be used with BB5A-PB or BB5T-PB.	\$ 45

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
BB5-PCA-GY	Spectra II® pendant mount conduit adapter kit, gray, for Spectra® and DF5 domes. Use in pendant mount applications when conduit is being used for electrical connections. Must be used with BB5A-PG or BB5T-PG.	\$ 45
BK3512-1	Blower kit, continuous duty, for EH3512, EH3515, and EH3515L series enclosures. 120 VAC, 3.8 watts.	\$ 115
BK3512-2	Blower kit, continuous duty, for EH3512, EH3515, and EH3515L series enclosures. 24 VAC, 3.8 watts.	\$ 115
BK47-1	Blower kit, for EH4718, EH4722, EH4718L, and EH4722L only. 120 VAC, 8 watts. I/O-PCB required for EH4718 or EH4722.	\$ 56
BK47-2	Blower kit, for EH4718, EH4722, EH4718L, and EH4722L only. 24 VAC, 8 watts. I/O-PCB required for EH4718 or EH4722.	\$ 66

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
BK57-1	Blower kit, for EH5723, EH5729, EH5723L, and EH5729L only. 120 VAC, 15 watts. I/O- PCB required for EH5723 or EH5729.	\$ 56
BK57-2	Blower kit, for EH5723, EH5729, EH5723L, and EH5729L only. 24 VAC, 15 watts. I/O- PCB required for EH5723 or EH5729.	\$ 76
BK700	Blower kit, continuous duty, for E706, E708, and E710 series only. 120 VAC, 4 watts.	\$ 171
BK700/24	Blower kit, continuous duty, for E706, E708, and E710 series only. 24 VAC, 3 watts.	\$ 171
BKX4000	Blower kit, continuous duty for EHX4E only. 120 VAC, 3.8 watts.	\$ 161
BKX4024	Blower kit, continuous duty for EHX4E only. 24 VDC (AC rectified), 1.9 watts.	\$ 161
BKX6000	Blower kit, continuous duty, for EHX6E, EHX6E-16, EHX8E, and EHX10E only. 120 VAC, 3.8 watts.	\$ 100

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
BKX6024	Blower kit, continuous duty, for EHX6E, EHX6E-16, EHX8E, and EHX10E only. 24 VDC (AC rectified), 1.9 watts.	\$ 118
BS1750	Universal for cameras weighing up to 7 pounds. T-rail clip for use in false ceiling applications. Adjustable swivel head with set screw for final positioning of swivel assembly.	\$ 48
BU-ADAPTER	Adapter plate for conduit box for IR bullet surface mounting	\$ 42
BU4-IRF4-4	IR Bullet Camera 600TVL 12V NTSC 3.6 Lens	\$ 166
BU5-IRV12-6	IR Bullet Camera 650TVL 12/24V NTSC 3.3-12 Lens	\$ 498
BU6-IRWV50-6	IR Bullet Camera 650TVL 12/24V WDR NTSC 6-50 Lens	\$ 706
C10-UM	Universal camera mount for the C10 Series cameras	\$ 95
C20-CH-6	Box Camera Color 650TVL 1/3" CCD 12/24V NTSC	\$ 237
C20-DW-6	Box Camera Wide Dynamic Range 650TVL 1/3" CCD 12/24V NTSC	\$ 473

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
C20CH-6R11A	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VDIR2.8-11.	\$ 402
C20CH-6R3A	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VDIR3-8.5.	\$ 352
C20CH-6R75A	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VDIR7.5-50.	\$ 452
C20CH-6R75AU	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VDIR7.5-50, C10-UM.	\$ 546
C20CH-6V1	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VA1-3.	\$ 447
C20CH-6V1A	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VD1-3.	\$ 493
C20CH-6V1AU	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VD1-3, C10-UM.	\$ 588
C20CH-6V1U	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VA1-3, C10-UM	\$ 541

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
C20CH-6V21	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VA2.8-12.	\$ 339
C20CH-6V21A	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VD2.8-12.	\$ 383
C20CH-6V21AU	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VD2.8-12, C10-UM.	\$ 478
C20CH-6V21U	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VA2.8-12, C10-UM.	\$ 433
C20CH-6V2A	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VD2.5-6.	\$ 453
C20CH-6V2AU	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VD2.5-6, C10-UM.	\$ 548
C20CH-6V3	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VA3-8.	\$ 319
C20CH-6V3A	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VD3-8.	\$ 325

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
C20CH-6V3AU	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VD3-8, C10-UM.	\$ 420
C20CH-6V3U	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VA3-8, C10-UM.	\$ 413
C20CH-6V5	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VA5-40.	\$ 422
C20CH-6V50	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VA5-50.	\$ 440
C20CH-6V50A	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VD5-50.	\$ 490
C20CH-6V50AU	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VD5-50, C10-UM.	\$ 584
C20CH-6V50U	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VA5-50, C10-UM.	\$ 535
C20CH-6V55A	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VD5.5-82.5.	\$ 584

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
C20CH-6V55AU	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VD5.5-82.5, C10-UM.	\$ 679
C20CH-6V5A	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VD5-40.	\$ 437
C20CH-6V5AU	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VD5-40, C10-UM.	\$ 531
C20CH-6V5U	CameraPak® Consists of the following Pelco models: C20-CH-6, 13VA5-40, C10-UM.	\$ 516
C20DW-6R11A	CameraPak® Consists of the following Pelco models: C20-DW-6 , 13VDIR2.8-11.	\$ 637
C20DW-6R11AU	CameraPak® Consists of the following Pelco models: C20-DW-6 , 13VDIR2.8-11, C10-UM.	\$ 732
C20DW-6R3A	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VDIR3-8.5.	\$ 588

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
C20DW-6R3AU	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VDIR3-8.5, C10-UM	\$ 682
C20DW-6R75A	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VDIR7.5-50.	\$ 687
C20DW-6V1	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VA1-3.	\$ 682
C20DW-6V1A	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VD1-3.	\$ 729
C20DW-6V1AU	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VD1-3, C10-UM.	\$ 823
C20DW-6V21	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VA2.8-12.	\$ 574
C20DW-6V21A	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VD2.8-12.	\$ 619
C20DW-6V21AU	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VD2.8-12, C10-UM.	\$ 714

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
C20DW-6V21U	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VA2.8-12, C10-UM.	\$ 669
C20DW-6V2A	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VD2.5-6.	\$ 689
C20DW-6V2AU	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VD2.5-6, C10-UM.	\$ 784
C20DW-6V3	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VA3-8.	\$ 554
C20DW-6V3A	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VD3-8.	\$ 561
C20DW-6V3AU	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VD3-8, C10-UM.	\$ 656
C20DW-6V3U	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VA3-8, C10-UM.	\$ 649
C20DW-6V5	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VA5-40.	\$ 657

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
C20DW-6V50	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VA5-50.	\$ 676
C20DW-6V50A	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VD5-50.	\$ 725
C20DW-6V50AU	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VD5-50, C10-UM.	\$ 820
C20DW-6V50U	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VA5-50, C10-UM.	\$ 770
C20DW-6V55A	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VD5.5-82.5.	\$ 820
C20DW-6V55AU	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VD5.5-82.5, C10-UM.	\$ 915
C20DW-6V5A	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VD5-40.	\$ 672
C20DW-6V5AU	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VD5-40, C10-UM.	\$ 767

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
C20DW-6V5U	CameraPak® Consists of the following Pelco models: C20-DW-6, 13VA5-40, C10-UM.	\$ 752
CM100	Corner adapter for WM2000 wall mount or ED27/ED2720, ED28/ED2820 domes. Supports load up to 75 pounds. When used with ST1 and SCM100, load capacity increases to 150 pounds.	\$ 91
CM1300	Manually adjustable head for wall mount applications. Supports up to 25 lbs.	\$ 73
CM1450	Mount, universal for cameras weighing up to 7 pounds. Wall mount. Manually adjustable swivel head with 360 degree pan and 90 degree tilt.	\$ 55
CM1750	5-inch universal for cameras weighing up to 7 pounds. Ceiling, pedestal or wall mount, manually adjustable swivel head with set screw. Identical to CM1750S except 2 in. longer.	\$ 60

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM1750-BK	5-inch universal for cameras weighing up to 7 pounds. Ceiling, pedestal or wall mount, manually adjustable swivel head with set screw. Identical to CM1750S except 2 in. longer. Black.	\$ 51
CM1750EXT	Extension tube, 4-inches (10.16 cm), for use with CM1750 and TB1750 camera mounts.	\$ 38
CM1750EXT-BK	Extension tube, 4-inches (10.16 cm), for use with CM1750 and TB1750 camera mounts. Black	\$ 20
CM1750S	3-inch universal for cameras weighing up to 7 pounds. Ceiling, pedestal or wall mount, manually adjustable swivel head. Identical to CM1750 except 2 in. shorter.	\$ 45
CM1750S-BK	3-inch universal for cameras weighing up to 7 pounds. Ceiling, pedestal or wall mount, manually adjustable swivel head. Identical to CM1750 except 2 in. shorter. Black	\$ 45
CM3512	Corner mount adapter for EM3512.	\$ 91

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM400	Corner adapter for LWM41 Legacy, IWM, or IWM24 wall mounts for Legacy® and Intercept series or Spectra® and DF5 pendant series. Supports up to 75 lbs.	\$ 91
CM4400	Light-duty ceiling J mount with cable feedthrough hole (coax, 2-conductor, for camera power) and manually adjustable tilt table. For use with lightweight cameras and enclosures.	\$ 83
CM4450	Light-duty ceiling J mount with cable feedthrough hole (coax, 2-conductor, for camera power) and swivel head. For use with light-weight cameras only. Mount arm extends 10-inches from ceiling.	\$ 106
CM6700-MXB2	Matrix switcher/controller. Provides switching and control for 16 inputs and up to 2 monitor outputs. 120 VAC.	\$ 1429
CM6700-MXB4	Matrix switcher/controller. Provides switching and control for 16 inputs and up to 4 monitor outputs. 120 VAC.	\$ 1657

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
CM6700-VMC2	Matrix 2-monitor expansion card. Plug-and-play installation expands System 6700 from a 2-video output system to a 4-video output system upon installation and power-up. NTSC, 120 VAC.	\$ 359
CM6800-32X6	Matrix Switcher/Controller. 32 video inputs, 6 video outputs, NTSC, 120 VAC, 50/60 Hz. Economical, fully integrated package and highly versatile. Supports powerful system macros, or salvo sequences, which allow activation of commonly occurring events.	\$ 3644
CM6800-96X16	Matrix Switcher/Controller. 96 video inputs, 16 video outputs, NTSC, 120 VAC, 50/60 Hz. Economical, fully integrated package and highly versatile. Supports powerful system macros, or salvo sequences, which allow activation of commonly occurring events.	\$ 11821

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM6800E-48X8	Expandable Matrix Switcher, 48 inputs by 8 outputs. NTSC.	\$ 6089
CM6800E-KIT	Expansion cables for CM6800E switcher	\$ 659
CM9700-CBL-06FT	16 Channel coaxial ribbon cable, 6 feet.	\$ 226
CM9700-CBL-10FT	16 Channel coaxial ribbon cable, 10 feet.	\$ 345
CM9700-CC1	CPU Controller for Large Matrix	\$ 7608
CM9700-MPS	for spare or redundant applications. One included with bay.	\$ 1313
CM9700-SER	Matrix SERCOM-8 Card CM9700	\$ 1388
CM9700-SER-32	32 Port expansion card and panel	\$ 7975
CM9700-VPP	Includes 2-27inch 16 Channel Coax Ribbon Cables	\$ 375
CM9700-VPP-RK	Rack for Mounting 16 CM9700-VPP	\$ 408
CM9700UTP16A	16 CH ACTIVE HUB, 1 OUTPUT 1 RIB	\$ 4990
CM9700UTP16A-US	16 Channel Active Hub, 1 Output, 1 RIB United States	\$ 4990
CM9700UTP32A-US	32 Channel Active Hib, 1 output, 1 RIB	\$ 9323
CM9760-ALM	Matrix alarm interface cage. Provides alarm monitoring capabilities for up to 64 alarm inputs.	\$ 1062
CM9760-CCC	Matrix control box for CM9760-HS.	\$ 3083

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
CM9760-CDU-T	Matrix code distribution unit. 16-channel RS-422 transmit only (2-wire and ground) distributor. For star configuring up to 16 pan/tilt/zoom receiver data runs. (1 RU)	\$ 802
CM9760-CPS	Matrix switch for CM9760-HS.	\$ 2311
CM9760-CXTA	Coaxitron® translator with D and P protocol to interface CM9760 and DX7000.	\$ 2311
CM9760-DMR	Data manager package that provides a four-to-one expansion of the number of data (SERCOM) ports available on a CM9740 or CM9760 Central Processing Unit (CPU).	\$ 822
CM9760-DT	Matrix ASCII translator. Translates programmed ASCII messages sent from an access control device or device capable of sending valid ASCII messages. 120 VAC.	\$ 1361

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
CM9760-HS	Matrix hot switch interface unit is a computer changeover switch that monitors the status of active CC1 in a 9740/9760 system. If the active CC1 fails to operate, the HS will alarm and change control over to a standby CC1.	\$ 7701
CM9760-KBD-B-US	Desktop Keyboard Fulfunc with/US Powercord, Black	\$ 2346
CM9760-KBD-E80	Version 8.0 Upgrade for CM9760 Keyboard Desktop 120VAC	\$ 0
CM9760-KBD-US	CM9760 Desktop Keyboard w/US power cord	\$ 2346
CM9760-KBR-US	CM9760 Keyboard Rack Mt w/US power cord	\$ 2346
CM9760-MDA	Master distribution amplifier. Inserts time-date and title on up to 16 video inputs, with 4 video outputs per input. Use as stand-alone unit or can be synchronized to CM9760 matrix systems. 120 VAC.	\$ 2415
CM9760-REL	Matrix relay interface unit. Provides 64 relays for operating peripheral equipment. (1 RU)	\$ 1924

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9760-SAT	Matrix satellite switcher 16 input by 4 output for a system 9760. 120 VAC.	\$ 3003
CM9760-SEU	Matrix port interface for CM9760-HS.	\$ 2311
CM9765-128X16	Full-featured video matrix switching control system.	\$ 12745
CM9765-160X16	Full-featured video matrix switching control system.	\$ 14105
CM9765-192X16	Full-featured video matrix switching control system.	\$ 15760
CM9765-224X16	Full-featured video matrix switching control system.	\$ 17002
CM9765-256X16	Full-featured video matrix switching control system.	\$ 18619
CM9765-32X16	Full-featured video matrix switching control system.	\$ 9618
CM9765-64X16	Full-featured video matrix switching control system.	\$ 10659
CM9765-96X16	Full-featured video matrix switching control system.	\$ 11564
CM9765-DFC	Matrix Dwnfrm Crd CM9765	\$ 362
CM9765-DFL	Matrix Dwnfrm Crd CM9765 Loop	\$ 362
CM9765-MXB	Matrix Bay CM9765 with power supply 120V	\$ 2815
CM9765-RPC	Matrix Rear Panel BNC Input-32 CM9765	\$ 362

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9765-RPS	Matrix Rear Panel Side and Dwnfrm CM9765	\$ 518
CM9765-VCC	32 Input Video Camera Card	\$ 1408
CM9765-VMC	16 Output Video Monitor Card	\$ 2717
CM9765L-128X16	Full-featured video matrix switching control system.	\$ 13702
CM9765L-160X16	Full-featured video matrix switching control system.	\$ 15247
CM9765L-192X16	Full-featured video matrix switching control system.	\$ 16706
CM9765L-224X16	Full-featured video matrix switching control system.	\$ 18521
CM9765L-256X16	Full-featured video matrix switching control system.	\$ 20333
CM9765L-32X16	Full-featured video matrix switching control system.	\$ 10367
CM9765L-64X16	Full-featured video matrix switching control system.	\$ 11479
CM9765L-96X16	Full-featured video matrix switching control system.	\$ 12608
CM9770-1024X112	CM9770-1024X112 High Density System	\$ 678145
CM9770-1024X128	CM9770-1024X128 High Density System	\$ 748215
CM9770-1024X16	CM9770-1024X16 High Density System	\$ 164529
CM9770-1024X32	CM9770-1024X32 High Density System	\$ 190213

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-1024X48	CM9770-1024X48 High Density System	\$ 284386
CM9770-1024X64	CM9770-1024X64 High Density System	\$ 385814
CM9770-1024X80	CM9770-1024X80 High Density System	\$ 477121
CM9770-1024X96	CM9770-1024X96 High Density System	\$ 562911
CM9770-128X112	CM9770-128X112 High Density System	\$ 87371
CM9770-128X128	CM9770-128X128 High Density System	\$ 107228
CM9770-128X144	CM9770-128X144 High Density System	\$ 119102
CM9770-128X16	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 128 video inputs and 16 video outputs. NTSC/120 VAC.	\$ 17076
CM9770-128X32	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 128 video inputs and 32 video outputs. NTSC/120 VAC.	\$ 18620

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-128X48	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 128 video inputs and 32 video outputs. PAL/230 VAC	\$ 31894
CM9770-128X64	CM9770-128X64 High Density System	\$ 36782
CM9770-128X80	CM9770-128X80 High Density System	\$ 70067
CM9770-128X96	CM9770-128X96 High Density System	\$ 82037
CM9770-1376X32	CM9770-137X32 High Density System	\$ 244657
CM9770-160X112	CM9770-160X112 High Density System	\$ 100760
CM9770-160X128	CM9770-160X128 High Density System	\$ 121582
CM9770-160X16	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 160 video inputs and 16 video outputs. NTSC/120 VAC.	\$ 18419
CM9770-160X160	CM9770-160X160 High Density System	\$ 150359

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-160X32	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 160 video inputs and 32 video outputs. NTSC/120 VAC.	\$ 19902
CM9770-160X48	CM9770-160X48 High Density System	\$ 34669
CM9770-160X64	CM9770-160X64 High Density System	\$ 39920
CM9770-160X80	CM9770-160X80 High Density System	\$ 79564
CM9770-160X96	CM9770-160X96 High Density System	\$ 92802
CM9770-192X112	CM9770-192X112 High Density System	\$ 114487
CM9770-192X128	CM9770-192X128 High Density System	\$ 137534
CM9770-192X16	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 192 video inputs and 16 video outputs. NTSC/120 VAC.	\$ 20018
CM9770-192X192	CM9770-192X192 High Density System	\$ 203026
CM9770-192X256	CM9770-192X256 High Density System	\$ 268523

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-192X32	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 192 video inputs and 32 video outputs. NTSC/120 VAC.	\$ 21470
CM9770-192X48	CM9770-192X48 High Density System	\$ 37914
CM9770-192X64	CM9770-192X64 High Density System	\$ 42718
CM9770-192X80	CM9770-192X80 High Density System	\$ 89064
CM9770-192X96	CM9770-192X96 High Density System	\$ 104784
CM9770-224X112	CM9770-224X112 High Density System	\$ 128549
CM9770-224X128	CM9770-224X128 High Density System	\$ 155592
CM9770-224X16	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 224 video inputs and 16 video outputs. NTSC/120 VAC.	\$ 21535
CM9770-224X32	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 224 video inputs and 32 video outputs. NTSC/120 VAC.	\$ 22956

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-224X320	CM9770-224X320 High Density System	\$ 378935
CM9770-224X48	CM9770-224X48 High Density System	\$ 40994
CM9770-224X64	CM9770-224X64 High Density System	\$ 44259
CM9770-224X80	CM9770-224X80 High Density System	\$ 98563
CM9770-224X96	CM9770-224X96 High Density System	\$ 118365
CM9770-256X112	CM9770-256X112 High Density System	\$ 144857
CM9770-256X128	CM9770-256X128 High Density System	\$ 174323
CM9770-256X16	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 256 video inputs and 16 video outputs. NTSC/120 VAC.	\$ 22964
CM9770-256X256	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 256 video inputs and 256 video outputs. NTSC/120 VAC.	\$ 341799

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-256X32	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 256 video inputs and 32 video outputs. NTSC/120 VAC.	\$ 24356
CM9770-256X48	CM9770-256X48 High Density System	\$ 43900
CM9770-256X64	CM9770-256X64 High Density System	\$ 46299
CM9770-256X80	CM9770-256X80 High Density System	\$ 108061
CM9770-256X96	CM9770-256X96 High Density System	\$ 132453
CM9770-288X112	CM9770-288X112 High Density System	\$ 206383
CM9770-288X128	CM9770-288X128 High Density System	\$ 237745
CM9770-288X16	CM9770-288X16 High Density System	\$ 45892
CM9770-288X32	CM9770-288X32 High Density System	\$ 57396
CM9770-288X48	CM9770-288X48 High Density System	\$ 93385
CM9770-288X64	CM9770-288X64 High Density System	\$ 119578
CM9770-288X80	CM9770-288X80 High Density System	\$ 155071
CM9770-288X96	CM9770-288X96 High Density System	\$ 180019
CM9770-320X112	CM9770-320X112 High Density System	\$ 219890
CM9770-320X128	CM9770-320X128 High Density System	\$ 252944

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-320X16	CM9770-320X16 High Density System	\$ 49546
CM9770-320X32	CM9770-320X32 High Density System	\$ 62292
CM9770-320X48	CM9770-320X48 High Density System	\$ 99461
CM9770-320X64	CM9770-320X64 High Density System	\$ 128451
CM9770-320X80	CM9770-320X80 High Density System	\$ 165203
CM9770-320X96	CM9770-320X96 High Density System	\$ 191418
CM9770-32X112	CM9770-32X112 High Density System	\$ 51405
CM9770-32X128	CM9770-32X128 High Density System	\$ 60396
CM9770-32X16	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 32 video inputs and 16 video outputs. NTSC/120 VAC.	\$ 14181
CM9770-32X32	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 32 video inputs and 32 video outputs. NTSC/120 VAC.	\$ 16222
CM9770-32X48	CM9770-32X48 High Density System	\$ 25383
CM9770-32X64	CM9770-32X64 High Density System	\$ 29085

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-32X80	CM9770-32X80 High Density System	\$ 41573
CM9770-32X96	CM9770-32X96 High Density System	\$ 46817
CM9770-352X112	CM9770-352X112 High Density System	\$ 239234
CM9770-352X128	CM9770-352X128 High Density System	\$ 268140
CM9770-352X16	CM9770-352X16 High Density System	\$ 53284
CM9770-352X32	CM9770-352X32 High Density System	\$ 67359
CM9770-352X48	CM9770-352X48 High Density System	\$ 105541
CM9770-352X64	CM9770-352X64 High Density System	\$ 137493
CM9770-352X80	CM9770-352X80 High Density System	\$ 175333
CM9770-352X96	CM9770-352X96 High Density System	\$ 202815
CM9770-384X112	CM9770-384X112 High Density System	\$ 256166
CM9770-384X128	CM9770-384X128 High Density System	\$ 289633
CM9770-384X16	CM9770-384X16 High Density System	\$ 57104
CM9770-384X32	CM9770-384X32 High Density System	\$ 72592
CM9770-384X48	CM9770-384X48 High Density System	\$ 111620
CM9770-384X64	CM9770-384X64 High Density System	\$ 146704
CM9770-384X80	CM9770-384X80 High Density System	\$ 185465
CM9770-384X96	CM9770-384X96 High Density System	\$ 218974
CM9770-416X112	CM9770-416X112 High Density System	\$ 273435

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-416X128	CM9770-416X128 High Density System	\$ 308484
CM9770-416X16	CM9770-416X16 High Density System	\$ 61012
CM9770-416X32	CM9770-416X32 High Density System	\$ 77995
CM9770-416X48	CM9770-416X48 High Density System	\$ 117701
CM9770-416X64	CM9770-416X64 High Density System	\$ 154385
CM9770-416X80	CM9770-416X80 High Density System	\$ 195596
CM9770-416X96	CM9770-416X96 High Density System	\$ 233132
CM9770-448X112	CM9770-448X112 High Density System	\$ 291043
CM9770-448X128	CM9770-448X128 High Density System	\$ 327674
CM9770-448X16	CM9770-448X16 High Density System	\$ 65002
CM9770-448X32	CM9770-448X32 High Density System	\$ 82638
CM9770-448X48	CM9770-448X48 High Density System	\$ 123778
CM9770-448X64	CM9770-448X64 High Density System	\$ 162067
CM9770-448X80	CM9770-448X80 High Density System	\$ 205729
CM9770-448X96	CM9770-448X96 High Density System	\$ 247543
CM9770-480X112	CM9770-480X112 High Density System	\$ 305397
CM9770-480X128	CM9770-480X128 High Density System	\$ 347202
CM9770-480X16	CM9770-480X16 High Density System	\$ 69076
CM9770-480X32	CM9770-480X32 High Density System	\$ 87366

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-480X48	CM9770-480X48 High Density System	\$ 129857
CM9770-480X64	CM9770-480X64 High Density System	\$ 169752
CM9770-480X80	CM9770-480X80 High Density System	\$ 215858
CM9770-480X96	CM9770-480X96 High Density System	\$ 262207
CM9770-512X112	CM9770-512X112 High Density System	\$ 362667
CM9770-512X128	CM9770-512X128 High Density System	\$ 401069
CM9770-512X16	CM9770-512X16 High Density System	\$ 89603
CM9770-512X32	CM9770-512X32 High Density System	\$ 104369
CM9770-512X48	CM9770-512X48 High Density System	\$ 152999
CM9770-512X64	CM9770-512X64 High Density System	\$ 208468
CM9770-512X80	CM9770-512X80 High Density System	\$ 255667
CM9770-512X96	CM9770-512X96 High Density System	\$ 302550
CM9770-544X112	CM9770-544X112 High Density System	\$ 377018
CM9770-544X128	CM9770-544X128 High Density System	\$ 416604
CM9770-544X16	CM9770-544X16 High Density System	\$ 93189
CM9770-544X32	CM9770-544X32 High Density System	\$ 108210
CM9770-544X48	CM9770-544X48 High Density System	\$ 159079
CM9770-544X64	CM9770-544X64 High Density System	\$ 216404
CM9770-544X80	CM9770-544X80 High Density System	\$ 265796

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-544X96	CM9770-544X96 High Density System	\$ 314201
CM9770-576X112	CM9770-576X112 High Density System	\$ 391372
CM9770-576X128	CM9770-576X128 High Density System	\$ 432138
CM9770-576X16	CM9770-576X16 High Density System	\$ 96776
CM9770-576X32	CM9770-576X32 High Density System	\$ 112052
CM9770-576X48	CM9770-576X48 High Density System	\$ 165158
CM9770-576X64	CM9770-576X64 High Density System	\$ 224341
CM9770-576X80	CM9770-576X80 High Density System	\$ 275929
CM9770-576X96	CM9770-576X96 High Density System	\$ 325853
CM9770-608X112	CM9770-608X112 High Density System	\$ 405724
CM9770-608X128	CM9770-608X128 High Density System	\$ 447670
CM9770-608X16	CM9770-608X16 High Density System	\$ 100365
CM9770-608X32	CM9770-608X32 High Density System	\$ 115893
CM9770-608X48	CM9770-608X48 High Density System	\$ 171234
CM9770-608X64	CM9770-608X64 High Density System	\$ 232277
CM9770-608X80	CM9770-608X80 High Density System	\$ 286060
CM9770-608X96	CM9770-608X96 High Density System	\$ 337503
CM9770-640X112	CM9770-640X112 High Density System	\$ 420078
CM9770-640X128	CM9770-640X128 High Density System	\$ 463206

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-640X16	CM9770-640X16 High Density System	\$ 103954
CM9770-640X32	CM9770-640X32 High Density System	\$ 119736
CM9770-640X48	CM9770-640X48 High Density System	\$ 177315
CM9770-640X64	CM9770-640X64 High Density System	\$ 240214
CM9770-640X80	CM9770-640X80 High Density System	\$ 296192
CM9770-640X96	CM9770-640X96 High Density System	\$ 349156
CM9770-64X112	CM9770-64X112 High Density System	\$ 63395
CM9770-64X128	CM9770-64X128 High Density System	\$ 78523
CM9770-64X16	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 64 video inputs and 16 video outputs. NTSC/120 VAC.	\$ 14651
CM9770-64X32	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 64 video inputs and 32 video outputs. NTSC/120 VAC.	\$ 16416
CM9770-64X48	CM9770-64X48 High Density System	\$ 26733
CM9770-64X64	CM9770-64X64 High Density System	\$ 30996

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-64X80	CM9770-64X80 High Density System	\$ 51072
CM9770-64X96	CM9770-64X96 High Density System	\$ 60509
CM9770-672X112	CM9770-672X112 High Density System	\$ 434430
CM9770-672X128	CM9770-672X128 High Density System	\$ 478741
CM9770-672X16	CM9770-672X16 High Density System	\$ 107543
CM9770-672X32	CM9770-672X32 High Density System	\$ 123575
CM9770-672X48	CM9770-672X48 High Density System	\$ 183393
CM9770-672X64	CM9770-672X64 High Density System	\$ 248150
CM9770-672X80	CM9770-672X80 High Density System	\$ 306321
CM9770-672X96	CM9770-672X96 High Density System	\$ 360806
CM9770-704X112	CM9770-704X112 High Density System	\$ 448783
CM9770-704X128	CM9770-704X128 High Density System	\$ 494277
CM9770-704X16	CM9770-704X16 High Density System	\$ 111130
CM9770-704X32	CM9770-704X32 High Density System	\$ 127418
CM9770-704X48	CM9770-704X48 High Density System	\$ 189472
CM9770-704X64	CM9770-704X64 High Density System	\$ 256085
CM9770-704X80	CM9770-704X80 High Density System	\$ 316454
CM9770-704X96	CM9770-704X96 High Density System	\$ 372456
CM9770-736X112	CM9770-736X112 High Density System	\$ 506051

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-736X128	CM9770-736X128 High Density System	\$ 559106
CM9770-736X16	CM9770-736X16 High Density System	\$ 123477
CM9770-736X32	CM9770-736X32 High Density System	\$ 143451
CM9770-736X48	CM9770-736X48 High Density System	\$ 212614
CM9770-736X64	CM9770-736X64 High Density System	\$ 289205
CM9770-736X80	CM9770-736X80 High Density System	\$ 356261
CM9770-736X96	CM9770-736X96 High Density System	\$ 421079
CM9770-768X112	CM9770-768X112 High Density System	\$ 520405
CM9770-768X128	CM9770-768X128 High Density System	\$ 574641
CM9770-768X16	CM9770-768X16 High Density System	\$ 127066
CM9770-768X32	CM9770-768X32 High Density System	\$ 147292
CM9770-768X48	CM9770-768X48 High Density System	\$ 218693
CM9770-768X64	CM9770-768X64 High Density System	\$ 297142
CM9770-768X80	CM9770-768X80 High Density System	\$ 366392
CM9770-768X96	CM9770-768X96 High Density System	\$ 432730
CM9770-800X112	CM9770-800X112 High Density System	\$ 534757
CM9770-800X128	CM9770-800X128 High Density System	\$ 590176
CM9770-800X16	CM9770-800X16 High Density System	\$ 130654
CM9770-800X32	CM9770-800X32 High Density System	\$ 151133

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-800X48	CM9770-800X48 High Density System	\$ 224772
CM9770-800X64	CM9770-800X64 High Density System	\$ 305078
CM9770-800X80	CM9770-800X80 High Density System	\$ 376525
CM9770-800X96	CM9770-800X96 High Density System	\$ 444380
CM9770-832X112	CM9770-832X112 High Density System	\$ 549111
CM9770-832X128	CM9770-832X128 High Density System	\$ 605711
CM9770-832X16	CM9770-832X16 High Density System	\$ 134243
CM9770-832X32	CM9770-832X32 High Density System	\$ 154974
CM9770-832X48	CM9770-832X48 High Density System	\$ 230853
CM9770-832X64	CM9770-832X64 High Density System	\$ 313013
CM9770-832X80	CM9770-832X80 High Density System	\$ 386656
CM9770-832X96	CM9770-832X96 High Density System	\$ 456032
CM9770-864X112	CM9770-864X112 High Density System	\$ 563462
CM9770-864X128	CM9770-864X128 High Density System	\$ 621245
CM9770-864X16	CM9770-864X16 High Density System	\$ 137830
CM9770-864X32	CM9770-864X32 High Density System	\$ 158817
CM9770-864X48	CM9770-864X48 High Density System	\$ 236930
CM9770-864X64	CM9770-864X64 High Density System	\$ 320949
CM9770-864X80	CM9770-864X80 High Density System	\$ 396786

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-864X96	CM9770-864X96 High Density System	\$ 467683
CM9770-896X112	CM9770-896X112 High Density System	\$ 577816
CM9770-896X128	CM9770-896X128 High Density System	\$ 636779
CM9770-896X16	CM9770-896X16 High Density System	\$ 141420
CM9770-896X32	CM9770-896X32 High Density System	\$ 162657
CM9770-896X48	CM9770-896X48 High Density System	\$ 243007
CM9770-896X64	CM9770-896X64 High Density System	\$ 328886
CM9770-896X80	CM9770-896X80 High Density System	\$ 406917
CM9770-896X96	CM9770-896X96 High Density System	\$ 479333
CM9770-928X112	CM9770-928X112 High Density System	\$ 592168
CM9770-928X128	CM9770-928X128 High Density System	\$ 652315
CM9770-928X16	CM9770-928X16 High Density System	\$ 145008
CM9770-928X32	CM9770-928X32 High Density System	\$ 166500
CM9770-928X48	CM9770-928X48 High Density System	\$ 249088
CM9770-928X64	CM9770-928X64 High Density System	\$ 336822
CM9770-928X80	CM9770-928X80 High Density System	\$ 417048
CM9770-928X96	CM9770-928X96 High Density System	\$ 490985
CM9770-960X112	CM9770-960X112 High Density System	\$ 649438
CM9770-960X128	CM9770-960X128 High Density System	\$ 717145

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-960X16	CM9770-960X16 High Density System	\$ 157353
CM9770-960X32	CM9770-960X32 High Density System	\$ 182530
CM9770-960X48	CM9770-960X48 High Density System	\$ 272228
CM9770-960X64	CM9770-960X64 High Density System	\$ 369941
CM9770-960X80	CM9770-960X80 High Density System	\$ 456857
CM9770-960X96	CM9770-960X96 High Density System	\$ 539610
CM9770-96X112	CM9770-96X112 High Density System	\$ 75382
CM9770-96X128	CM9770-96X128 High Density System	\$ 92877
CM9770-96X16	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 96 video inputs and 16 video outputs. NTSC/120 VAC.	\$ 15865
CM9770-96X32	A terminating video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 96 video inputs and 32 video outputs. NTSC/120 VAC.	\$ 17500
CM9770-96X48	CM9770-96X48 High Density System	\$ 29332
CM9770-96X64	CM9770-96X64 High Density System	\$ 33892

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770-96X80	CM9770-96X80 High Density System	\$ 60568
CM9770-96X96	CM9770-96X96 High Density System	\$ 71274
CM9770-992X112	CM9770-992X112 High Density System	\$ 663793
CM9770-992X128	CM9770-992X128 High Density System	\$ 732679
CM9770-992X16	CM9770-992X16 High Density System	\$ 160940
CM9770-992X32	CM9770-992X32 High Density System	\$ 186372
CM9770-992X48	CM9770-992X48 High Density System	\$ 278309
CM9770-992X64	CM9770-992X64 High Density System	\$ 377877
CM9770-992X80	CM9770-992X80 High Density System	\$ 466990
CM9770-992X96	CM9770-992X96 High Density System	\$ 551259
CM9770L-1024X16	CM9770L-1024X16 High Density System Looping	\$ 176536
CM9770L-1024X32	CM9770L-1024X32 High Density System Looping	\$ 202220
CM9770L-1024X48	CM9770L-1024X48 High Density System Looping	\$ 290390
CM9770L-1024X64	CM9770L-1024X64 High Density System Looping	\$ 391816
CM9770L-1024X80	CM9770L-1024X80 High Density System Looping	\$ 483125
CM9770L-1024X96	CM9770L-1024X96 High Density System Looping	\$ 568915

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-128X112	CM9770L-128X112 High Density System Looping	\$ 88123
CM9770L-128X128	CM9770L-128X128 High Density System Looping	\$ 107978
CM9770L-128X16	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 128 video inputs and 16 video outputs. NTSC/120 VAC.	\$ 18575
CM9770L-128X32	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 128 video inputs and 32 video outputs. NTSC/120 VAC.	\$ 20121
CM9770L-128X48	CM9770L-128X48 High Density System Looping	\$ 32642
CM9770L-128X64	CM9770L-128X64 High Density System Looping	\$ 37533
CM9770L-128X80	CM9770L-128X80 High Density System Looping	\$ 70817
CM9770L-128X96	CM9770L-128X96 High Density System Looping	\$ 82788
CM9770L-160X112	CM9770L-160X112 High Density System Looping	\$ 101697

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-160X128	CM9770L-160X128 High Density System Looping	\$ 122520
CM9770L-160X144	CM9770L-160X144 High Density System Looping	\$ 139978
CM9770L-160X16	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 160 video inputs and 16 video outputs. NTSC/120 VAC.	\$ 20295
CM9770L-160X32	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 160 video inputs and 32 video outputs. NTSC/120 VAC.	\$ 21779
CM9770L-160X48	CM9770L-160X48 High Density System Looping	\$ 35607
CM9770L-160X64	CM9770L-160X64 High Density System Looping	\$ 40858
CM9770L-160X80	CM9770L-160X80 High Density System Looping	\$ 80503
CM9770L-160X96	CM9770L-160X96 High Density System Looping	\$ 93742
CM9770L-192X112	CM9770L-192X112 High Density System Looping	\$ 115612

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-192X128	CM9770L-192X128 High Density System Looping	\$ 138660
CM9770L-192X16	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 192 video inputs and 16 video outputs. NTSC/120 VAC.	\$ 22269
CM9770L-192X256	CM9770L-192X256 High Density System Looping	\$ 269649
CM9770L-192X32	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 192 video inputs and 32 video outputs. NTSC/120 VAC.	\$ 23723
CM9770L-192X48	CM9770L-192X48 High Density System Looping	\$ 39042
CM9770L-192X64	CM9770L-192X64 High Density System Looping	\$ 43844
CM9770L-192X80	CM9770L-192X80 High Density System Looping	\$ 90189
CM9770L-192X96	CM9770L-192X96 High Density System Looping	\$ 105910
CM9770L-224X112	CM9770L-224X112 High Density System Looping	\$ 129863

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
CM9770L-224X128	CM9770L-224X128 High Density System Looping	\$ 156903
CM9770L-224X16	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 224 video inputs and 16 video outputs. NTSC/120 VAC.	\$ 24161
CM9770L-224X32	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 224 video inputs and 32 video outputs. NTSC/120 VAC.	\$ 25584
CM9770L-224X48	CM9770L-224X48 High Density System Looping	\$ 42305
CM9770L-224X64	CM9770L-224X64 High Density System Looping	\$ 45572
CM9770L-224X80	CM9770L-224X80 High Density System Looping	\$ 99874
CM9770L-224X96	CM9770L-224X96 High Density System Looping	\$ 119679
CM9770L-256X112	CM9770L-256X112 High Density System Looping	\$ 146357
CM9770L-256X128	CM9770L-256X128 High Density System Looping	\$ 175826

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
CM9770L-256X16	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 256 video inputs and 16 video outputs. NTSC/120 VAC.	\$ 25967
CM9770L-256X256	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 256 video inputs and 256 video outputs. NTSC/120 VAC.	\$ 343300
CM9770L-256X32	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 256 video inputs and 32 video outputs. NTSC/120 VAC.	\$ 27358
CM9770L-256X48	CM9770L-256X48 High Density System Looping	\$ 45401
CM9770L-256X64	CM9770L-256X64 High Density System Looping	\$ 47798
CM9770L-256X80	CM9770L-256X80 High Density System Looping	\$ 109560
CM9770L-256X96	CM9770L-256X96 High Density System Looping	\$ 133955

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-288X112	CM9770L-288X112 High Density System Looping	\$ 208071
CM9770L-288X128	CM9770L-288X128 High Density System Looping	\$ 239435
CM9770L-288X144	CM9770L-288X144 High Density System Looping	\$ 259383
CM9770L-288X16	CM9770L-288X16 High Density System Looping	\$ 49270
CM9770L-288X32	CM9770L-288X32 High Density System Looping	\$ 60773
CM9770L-288X48	CM9770L-288X48 High Density System Looping	\$ 95073
CM9770L-288X64	CM9770L-288X64 High Density System Looping	\$ 121266
CM9770L-288X80	CM9770L-288X80 High Density System Looping	\$ 156759
CM9770L-288X96	CM9770L-288X96 High Density System Looping	\$ 181709
CM9770L-320X112	CM9770L-320X112 High Density System Looping	\$ 221766
CM9770L-320X128	CM9770L-320X128 High Density System Looping	\$ 254820
CM9770L-320X16	CM9770L-320X16 High Density System Looping	\$ 53298
CM9770L-320X32	CM9770L-320X32 High Density System Looping	\$ 66045

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-320X48	CM9770L-320X48 High Density System Looping	\$ 101338
CM9770L-320X64	CM9770L-320X64 High Density System Looping	\$ 130328
CM9770L-320X80	CM9770L-320X80 High Density System Looping	\$ 167079
CM9770L-320X96	CM9770L-320X96 High Density System Looping	\$ 193295
CM9770L-32X112	CM9770L-32X112 High Density System Looping	\$ 51591
CM9770L-32X128	CM9770L-32X128 High Density System Looping	\$ 60583
CM9770L-32X16	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 32 video inputs and 16 video outputs. NTSC/120 VAC.	\$ 14557
CM9770L-32X32	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 32 video inputs and 32 video outputs. NTSC/120 VAC.	\$ 16598
CM9770L-32X48	CM9770L-32X48 High Density System Looping	\$ 25569

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-32X64	CM9770L-32X64 High Density System Looping	\$ 29271
CM9770L-32X80	CM9770L-32X80 High Density System Looping	\$ 41761
CM9770L-32X96	CM9770L-32X96 High Density System Looping	\$ 47006
CM9770L-352X112	CM9770L-352X112 High Density System Looping	\$ 241298
CM9770L-352X128	CM9770L-352X128 High Density System Looping	\$ 270205
CM9770L-352X16	CM9770L-352X16 High Density System Looping	\$ 57411
CM9770L-352X32	CM9770L-352X32 High Density System Looping	\$ 71486
CM9770L-352X48	CM9770L-352X48 High Density System Looping	\$ 107605
CM9770L-352X64	CM9770L-352X64 High Density System Looping	\$ 139555
CM9770L-352X80	CM9770L-352X80 High Density System Looping	\$ 177396
CM9770L-352X96	CM9770L-352X96 High Density System Looping	\$ 204879
CM9770L-384X112	CM9770L-384X112 High Density System Looping	\$ 258417
CM9770L-384X128	CM9770L-384X128 High Density System Looping	\$ 291884

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-384X16	CM9770L-384X16 High Density System Looping	\$ 61606
CM9770L-384X32	CM9770L-384X32 High Density System Looping	\$ 77095
CM9770L-384X48	CM9770L-384X48 High Density System Looping	\$ 113871
CM9770L-384X64	CM9770L-384X64 High Density System Looping	\$ 148955
CM9770L-384X80	CM9770L-384X80 High Density System Looping	\$ 187716
CM9770L-384X96	CM9770L-384X96 High Density System Looping	\$ 221225
CM9770L-416X112	CM9770L-416X112 High Density System Looping	\$ 275874
CM9770L-416X128	CM9770L-416X128 High Density System Looping	\$ 310923
CM9770L-416X16	CM9770L-416X16 High Density System Looping	\$ 65889
CM9770L-416X32	CM9770L-416X32 High Density System Looping	\$ 82874
CM9770L-416X48	CM9770L-416X48 High Density System Looping	\$ 120139
CM9770L-416X64	CM9770L-416X64 High Density System Looping	\$ 156827
CM9770L-416X80	CM9770L-416X80 High Density System Looping	\$ 198033

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-416X96	CM9770L-416X96 High Density System Looping	\$ 235572
CM9770L-448X112	CM9770L-448X112 High Density System Looping	\$ 293669
CM9770L-448X128	CM9770L-448X128 High Density System Looping	\$ 330302
CM9770L-448X16	CM9770L-448X16 High Density System Looping	\$ 70256
CM9770L-448X32	CM9770L-448X32 High Density System Looping	\$ 87890
CM9770L-448X48	CM9770L-448X48 High Density System Looping	\$ 126406
CM9770L-448X64	CM9770L-448X64 High Density System Looping	\$ 164695
CM9770L-448X80	CM9770L-448X80 High Density System Looping	\$ 208353
CM9770L-448X96	CM9770L-448X96 High Density System Looping	\$ 250169
CM9770L-480X112	CM9770L-480X112 High Density System Looping	\$ 308211
CM9770L-480X128	CM9770L-480X128 High Density System Looping	\$ 350016
CM9770L-480X16	CM9770L-480X16 High Density System Looping	\$ 74707
CM9770L-480X32	CM9770L-480X32 High Density System Looping	\$ 92995

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-480X48	CM9770L-480X48 High Density System Looping	\$ 132671
CM9770L-480X64	CM9770L-480X64 High Density System Looping	\$ 172565
CM9770L-480X80	CM9770L-480X80 High Density System Looping	\$ 218673
CM9770L-480X96	CM9770L-480X96 High Density System Looping	\$ 265021
CM9770L-512X112	CM9770L-512X112 High Density System Looping	\$ 365668
CM9770L-512X128	CM9770L-512X128 High Density System Looping	\$ 404069
CM9770L-512X16	CM9770L-512X16 High Density System Looping	\$ 95606
CM9770L-512X32	CM9770L-512X32 High Density System Looping	\$ 110372
CM9770L-512X48	CM9770L-512X48 High Density System Looping	\$ 156000
CM9770L-512X64	CM9770L-512X64 High Density System Looping	\$ 211471
CM9770L-512X80	CM9770L-512X80 High Density System Looping	\$ 258668
CM9770L-512X96	CM9770L-512X96 High Density System Looping	\$ 305553
CM9770L-544X112	CM9770L-544X112 High Density System Looping	\$ 380208

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-544X128	CM9770L-544X128 High Density System Looping	\$ 419791
CM9770L-544X16	CM9770L-544X16 High Density System Looping	\$ 99568
CM9770L-544X32	CM9770L-544X32 High Density System Looping	\$ 114590
CM9770L-544X48	CM9770L-544X48 High Density System Looping	\$ 162268
CM9770L-544X64	CM9770L-544X64 High Density System Looping	\$ 219595
CM9770L-544X80	CM9770L-544X80 High Density System Looping	\$ 268986
CM9770L-544X96	CM9770L-544X96 High Density System Looping	\$ 317392
CM9770L-576X112	CM9770L-576X112 High Density System Looping	\$ 394748
CM9770L-576X128	CM9770L-576X128 High Density System Looping	\$ 435516
CM9770L-576X16	CM9770L-576X16 High Density System Looping	\$ 103533
CM9770L-576X32	CM9770L-576X32 High Density System Looping	\$ 118806
CM9770L-576X48	CM9770L-576X48 High Density System Looping	\$ 168535
CM9770L-576X64	CM9770L-576X64 High Density System Looping	\$ 227717

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-576X80	CM9770L-576X80 High Density System Looping	\$ 279305
CM9770L-576X96	CM9770L-576X96 High Density System Looping	\$ 329229
CM9770L-608X112	CM9770L-608X112 High Density System Looping	\$ 409288
CM9770L-608X128	CM9770L-608X128 High Density System Looping	\$ 451236
CM9770L-608X16	CM9770L-608X16 High Density System Looping	\$ 107497
CM9770L-608X32	CM9770L-608X32 High Density System Looping	\$ 123021
CM9770L-608X48	CM9770L-608X48 High Density System Looping	\$ 174801
CM9770L-608X64	CM9770L-608X64 High Density System Looping	\$ 235841
CM9770L-608X80	CM9770L-608X80 High Density System Looping	\$ 289627
CM9770L-608X96	CM9770L-608X96 High Density System Looping	\$ 341069
CM9770L-640X112	CM9770L-640X112 High Density System Looping	\$ 423830
CM9770L-640X128	CM9770L-640X128 High Density System Looping	\$ 466958
CM9770L-640X16	CM9770L-640X16 High Density System Looping	\$ 111457

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-640X32	CM9770L-640X32 High Density System Looping	\$ 127241
CM9770L-640X48	CM9770L-640X48 High Density System Looping	\$ 181066
CM9770L-640X64	CM9770L-640X64 High Density System Looping	\$ 243965
CM9770L-640X80	CM9770L-640X80 High Density System Looping	\$ 299944
CM9770L-640X96	CM9770L-640X96 High Density System Looping	\$ 352908
CM9770L-64X112	CM9770L-64X112 High Density System Looping	\$ 63771
CM9770L-64X128	CM9770L-64X128 High Density System Looping	\$ 78898
CM9770L-64X16	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 64 video inputs and 16 video outputs. NTSC/120 VAC.	\$ 15403
CM9770L-64X32	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 64 video inputs and 32 video outputs. NTSC/120 VAC.	\$ 17168

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-64X48	CM9770L-64X48 High Density System Looping	\$ 27109
CM9770L-64X64	CM9770L-64X64 High Density System Looping	\$ 31371
CM9770L-64X80	CM9770L-64X80 High Density System Looping	\$ 51447
CM9770L-64X96	CM9770L-64X96 High Density System Looping	\$ 60884
CM9770L-672X112	CM9770L-672X112 High Density System Looping	\$ 438371
CM9770L-672X128	CM9770L-672X128 High Density System Looping	\$ 482682
CM9770L-672X16	CM9770L-672X16 High Density System Looping	\$ 115423
CM9770L-672X32	CM9770L-672X32 High Density System Looping	\$ 131455
CM9770L-672X48	CM9770L-672X48 High Density System Looping	\$ 187333
CM9770L-672X64	CM9770L-672X64 High Density System Looping	\$ 252089
CM9770L-672X80	CM9770L-672X80 High Density System Looping	\$ 310264
CM9770L-672X96	CM9770L-672X96 High Density System Looping	\$ 364745
CM9770L-704X112	CM9770L-704X112 High Density System Looping	\$ 452911

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-704X128	CM9770L-704X128 High Density System Looping	\$ 498403
CM9770L-704X16	CM9770L-704X16 High Density System Looping	\$ 119386
CM9770L-704X32	CM9770L-704X32 High Density System Looping	\$ 135672
CM9770L-704X48	CM9770L-704X48 High Density System Looping	\$ 193601
CM9770L-704X64	CM9770L-704X64 High Density System Looping	\$ 260212
CM9770L-704X80	CM9770L-704X80 High Density System Looping	\$ 320583
CM9770L-704X96	CM9770L-704X96 High Density System Looping	\$ 376583
CM9770L-736X112	CM9770L-736X112 High Density System Looping	\$ 510367
CM9770L-736X128	CM9770L-736X128 High Density System Looping	\$ 563422
CM9770L-736X16	CM9770L-736X16 High Density System Looping	\$ 132108
CM9770L-736X32	CM9770L-736X32 High Density System Looping	\$ 152081
CM9770L-736X48	CM9770L-736X48 High Density System Looping	\$ 216930
CM9770L-736X64	CM9770L-736X64 High Density System Looping	\$ 293521

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-736X80	CM9770L-736X80 High Density System Looping	\$ 360577
CM9770L-736X96	CM9770L-736X96 High Density System Looping	\$ 425395
CM9770L-768X112	CM9770L-768X112 High Density System Looping	\$ 524907
CM9770L-768X128	CM9770L-768X128 High Density System Looping	\$ 579144
CM9770L-768X16	CM9770L-768X16 High Density System Looping	\$ 136072
CM9770L-768X32	CM9770L-768X32 High Density System Looping	\$ 156296
CM9770L-768X48	CM9770L-768X48 High Density System Looping	\$ 223195
CM9770L-768X64	CM9770L-768X64 High Density System Looping	\$ 301644
CM9770L-768X80	CM9770L-768X80 High Density System Looping	\$ 370894
CM9770L-768X96	CM9770L-768X96 High Density System Looping	\$ 437234
CM9770L-800X112	CM9770L-800X112 High Density System Looping	\$ 539449
CM9770L-800X128	CM9770L-800X128 High Density System Looping	\$ 594866
CM9770L-800X16	CM9770L-800X16 High Density System Looping	\$ 140036

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-800X32	CM9770L-800X32 High Density System Looping	\$ 160512
CM9770L-800X48	CM9770L-800X48 High Density System Looping	\$ 229463
CM9770L-800X64	CM9770L-800X64 High Density System Looping	\$ 309768
CM9770L-800X80	CM9770L-800X80 High Density System Looping	\$ 381216
CM9770L-800X96	CM9770L-800X96 High Density System Looping	\$ 449072
CM9770L-832X112	CM9770L-832X112 High Density System Looping	\$ 553990
CM9770L-832X128	CM9770L-832X128 High Density System Looping	\$ 610590
CM9770L-832X16	CM9770L-832X16 High Density System Looping	\$ 143998
CM9770L-832X32	CM9770L-832X32 High Density System Looping	\$ 164730
CM9770L-832X48	CM9770L-832X48 High Density System Looping	\$ 235730
CM9770L-832X64	CM9770L-832X64 High Density System Looping	\$ 317890
CM9770L-832X80	CM9770L-832X80 High Density System Looping	\$ 391534
CM9770L-832X96	CM9770L-832X96 High Density System Looping	\$ 460909

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-864X112	CM9770L-864X112 High Density System Looping	\$ 568530
CM9770L-864X128	CM9770L-864X128 High Density System Looping	\$ 626310
CM9770L-864X16	CM9770L-864X16 High Density System Looping	\$ 147961
CM9770L-864X32	CM9770L-864X32 High Density System Looping	\$ 168947
CM9770L-864X48	CM9770L-864X48 High Density System Looping	\$ 241995
CM9770L-864X64	CM9770L-864X64 High Density System Looping	\$ 326016
CM9770L-864X80	CM9770L-864X80 High Density System Looping	\$ 401853
CM9770L-864X96	CM9770L-864X96 High Density System Looping	\$ 472748
CM9770L-896X112	CM9770L-896X112 High Density System Looping	\$ 583068
CM9770L-896X128	CM9770L-896X128 High Density System Looping	\$ 642033
CM9770L-896X16	CM9770L-896X16 High Density System Looping	\$ 151927
CM9770L-896X32	CM9770L-896X32 High Density System Looping	\$ 173161
CM9770L-896X48	CM9770L-896X48 High Density System Looping	\$ 248261

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-896X64	CM9770L-896X64 High Density System Looping	\$ 334140
CM9770L-896X80	CM9770L-896X80 High Density System Looping	\$ 412171
CM9770L-896X96	CM9770L-896X96 High Density System Looping	\$ 484587
CM9770L-928X112	CM9770L-928X112 High Density System Looping	\$ 597608
CM9770L-928X128	CM9770L-928X128 High Density System Looping	\$ 657755
CM9770L-928X16	CM9770L-928X16 High Density System Looping	\$ 155889
CM9770L-928X32	CM9770L-928X32 High Density System Looping	\$ 177381
CM9770L-928X48	CM9770L-928X48 High Density System Looping	\$ 254528
CM9770L-928X64	CM9770L-928X64 High Density System Looping	\$ 342264
CM9770L-928X80	CM9770L-928X80 High Density System Looping	\$ 422492
CM9770L-928X96	CM9770L-928X96 High Density System Looping	\$ 496426
CM9770L-960X112	CM9770L-960X112 High Density System Looping	\$ 655069
CM9770L-960X128	CM9770L-960X128 High Density System Looping	\$ 722772

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-960X16	CM9770L-960X16 High Density System Looping	\$ 168611
CM9770L-960X32	CM9770L-960X32 High Density System Looping	\$ 193787
CM9770L-960X48	CM9770L-960X48 High Density System Looping	\$ 277857
CM9770L-960X64	CM9770L-960X64 High Density System Looping	\$ 375570
CM9770L-960X80	CM9770L-960X80 High Density System Looping	\$ 462488
CM9770L-960X96	CM9770L-960X96 High Density System Looping	\$ 545237
CM9770L-96X112	CM9770L-96X112 High Density System Looping	\$ 75947
CM9770L-96X128	CM9770L-96X128 High Density System Looping	\$ 93438
CM9770L-96X16	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 96 video inputs and 16 video outputs. NTSC/120 VAC.	\$ 16990

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-96X32	A Looping video matrix switching/control system composed of one CPU (3 RUs) and two matrix bays (12 RUs). Provides 96 video inputs and 32 video outputs. NTSC/120 VAC.	\$ 18627
CM9770L-96X48	CM9770L-96X48 High Density System Looping	\$ 29897
CM9770L-96X64	CM9770L-96X64 High Density System Looping	\$ 34455
CM9770L-96X80	CM9770L-96X80 High Density System Looping	\$ 61130
CM9770L-96X96	CM9770L-96X96 High Density System Looping	\$ 71835
CM9770L-992X112	CM9770L-992X112 High Density System Looping	\$ 669611
CM9770L-992X128	CM9770L-992X128 High Density System Looping	\$ 738497
CM9770L-992X16	CM9770L-992X16 High Density System Looping	\$ 172572
CM9770L-992X32	CM9770L-992X32 High Density System Looping	\$ 198005
CM9770L-992X48	CM9770L-992X48 High Density System Looping	\$ 284124
CM9770L-992X64	CM9770L-992X64 High Density System Looping	\$ 383694

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9770L-992X80	CM9770L-992X80 High Density System Looping	\$ 472805
CM9770L-992X96	CM9770L-992X96 High Density System Looping	\$ 557076
CM9770L1024X112	CM9770L1024X112 High Density System Looping	\$ 684149
CM9770L1024X128	CM9770L1024X128 High Density System Looping	\$ 754219
CM9780-1024X112	CM9780-1024X112 High Density System	\$ 628031
CM9780-1024X128	CM9780-1024X128 High Density System	\$ 695767
CM9780-1024X16	CM9780-1024X16 High Density System	\$ 136651
CM9780-1024X256	CM9780-1024X256 High Density System	\$ 1402826
CM9780-1024X32	CM9780-1024X32 High Density System	\$ 171483
CM9780-1024X48	CM9780-1024X48 High Density System	\$ 265965
CM9780-1024X64	CM9780-1024X64 High Density System	\$ 345489
CM9780-1024X80	CM9780-1024X80 High Density System	\$ 445385
CM9780-1024X96	CM9780-1024X96 High Density System	\$ 526386
CM9780-1056X96	CM9780-1056X96 High Density System	\$ 538512
CM9780-1120X64	CM9780-1020X64 HIGH DENSITY SYSTEM	\$ 369295
CM9780-1216X160	CM9780-1216X160 High Density System	\$ 995610

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780-1216X64	CM9780-1216X64 HIGH DENSITY SYSTEM	\$ 393105
CM9780-1248X80	CM9780-1248X80 HIGH DENSITY SYSTEM	\$ 518405
CM9780-1280X112	CM9780-1280X112 High Density System	\$ 745405
CM9780-128X112	CM9780-128X112 High Density System	\$ 113531
CM9780-128X128	CM9780-128X128 High Density System	\$ 135292
CM9780-128X16	CM9780-128X16 High Density System	\$ 28806
CM9780-128X32	CM9780-128X32 High Density System	\$ 32797
CM9780-128X48	CM9780-128X48 High Density System	\$ 53040
CM9780-128X64	CM9780-128X64 High Density System	\$ 65595
CM9780-128X80	CM9780-128X80 High Density System	\$ 84391
CM9780-128X96	CM9780-128X96 High Density System	\$ 103722
CM9780-1376X32	CM9780-1376X32 High Density System	\$ 214460
CM9780-1408X64	CM9780-1408X64 High Density System	\$ 440722
CM9780-1504X80	CM9780-1504X80 High Density System	\$ 637835
CM9780-160X112	CM9780-160X112 High Density System	\$ 128202
CM9780-160X128	CM9780-160X128 High Density System	\$ 152380
CM9780-160X16	CM9780-160X16 High Density System	\$ 31875
CM9780-160X32	CM9780-160X32 High Density System	\$ 36472

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780-160X48	CM9780-160X48 High Density System	\$ 58957
CM9780-160X64	CM9780-160X64 High Density System	\$ 73531
CM9780-160X80	CM9780-160X80 High Density System	\$ 95214
CM9780-160X96	CM9780-160X96 High Density System	\$ 116632
CM9780-192X112	CM9780-192X112 High Density System	\$ 142873
CM9780-192X128	CM9780-192X128 High Density System	\$ 169464
CM9780-192X16	CM9780-192X16 High Density System	\$ 34850
CM9780-192X192	CM9780-192X192 High Density System	\$ 246802
CM9780-192X32	CM9780-192X32 High Density System	\$ 40149
CM9780-192X48	CM9780-192X48 High Density System	\$ 64697
CM9780-192X64	CM9780-192X64 High Density System	\$ 81468
CM9780-192X80	CM9780-192X80 High Density System	\$ 106037
CM9780-192X96	CM9780-192X96 High Density System	\$ 128232
CM9780-2016X128	CM9780-201X128 HIGH DENSITY SYSTEM	\$ 1307018
CM9780-2016X256	CM9780-2016X256 High Density System	\$ 2640565
CM9780-2048X128	CM9780-2048X128 High Density System	\$ 1323070
CM9780-2048X512	CM9780-2048X512 High Density System	\$ 5036179
CM9780-2048X64	CM9780-2248X64 High Density System	\$ 654425

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780-224X112	CM9780-224X112 High Density System	\$ 157546
CM9780-224X128	CM9780-224X128 High Density System	\$ 186554
CM9780-224X16	CM9780-224X16 High Density System	\$ 37735
CM9780-224X32	CM9780-224X32 High Density System	\$ 43827
CM9780-224X48	CM9780-224X48 High Density System	\$ 70260
CM9780-224X64	CM9780-224X64 High Density System	\$ 89403
CM9780-224X80	CM9780-224X80 High Density System	\$ 116861
CM9780-224X96	CM9780-224X96 High Density System	\$ 139573
CM9780-2400X64	CM9780-240X64 HIGH DENSITY SYSTEM	\$ 741723
CM9780-256X112	CM9780-256X112 High Density System	\$ 172217
CM9780-256X128	CM9780-256X128 High Density System	\$ 199529
CM9780-256X16	CM9780-256X16 High Density System	\$ 40529
CM9780-256X256	CM9780-256X256 High Density System	\$ 392774
CM9780-256X32	CM9780-256X32 High Density System	\$ 47504
CM9780-256X320	CM9780-256X320 High Density System	\$ 448504
CM9780-256X48	CM9780-256X48 High Density System	\$ 75646
CM9780-256X64	CM9780-256X64 High Density System	\$ 97339
CM9780-256X80	CM9780-256X80 High Density System	\$ 127682

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780-256X96	CM9780-256X96 High Density System	\$ 150648
CM9780-288X112	CM9780-288X112 High Density System	\$ 186888
CM9780-288X128	CM9780-288X128 High Density System	\$ 211813
CM9780-288X16	CM9780-288X16 High Density System	\$ 43228
CM9780-288X32	CM9780-288X32 High Density System	\$ 51183
CM9780-288X48	CM9780-288X48 High Density System	\$ 80854
CM9780-288X64	CM9780-288X64 High Density System	\$ 105276
CM9780-288X80	CM9780-288X80 High Density System	\$ 138505
CM9780-288X96	CM9780-288X96 High Density System	\$ 161468
CM9780-320X112	CM9780-320X112 High Density System	\$ 201561
CM9780-320X128	CM9780-320X128 High Density System	\$ 228212
CM9780-320X16	CM9780-320X16 High Density System	\$ 46492
CM9780-320X192	CM9780-320X192 High Density System	\$ 347561
CM9780-320X32	CM9780-320X32 High Density System	\$ 54858
CM9780-320X48	CM9780-320X48 High Density System	\$ 87115
CM9780-320X64	CM9780-320X64 High Density System	\$ 113212
CM9780-320X80	CM9780-320X80 High Density System	\$ 149329
CM9780-320X96	CM9780-320X96 High Density System	\$ 173853
CM9780-32X112	CM9780-32X112 High Density System	\$ 69516

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780-32X128	CM9780-32X128 High Density System	\$ 84028
CM9780-32X16	CM9780-32X16 High Density System	\$ 18809
CM9780-32X32	CM9780-32X32 High Density System	\$ 21763
CM9780-32X48	CM9780-32X48 High Density System	\$ 33803
CM9780-32X64	CM9780-32X64 High Density System	\$ 41787
CM9780-32X80	CM9780-32X80 High Density System	\$ 51925
CM9780-32X96	CM9780-32X96 High Density System	\$ 64997
CM9780-352X112	CM9780-352X112 High Density System	\$ 216232
CM9780-352X128	CM9780-352X128 High Density System	\$ 244608
CM9780-352X16	CM9780-352X16 High Density System	\$ 49755
CM9780-352X32	CM9780-352X32 High Density System	\$ 58537
CM9780-352X48	CM9780-352X48 High Density System	\$ 93378
CM9780-352X64	CM9780-352X64 High Density System	\$ 121148
CM9780-352X80	CM9780-352X80 High Density System	\$ 160152
CM9780-352X96	CM9780-352X96 High Density System	\$ 186242
CM9780-3584X128	CM9780-3584X128 High Density System	\$ 2268212
CM9780-384X112	CM9780-384X112 High Density System	\$ 230904
CM9780-384X128	CM9780-384X128 High Density System	\$ 261005
CM9780-384X16	CM9780-384X16 High Density System	\$ 53019

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780-384X32	CM9780-384X32 High Density System	\$ 62213
CM9780-384X48	CM9780-384X48 High Density System	\$ 99638
CM9780-384X64	CM9780-384X64 High Density System	\$ 129085
CM9780-384X80	CM9780-384X80 High Density System	\$ 170973
CM9780-384X96	CM9780-384X96 High Density System	\$ 198629
CM9780-4096X128	CM9780-4096X128 High Density System	\$ 2499927
CM9780-416X112	CM9780-416X112 High Density System	\$ 245575
CM9780-416X128	CM9780-416X128 High Density System	\$ 277404
CM9780-416X16	CM9780-416X16 High Density System	\$ 56282
CM9780-416X224	CM9780-416X224 High Density System	\$ 491609
CM9780-416X32	CM9780-416X32 High Density System	\$ 65890
CM9780-416X48	CM9780-416X48 High Density System	\$ 105900
CM9780-416X64	CM9780-416X64 High Density System	\$ 137020
CM9780-416X80	CM9780-416X80 High Density System	\$ 181795
CM9780-416X96	CM9780-416X96 High Density System	\$ 211019
CM9780-448X112	CM9780-448X112 High Density System	\$ 260247
CM9780-448X128	CM9780-448X128 High Density System	\$ 293802
CM9780-448X16	CM9780-448X16 High Density System	\$ 59549
CM9780-448X32	CM9780-448X32 High Density System	\$ 69569

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780-448X48	CM9780-448X48 High Density System	\$ 112160
CM9780-448X64	CM9780-448X64 High Density System	\$ 144956
CM9780-448X80	CM9780-448X80 High Density System	\$ 192618
CM9780-448X96	CM9780-448X96 High Density System	\$ 223404
CM9780-480X112	CM9780-480X112 High Density System	\$ 274919
CM9780-480X128	CM9780-480X128 High Density System	\$ 310199
CM9780-480X16	CM9780-480X16 High Density System	\$ 62811
CM9780-480X32	CM9780-480X32 High Density System	\$ 73244
CM9780-480X48	CM9780-480X48 High Density System	\$ 118419
CM9780-480X64	CM9780-480X64 High Density System	\$ 152891
CM9780-480X80	CM9780-480X80 High Density System	\$ 203443
CM9780-480X96	CM9780-480X96 High Density System	\$ 235793
CM9780-512X112	CM9780-512X112 High Density System	\$ 289590
CM9780-512X128	CM9780-512X128 High Density System	\$ 326598
CM9780-512X16	CM9780-512X16 High Density System	\$ 66076
CM9780-512X32	CM9780-512X32 High Density System	\$ 76923
CM9780-512X416	CM9780-512X416 High Density System	\$ 978011
CM9780-512X48	CM9780-512X48 High Density System	\$ 124681
CM9780-512X64	CM9780-512X64 High Density System	\$ 160827

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780-512X80	CM9780-512X80 High Density System	\$ 214263
CM9780-512X96	CM9780-512X96 High Density System	\$ 248180
CM9780-544X112	CM9780-544X112 High Density System	\$ 347730
CM9780-544X128	CM9780-544X128 High Density System	\$ 391124
CM9780-544X16	CM9780-544X16 High Density System	\$ 78518
CM9780-544X32	CM9780-544X32 High Density System	\$ 99258
CM9780-544X48	CM9780-544X48 High Density System	\$ 151498
CM9780-544X64	CM9780-544X64 High Density System	\$ 197605
CM9780-544X80	CM9780-544X80 High Density System	\$ 252931
CM9780-544X96	CM9780-544X96 High Density System	\$ 299786
CM9780-576X112	CM9780-576X112 High Density System	\$ 362058
CM9780-576X128	CM9780-576X128 High Density System	\$ 407005
CM9780-576X16	CM9780-576X16 High Density System	\$ 81783
CM9780-576X32	CM9780-576X32 High Density System	\$ 103166
CM9780-576X48	CM9780-576X48 High Density System	\$ 157758
CM9780-576X64	CM9780-576X64 High Density System	\$ 205540
CM9780-576X80	CM9780-576X80 High Density System	\$ 263362
CM9780-576X96	CM9780-576X96 High Density System	\$ 311911
CM9780-608X112	CM9780-608X112 High Density System	\$ 376383

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780-608X128	CM9780-608X128 High Density System	\$ 422885
CM9780-608X16	CM9780-608X16 High Density System	\$ 85045
CM9780-608X32	CM9780-608X32 High Density System	\$ 107070
CM9780-608X48	CM9780-608X48 High Density System	\$ 164020
CM9780-608X64	CM9780-608X64 High Density System	\$ 213476
CM9780-608X80	CM9780-608X80 High Density System	\$ 273795
CM9780-608X96	CM9780-608X96 High Density System	\$ 324039
CM9780-640X112	CM9780-640X112 High Density System	\$ 390711
CM9780-640X128	CM9780-640X128 High Density System	\$ 438765
CM9780-640X16	CM9780-640X16 High Density System	\$ 88309
CM9780-640X32	CM9780-640X32 High Density System	\$ 110978
CM9780-640X48	CM9780-640X48 High Density System	\$ 170281
CM9780-640X64	CM9780-640X64 High Density System	\$ 221412
CM9780-640X80	CM9780-640X80 High Density System	\$ 284225
CM9780-640X96	CM9780-640X96 High Density System	\$ 336163
CM9780-64X112	CM9780-64X112 High Density System	\$ 84189
CM9780-64X128	CM9780-64X128 High Density System	\$ 101114
CM9780-64X16	CM9780-64X16 High Density System	\$ 22395
CM9780-64X32	CM9780-64X32 High Density System	\$ 25441

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780-64X48	CM9780-64X48 High Density System	\$ 40682
CM9780-64X64	CM9780-64X64 High Density System	\$ 49724
CM9780-64X80	CM9780-64X80 High Density System	\$ 62748
CM9780-64X96	CM9780-64X96 High Density System	\$ 77904
CM9780-672X112	CM9780-672X112 High Density System	\$ 405037
CM9780-672X128	CM9780-672X128 High Density System	\$ 454644
CM9780-672X16	CM9780-672X16 High Density System	\$ 91572
CM9780-672X32	CM9780-672X32 High Density System	\$ 114885
CM9780-672X48	CM9780-672X48 High Density System	\$ 176541
CM9780-672X64	CM9780-672X64 High Density System	\$ 229351
CM9780-672X80	CM9780-672X80 High Density System	\$ 294658
CM9780-672X96	CM9780-672X96 High Density System	\$ 348291
CM9780-704X112	CM9780-704X112 High Density System	\$ 419361
CM9780-704X128	CM9780-704X128 High Density System	\$ 470525
CM9780-704X16	CM9780-704X16 High Density System	\$ 94836
CM9780-704X32	CM9780-704X32 High Density System	\$ 118793
CM9780-704X48	CM9780-704X48 High Density System	\$ 182801
CM9780-704X64	CM9780-704X64 High Density System	\$ 237287
CM9780-704X80	CM9780-704X80 High Density System	\$ 305088

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780-704X96	CM9780-704X96 High Density System	\$ 360418
CM9780-736X112	CM9780-736X112 High Density System	\$ 433688
CM9780-736X128	CM9780-736X128 High Density System	\$ 486405
CM9780-736X16	CM9780-736X16 High Density System	\$ 98099
CM9780-736X32	CM9780-736X32 High Density System	\$ 122699
CM9780-736X48	CM9780-736X48 High Density System	\$ 189064
CM9780-736X64	CM9780-736X64 High Density System	\$ 245224
CM9780-736X80	CM9780-736X80 High Density System	\$ 315520
CM9780-736X96	CM9780-736X96 High Density System	\$ 372546
CM9780-768X112	CM9780-768X112 High Density System	\$ 448016
CM9780-768X128	CM9780-768X128 High Density System	\$ 502284
CM9780-768X16	CM9780-768X16 High Density System	\$ 101365
CM9780-768X32	CM9780-768X32 High Density System	\$ 126607
CM9780-768X48	CM9780-768X48 High Density System	\$ 195326
CM9780-768X64	CM9780-768X64 High Density System	\$ 253160
CM9780-768X80	CM9780-768X80 High Density System	\$ 325953
CM9780-768X96	CM9780-768X96 High Density System	\$ 384670
CM9780-800X112	CM9780-800X112 High Density System	\$ 462342
CM9780-800X128	CM9780-800X128 High Density System	\$ 518164

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780-800X16	CM9780-800X16 High Density System	\$ 104626
CM9780-800X32	CM9780-800X32 High Density System	\$ 130514
CM9780-800X48	CM9780-800X48 High Density System	\$ 201585
CM9780-800X64	CM9780-800X64 High Density System	\$ 261095
CM9780-800X80	CM9780-800X80 High Density System	\$ 336382
CM9780-800X96	CM9780-800X96 High Density System	\$ 396798
CM9780-832X112	CM9780-832X112 High Density System	\$ 482409
CM9780-832X128	CM9780-832X128 High Density System	\$ 534047
CM9780-832X16	CM9780-832X16 High Density System	\$ 107892
CM9780-832X32	CM9780-832X32 High Density System	\$ 134423
CM9780-832X48	CM9780-832X48 High Density System	\$ 207845
CM9780-832X64	CM9780-832X64 High Density System	\$ 269031
CM9780-832X80	CM9780-832X80 High Density System	\$ 346816
CM9780-832X96	CM9780-832X96 High Density System	\$ 408924
CM9780-864X112	CM9780-864X112 High Density System	\$ 496909
CM9780-864X128	CM9780-864X128 High Density System	\$ 549926
CM9780-864X16	CM9780-864X16 High Density System	\$ 111154
CM9780-864X32	CM9780-864X32 High Density System	\$ 138329
CM9780-864X48	CM9780-864X48 High Density System	\$ 214107

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780-864X64	CM9780-864X64 High Density System	\$ 276968
CM9780-864X80	CM9780-864X80 High Density System	\$ 357245
CM9780-864X96	CM9780-864X96 High Density System	\$ 421052
CM9780-896X112	CM9780-896X112 High Density System	\$ 511408
CM9780-896X128	CM9780-896X128 High Density System	\$ 565804
CM9780-896X16	CM9780-896X16 High Density System	\$ 114417
CM9780-896X32	CM9780-896X32 High Density System	\$ 142235
CM9780-896X48	CM9780-896X48 High Density System	\$ 220367
CM9780-896X64	CM9780-896X64 High Density System	\$ 284902
CM9780-896X80	CM9780-896X80 High Density System	\$ 367678
CM9780-896X96	CM9780-896X96 High Density System	\$ 433177
CM9780-928X112	CM9780-928X112 High Density System	\$ 525908
CM9780-928X128	CM9780-928X128 High Density System	\$ 581684
CM9780-928X16	CM9780-928X16 High Density System	\$ 117681
CM9780-928X32	CM9780-928X32 High Density System	\$ 146141
CM9780-928X48	CM9780-928X48 High Density System	\$ 226628
CM9780-928X64	CM9780-928X64 High Density System	\$ 292839
CM9780-928X80	CM9780-928X80 High Density System	\$ 378110
CM9780-928X96	CM9780-928X96 High Density System	\$ 445305

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780-960X112	CM9780-960X112 High Density System	\$ 540406
CM9780-960X128	CM9780-960X128 High Density System	\$ 597565
CM9780-960X16	CM9780-960X16 High Density System	\$ 120944
CM9780-960X32	CM9780-960X32 High Density System	\$ 150051
CM9780-960X48	CM9780-960X48 High Density System	\$ 232890
CM9780-960X64	CM9780-960X64 High Density System	\$ 300775
CM9780-960X80	CM9780-960X80 High Density System	\$ 388540
CM9780-960X96	CM9780-960X96 High Density System	\$ 457428
CM9780-96X112	CM9780-96X112 High Density System	\$ 98860
CM9780-96X128	CM9780-96X128 High Density System	\$ 118202
CM9780-96X16	CM9780-96X16 High Density System	\$ 25644
CM9780-96X32	CM9780-96X32 High Density System	\$ 29118
CM9780-96X48	CM9780-96X48 High Density System	\$ 46950
CM9780-96X64	CM9780-96X64 High Density System	\$ 57658
CM9780-96X80	CM9780-96X80 High Density System	\$ 73570
CM9780-96X96	CM9780-96X96 High Density System	\$ 90814
CM9780-992X112	CM9780-992X112 High Density System	\$ 554906
CM9780-992X128	CM9780-992X128 High Density System	\$ 613445
CM9780-992X16	CM9780-992X16 High Density System	\$ 124208

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780-992X256	CM9780-992X256 HIGH DENSITY SYSTEM	\$ 1248615
CM9780-992X32	CM9780-992X32 High Density System	\$ 153957
CM9780-992X48	CM9780-992X48 High Density System	\$ 239148
CM9780-992X64	CM9780-992X64 High Density System	\$ 308712
CM9780-992X80	CM9780-992X80 High Density System	\$ 398973
CM9780-992X96	CM9780-992X96 High Density System	\$ 469558
CM97802080X96-X	CM9780-2048X96 HIGH DENSITY SYSTEM	\$ 1011782
CM9780L-1024X16	CM9780L-1024X16 High Density System Looping	\$ 149035
CM9780L-1024X32	CM9780L-1024X32 High Density System Looping	\$ 183867
CM9780L-1024X48	CM9780L-1024X48 High Density System Looping	\$ 278724
CM9780L-1024X64	CM9780L-1024X64 High Density System Looping	\$ 358245
CM9780L-1024X80	CM9780L-1024X80 High Density System Looping	\$ 458519
CM9780L-1024X96	CM9780L-1024X96 High Density System Looping	\$ 539520
CM9780L-1152X80	CM9780L-1152X80 High Density System LP	\$ 501745
CM9780L-1280X64	CM9780L-1280X64 High Density System Looping	\$ 424739

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-128X112	CM9780L-128X112 High Density System Looping	\$ 115031
CM9780L-128X128	CM9780L-128X128 High Density System Looping	\$ 136791
CM9780L-128X16	CM9780L-128X16 High Density System Looping	\$ 30307
CM9780L-128X32	CM9780L-128X32 High Density System Looping	\$ 34297
CM9780L-128X48	CM9780L-128X48 High Density System Looping	\$ 54541
CM9780L-128X64	CM9780L-128X64 High Density System Looping	\$ 67097
CM9780L-128X80	CM9780L-128X80 High Density System Looping	\$ 85892
CM9780L-128X96	CM9780L-128X96 High Density System Looping	\$ 105222
CM9780L-1408X64	CM9780L-1408X64 High Density System Looping	\$ 457984
CM9780L-1440X16	CM9780L-1440X16 High Density System Looping	\$ 196341
CM9780L-1440X96	CM9780L-1440X96 High Density System Looping	\$ 702042
CM9780L-1504X48	CM9780L-1504X48 High Density System Looping	\$ 399195
CM9780L-1536X48	CM9780L-1536X48 SYSTEM	\$ 405832

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-1536X64	CM9780L-1536X64 High Density System Looping	\$ 520443
CM9780L-1600X80	CM9780L-1600X80 High Density System Looping	\$ 689581
CM9780L-160X112	CM9780L-160X112 High Density System Looping	\$ 130079
CM9780L-160X128	CM9780L-160X128 High Density System Looping	\$ 154256
CM9780L-160X16	CM9780L-160X16 High Density System Looping	\$ 33751
CM9780L-160X32	CM9780L-160X32 High Density System Looping	\$ 38349
CM9780L-160X48	CM9780L-160X48 High Density System Looping	\$ 60832
CM9780L-160X64	CM9780L-160X64 High Density System Looping	\$ 75407
CM9780L-160X80	CM9780L-160X80 High Density System Looping	\$ 97092
CM9780L-160X96	CM9780L-160X96 High Density System Looping	\$ 118509
CM9780L-1792X48	CM9780L-1792X48 HIGH DENSITY SYS LP	\$ 437066
CM9780L-192X112	CM9780L-192X112 High Density System Looping	\$ 145124
CM9780L-192X128	CM9780L-192X128 High Density System Looping	\$ 171717

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-192X16	CM9780L-192X16 High Density System Looping	\$ 37103
CM9780L-192X32	CM9780L-192X32 High Density System Looping	\$ 42401
CM9780L-192X48	CM9780L-192X48 High Density System Looping	\$ 66948
CM9780L-192X64	CM9780L-192X64 High Density System Looping	\$ 83719
CM9780L-192X80	CM9780L-192X80 High Density System Looping	\$ 108288
CM9780L-192X96	CM9780L-192X96 High Density System Looping	\$ 130483
CM9780L-2016X48	CM9780L-2016X48 High Density System Looping	\$ 522671
CM9780L-2048X96	CM9780L-2048X96 HIGH DENSITY SYS LP	\$ 1023671
CM9780L-224X112	CM9780L-224X112 High Density System Looping	\$ 160172
CM9780L-224X128	CM9780L-224X128 High Density System Looping	\$ 189180
CM9780L-224X16	CM9780L-224X16 High Density System Looping	\$ 40361
CM9780L-224X32	CM9780L-224X32 High Density System Looping	\$ 46453
CM9780L-224X320	CM9780L-224X320 SYSTEM	\$ 412799

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-224X48	CM9780L-224X48 High Density System Looping	\$ 72886
CM9780L-224X64	CM9780L-224X64 High Density System Looping	\$ 92029
CM9780L-224X80	CM9780L-224X80 High Density System Looping	\$ 119487
CM9780L-224X96	CM9780L-224X96 High Density System Looping	\$ 142199
CM9780L-256X112	CM9780L-256X112 High Density System Looping	\$ 175220
CM9780L-256X128	CM9780L-256X128 High Density System Looping	\$ 202530
CM9780L-256X16	CM9780L-256X16 High Density System Looping	\$ 43532
CM9780L-256X32	CM9780L-256X32 High Density System Looping	\$ 50506
CM9780L-256X48	CM9780L-256X48 High Density System Looping	\$ 78646
CM9780L-256X64	CM9780L-256X64 High Density System Looping	\$ 100342
CM9780L-256X80	CM9780L-256X80 High Density System Looping	\$ 130685
CM9780L-256X96	CM9780L-256X96 High Density System Looping	\$ 153651
CM9780L-288X112	CM9780L-288X112 High Density System Looping	\$ 190264

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-288X128	CM9780L-288X128 High Density System Looping	\$ 215191
CM9780L-288X144	CM9780L-288X144 High Density System Looping	\$ 240770
CM9780L-288X16	CM9780L-288X16 High Density System Looping	\$ 46606
CM9780L-288X32	CM9780L-288X32 High Density System Looping	\$ 54559
CM9780L-288X48	CM9780L-288X48 High Density System Looping	\$ 84232
CM9780L-288X64	CM9780L-288X64 High Density System Looping	\$ 108652
CM9780L-288X80	CM9780L-288X80 High Density System Looping	\$ 141884
CM9780L-288X96	CM9780L-288X96 High Density System Looping	\$ 164845
CM9780L-320X112	CM9780L-320X112 High Density System Looping	\$ 205312
CM9780L-320X128	CM9780L-320X128 High Density System Looping	\$ 231962
CM9780L-320X16	CM9780L-320X16 High Density System Looping	\$ 50245
CM9780L-320X192	CM9780L-320X192 High Density System Looping	\$ 351312
CM9780L-320X32	CM9780L-320X32 High Density System Looping	\$ 58611

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-320X48	CM9780L-320X48 High Density System Looping	\$ 90867
CM9780L-320X64	CM9780L-320X64 High Density System Looping	\$ 116964
CM9780L-320X80	CM9780L-320X80 High Density System Looping	\$ 153080
CM9780L-320X96	CM9780L-320X96 High Density System Looping	\$ 177607
CM9780L-32X112	CM9780L-32X112 High Density System Looping	\$ 69891
CM9780L-32X128	CM9780L-32X128 High Density System Looping	\$ 84403
CM9780L-32X16	CM9780L-32X16 High Density System Looping	\$ 19183
CM9780L-32X32	CM9780L-32X32 High Density System Looping	\$ 22139
CM9780L-32X48	CM9780L-32X48 High Density System Looping	\$ 34179
CM9780L-32X64	CM9780L-32X64 High Density System Looping	\$ 42162
CM9780L-32X80	CM9780L-32X80 High Density System Looping	\$ 52302
CM9780L-32X96	CM9780L-32X96 High Density System Looping	\$ 65372
CM9780L-352X112	CM9780L-352X112 High Density System Looping	\$ 220360

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-352X128	CM9780L-352X128 High Density System Looping	\$ 248736
CM9780L-352X16	CM9780L-352X16 High Density System Looping	\$ 53882
CM9780L-352X32	CM9780L-352X32 High Density System Looping	\$ 62663
CM9780L-352X48	CM9780L-352X48 High Density System Looping	\$ 97503
CM9780L-352X64	CM9780L-352X64 High Density System Looping	\$ 125275
CM9780L-352X80	CM9780L-352X80 High Density System Looping	\$ 164279
CM9780L-352X96	CM9780L-352X96 High Density System Looping	\$ 190370
CM9780L-384X112	CM9780L-384X112 High Density System Looping	\$ 235406
CM9780L-384X128	CM9780L-384X128 High Density System Looping	\$ 265510
CM9780L-384X16	CM9780L-384X16 High Density System Looping	\$ 57524
CM9780L-384X32	CM9780L-384X32 High Density System Looping	\$ 66717
CM9780L-384X48	CM9780L-384X48 High Density System Looping	\$ 104142
CM9780L-384X64	CM9780L-384X64 High Density System Looping	\$ 133587

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-384X80	CM9780L-384X80 High Density System Looping	\$ 175477
CM9780L-384X96	CM9780L-384X96 High Density System Looping	\$ 203131
CM9780L-416X112	CM9780L-416X112 High Density System Looping	\$ 250453
CM9780L-416X128	CM9780L-416X128 High Density System Looping	\$ 282281
CM9780L-416X16	CM9780L-416X16 High Density System Looping	\$ 61161
CM9780L-416X32	CM9780L-416X32 High Density System Looping	\$ 70769
CM9780L-416X48	CM9780L-416X48 High Density System Looping	\$ 110778
CM9780L-416X64	CM9780L-416X64 High Density System Looping	\$ 141898
CM9780L-416X80	CM9780L-416X80 High Density System Looping	\$ 186674
CM9780L-416X96	CM9780L-416X96 High Density System Looping	\$ 215896
CM9780L-448X112	CM9780L-448X112 High Density System Looping	\$ 265500
CM9780L-448X128	CM9780L-448X128 High Density System Looping	\$ 299056
CM9780L-448X16	CM9780L-448X16 High Density System Looping	\$ 64800

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-448X32	CM9780L-448X32 High Density System Looping	\$ 74823
CM9780L-448X48	CM9780L-448X48 High Density System Looping	\$ 117412
CM9780L-448X64	CM9780L-448X64 High Density System Looping	\$ 150208
CM9780L-448X80	CM9780L-448X80 High Density System Looping	\$ 197872
CM9780L-448X96	CM9780L-448X96 High Density System Looping	\$ 228658
CM9780L-480X112	CM9780L-480X112 High Density System Looping	\$ 280547
CM9780L-480X128	CM9780L-480X128 High Density System Looping	\$ 315828
CM9780L-480X16	CM9780L-480X16 High Density System Looping	\$ 68440
CM9780L-480X32	CM9780L-480X32 High Density System Looping	\$ 78873
CM9780L-480X48	CM9780L-480X48 High Density System Looping	\$ 124048
CM9780L-480X64	CM9780L-480X64 High Density System Looping	\$ 158520
CM9780L-480X80	CM9780L-480X80 High Density System Looping	\$ 209070
CM9780L-480X96	CM9780L-480X96 High Density System Looping	\$ 241422

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-512X112	CM9780L-512X112 High Density System Looping	\$ 295593
CM9780L-512X128	CM9780L-512X128 High Density System Looping	\$ 332601
CM9780L-512X16	CM9780L-512X16 High Density System Looping	\$ 72079
CM9780L-512X32	CM9780L-512X32 High Density System Looping	\$ 82925
CM9780L-512X48	CM9780L-512X48 High Density System Looping	\$ 130685
CM9780L-512X64	CM9780L-512X64 High Density System Looping	\$ 166832
CM9780L-512X80	CM9780L-512X80 High Density System Looping	\$ 220269
CM9780L-512X96	CM9780L-512X96 High Density System Looping	\$ 254183
CM9780L-544X112	CM9780L-544X112 High Density System Looping	\$ 354860
CM9780L-544X128	CM9780L-544X128 High Density System Looping	\$ 398254
CM9780L-544X16	CM9780L-544X16 High Density System Looping	\$ 85083
CM9780L-544X32	CM9780L-544X32 High Density System Looping	\$ 105823
CM9780L-544X48	CM9780L-544X48 High Density System Looping	\$ 158253

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-544X64	CM9780L-544X64 High Density System Looping	\$ 204359
CM9780L-544X80	CM9780L-544X80 High Density System Looping	\$ 259873
CM9780L-544X96	CM9780L-544X96 High Density System Looping	\$ 306727
CM9780L-576X112	CM9780L-576X112 High Density System Looping	\$ 369562
CM9780L-576X128	CM9780L-576X128 High Density System Looping	\$ 414510
CM9780L-576X16	CM9780L-576X16 High Density System Looping	\$ 88724
CM9780L-576X32	CM9780L-576X32 High Density System Looping	\$ 110106
CM9780L-576X48	CM9780L-576X48 High Density System Looping	\$ 164888
CM9780L-576X64	CM9780L-576X64 High Density System Looping	\$ 212669
CM9780L-576X80	CM9780L-576X80 High Density System Looping	\$ 270681
CM9780L-576X96	CM9780L-576X96 High Density System Looping	\$ 319226
CM9780L-608X112	CM9780L-608X112 High Density System Looping	\$ 384262
CM9780L-608X128	CM9780L-608X128 High Density System Looping	\$ 430767

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-608X16	CM9780L-608X16 High Density System Looping	\$ 92362
CM9780L-608X32	CM9780L-608X32 High Density System Looping	\$ 114387
CM9780L-608X48	CM9780L-608X48 High Density System Looping	\$ 171524
CM9780L-608X64	CM9780L-608X64 High Density System Looping	\$ 220981
CM9780L-608X80	CM9780L-608X80 High Density System Looping	\$ 281486
CM9780L-608X96	CM9780L-608X96 High Density System Looping	\$ 331729
CM9780L-640X112	CM9780L-640X112 High Density System Looping	\$ 398966
CM9780L-640X128	CM9780L-640X128 High Density System Looping	\$ 447020
CM9780L-640X16	CM9780L-640X16 High Density System Looping	\$ 96001
CM9780L-640X32	CM9780L-640X32 High Density System Looping	\$ 118672
CM9780L-640X48	CM9780L-640X48 High Density System Looping	\$ 178161
CM9780L-640X64	CM9780L-640X64 High Density System Looping	\$ 229294
CM9780L-640X80	CM9780L-640X80 High Density System Looping	\$ 292293

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-640X96	CM9780L-640X96 High Density System Looping	\$ 344233
CM9780L-64X112	CM9780L-64X112 High Density System Looping	\$ 84939
CM9780L-64X128	CM9780L-64X128 High Density System Looping	\$ 101864
CM9780L-64X16	CM9780L-64X16 High Density System Looping	\$ 23144
CM9780L-64X32	CM9780L-64X32 High Density System Looping	\$ 26191
CM9780L-64X48	CM9780L-64X48 High Density System Looping	\$ 41432
CM9780L-64X64	CM9780L-64X64 High Density System Looping	\$ 50472
CM9780L-64X80	CM9780L-64X80 High Density System Looping	\$ 63497
CM9780L-64X96	CM9780L-64X96 High Density System Looping	\$ 78654
CM9780L-672X112	CM9780L-672X112 High Density System Looping	\$ 413665
CM9780L-672X128	CM9780L-672X128 High Density System Looping	\$ 463274
CM9780L-672X16	CM9780L-672X16 High Density System Looping	\$ 99640
CM9780L-672X32	CM9780L-672X32 High Density System Looping	\$ 122953

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-672X48	CM9780L-672X48 High Density System Looping	\$ 184796
CM9780L-672X64	CM9780L-672X64 High Density System Looping	\$ 237606
CM9780L-672X80	CM9780L-672X80 High Density System Looping	\$ 303099
CM9780L-672X96	CM9780L-672X96 High Density System Looping	\$ 356734
CM9780L-704X112	CM9780L-704X112 High Density System Looping	\$ 428368
CM9780L-704X128	CM9780L-704X128 High Density System Looping	\$ 479533
CM9780L-704X16	CM9780L-704X16 High Density System Looping	\$ 103280
CM9780L-704X32	CM9780L-704X32 High Density System Looping	\$ 127237
CM9780L-704X48	CM9780L-704X48 High Density System Looping	\$ 191431
CM9780L-704X64	CM9780L-704X64 High Density System Looping	\$ 245917
CM9780L-704X80	CM9780L-704X80 High Density System Looping	\$ 313906
CM9780L-704X96	CM9780L-704X96 High Density System Looping	\$ 369235
CM9780L-736X112	CM9780L-736X112 High Density System Looping	\$ 443071

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-736X128	CM9780L-736X128 High Density System Looping	\$ 495786
CM9780L-736X16	CM9780L-736X16 High Density System Looping	\$ 106917
CM9780L-736X32	CM9780L-736X32 High Density System Looping	\$ 131517
CM9780L-736X48	CM9780L-736X48 High Density System Looping	\$ 198068
CM9780L-736X64	CM9780L-736X64 High Density System Looping	\$ 254227
CM9780L-736X80	CM9780L-736X80 High Density System Looping	\$ 324716
CM9780L-736X96	CM9780L-736X96 High Density System Looping	\$ 381737
CM9780L-768X112	CM9780L-768X112 High Density System Looping	\$ 457772
CM9780L-768X128	CM9780L-768X128 High Density System Looping	\$ 512042
CM9780L-768X16	CM9780L-768X16 High Density System Looping	\$ 110556
CM9780L-768X32	CM9780L-768X32 High Density System Looping	\$ 135800
CM9780L-768X48	CM9780L-768X48 High Density System Looping	\$ 204705
CM9780L-768X64	CM9780L-768X64 High Density System Looping	\$ 262541

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-768X80	CM9780L-768X80 High Density System Looping	\$ 335521
CM9780L-768X96	CM9780L-768X96 High Density System Looping	\$ 394238
CM9780L-800X112	CM9780L-800X112 High Density System Looping	\$ 472473
CM9780L-800X128	CM9780L-800X128 High Density System Looping	\$ 528295
CM9780L-800X16	CM9780L-800X16 High Density System Looping	\$ 114195
CM9780L-800X32	CM9780L-800X32 High Density System Looping	\$ 140082
CM9780L-800X48	CM9780L-800X48 High Density System Looping	\$ 211341
CM9780L-800X64	CM9780L-800X64 High Density System Looping	\$ 270852
CM9780L-800X80	CM9780L-800X80 High Density System Looping	\$ 346327
CM9780L-800X96	CM9780L-800X96 High Density System Looping	\$ 406742
CM9780L-832X112	CM9780L-832X112 High Density System Looping	\$ 492917
CM9780L-832X128	CM9780L-832X128 High Density System Looping	\$ 544551
CM9780L-832X16	CM9780L-832X16 High Density System Looping	\$ 117833

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-832X32	CM9780L-832X32 High Density System Looping	\$ 144365
CM9780L-832X48	CM9780L-832X48 High Density System Looping	\$ 217975
CM9780L-832X64	CM9780L-832X64 High Density System Looping	\$ 279162
CM9780L-832X80	CM9780L-832X80 High Density System Looping	\$ 357134
CM9780L-832X96	CM9780L-832X96 High Density System Looping	\$ 419243
CM9780L-864X112	CM9780L-864X112 High Density System Looping	\$ 507791
CM9780L-864X128	CM9780L-864X128 High Density System Looping	\$ 560808
CM9780L-864X16	CM9780L-864X16 High Density System Looping	\$ 121472
CM9780L-864X32	CM9780L-864X32 High Density System Looping	\$ 148646
CM9780L-864X48	CM9780L-864X48 High Density System Looping	\$ 224611
CM9780L-864X64	CM9780L-864X64 High Density System Looping	\$ 287474
CM9780L-864X80	CM9780L-864X80 High Density System Looping	\$ 367941
CM9780L-864X96	CM9780L-864X96 High Density System Looping	\$ 431744

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-896X112	CM9780L-896X112 High Density System Looping	\$ 522666
CM9780L-896X128	CM9780L-896X128 High Density System Looping	\$ 577061
CM9780L-896X16	CM9780L-896X16 High Density System Looping	\$ 125113
CM9780L-896X32	CM9780L-896X32 High Density System Looping	\$ 152929
CM9780L-896X48	CM9780L-896X48 High Density System Looping	\$ 231250
CM9780L-896X64	CM9780L-896X64 High Density System Looping	\$ 295785
CM9780L-896X80	CM9780L-896X80 High Density System Looping	\$ 378747
CM9780L-896X96	CM9780L-896X96 High Density System Looping	\$ 444246
CM9780L-928X112	CM9780L-928X112 High Density System Looping	\$ 537541
CM9780L-928X128	CM9780L-928X128 High Density System Looping	\$ 593316
CM9780L-928X16	CM9780L-928X16 High Density System Looping	\$ 128750
CM9780L-928X32	CM9780L-928X32 High Density System Looping	\$ 157212
CM9780L-928X48	CM9780L-928X48 High Density System Looping	\$ 237886

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-928X64	CM9780L-928X64 High Density System Looping	\$ 304097
CM9780L-928X80	CM9780L-928X80 High Density System Looping	\$ 389554
CM9780L-928X96	CM9780L-928X96 High Density System Looping	\$ 456749
CM9780L-960X112	CM9780L-960X112 High Density System Looping	\$ 552413
CM9780L-960X128	CM9780L-960X128 High Density System Looping	\$ 609574
CM9780L-960X16	CM9780L-960X16 High Density System Looping	\$ 132390
CM9780L-960X32	CM9780L-960X32 High Density System Looping	\$ 161496
CM9780L-960X48	CM9780L-960X48 High Density System Looping	\$ 244521
CM9780L-960X64	CM9780L-960X64 High Density System Looping	\$ 312407
CM9780L-960X80	CM9780L-960X80 High Density System Looping	\$ 400360
CM9780L-960X96	CM9780L-960X96 High Density System Looping	\$ 469249
CM9780L-96X112	CM9780L-96X112 High Density System Looping	\$ 99985
CM9780L-96X128	CM9780L-96X128 High Density System Looping	\$ 119327

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-96X16	CM9780L-96X16 High Density System Looping	\$ 26769
CM9780L-96X32	CM9780L-96X32 High Density System Looping	\$ 30244
CM9780L-96X48	CM9780L-96X48 High Density System Looping	\$ 48075
CM9780L-96X64	CM9780L-96X64 High Density System Looping	\$ 58784
CM9780L-96X80	CM9780L-96X80 High Density System Looping	\$ 74695
CM9780L-96X96	CM9780L-96X96 High Density System Looping	\$ 91939
CM9780L-992X112	CM9780L-992X112 High Density System Looping	\$ 567288
CM9780L-992X128	CM9780L-992X128 High Density System Looping	\$ 625827
CM9780L-992X16	CM9780L-992X16 High Density System Looping	\$ 136029
CM9780L-992X32	CM9780L-992X32 High Density System Looping	\$ 165778
CM9780L-992X48	CM9780L-992X48 High Density System Looping	\$ 251156
CM9780L-992X64	CM9780L-992X64 High Density System Looping	\$ 320719
CM9780L-992X80	CM9780L-992X80 High Density System Looping	\$ 411167

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
CM9780L-992X96	CM9780L-992X96 High Density System Looping	\$ 481752
CM9780L1024X112	CM9780L1024X112 High Density System Looping	\$ 641540
CM9780L1024X128	CM9780L1024X128 High Density System Looping	\$ 709277
CM9780L1280X128	CM9780L-1280X128 High Density System Looping	\$ 840697
CM9780L1536X256	CM9780L1536X256 High Density System Looping	\$ 2066134
CM9780L1728X128	CM9780L-1728X128 HIGH DEN SYS LP	\$ 1131039
CM9780L2432X128	CM9780L-2432X128 High Density System Looping	\$ 1544217
CM9780L2432X192	CM9780L-2432X192 HIGH DEN SYS LP	\$ 2333801
CMXM100	Corner adapter for use with the WXM100 to mount an ExSite Series system to the corner of a structure.	\$ 1004
D5118	Spectra® HD Dome Drive, 1.3MP camera with 18X optical zoom. To be placed in a Spectra HD back box. Lower Dome/bubble also needed	\$ 3318

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
D5220F	Spectra® HD Dome Drive for Flush mount 1080p camera with 20X optical zoom. To be placed in a Spectra HD 1080p Flush mount back box. Lower Dome/bubble also needed.	\$ 3687
D5220P	Spectra® HD Dome Drive for Pendant Mount 1080p camera with 20X optical zoom. To be placed in a Spectra HD 1080p Pendant back box. Lower Dome/bubble also needed.	\$ 3687
DA104DT	Video distribution amplifier (1 input, 4 outputs). 120 VAC input.	\$ 284
DD4	Spectra Mini indoor dome drive with high resolution (470TVL) color camera featuring 10X optical and 8X digital zoom, auto-focus, and UTP circuit. Recess or surface mount capable. NTSC.	\$ 1462

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
DD4-B	Spectra Mini indoor dome drive with high resolution (470TVL) color camera featuring 10X optical and 8X digital zoom, auto-focus, and UTP circuit. Recess or surface mount capable. Black. NTSC.	\$ 1462
DD423	Limited-feature Spectra IV dome drive with 540-line day/night camera featuring 23X optical and 12X digital zoom, auto-focus, and low-light sensitivity to 0.3 Lux at 1/60 sec shutter. NTSC	\$ 1884
DD429	Advanced-featured Spectra IV dome drive with 540-line day/night camera featuring 29X optical and 12X digital zoom, auto-focus, WDR, FNR, and low-light sensitivity to 0.00018 Lux at 1/2 sec shutter. NTSC.	\$ 2860
DD436	Spectra® IV SE dome drive with high resolution day/night camera featuring 36X optical and 10X electronic zoom, auto-focus, wide dynamic range and light sensitivity to .08 Lux at 1/2 sec shutter. NTSC.	\$ 3478

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DD4H36	Spectra IV Horizon Dome Drive Color/Black and White with 36X Zoom Lens NTSC - Capable of Tilting 15 Degrees Above Horizontal	\$ 3826
DD4N	Spectra Mini IP indoor dome drive with high resolution (470TVL) color camera featuring 10X optical and 8X digital zoom, auto- focus, and UTP circuit. Recess or surface mount capable. White. NTSC.	\$ 1942
DD4N-B	Spectra Mini IP indoor dome drive with high resolution (470TVL) color camera featuring 10X optical and 8X digital zoom, auto- focus, and UTP circuit. Recess or surface mount capable. Black. NTSC.	\$ 1942
DD5-FM	Spectra® dome removable fixed mount camera bracket only (no camera package).	\$ 98

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF5-0	Indoor, 5-inch in-ceiling discreet dome with fixed camera mount and smoked lower dome (1/2 f-stop light loss). Plenum rated back box.	\$ 216
DF5-1	Indoor, 5-inch in-ceiling discreet dome with fixed camera mount and clear lower dome with opaque liner (for virtually no light loss). Plenum rated back box.	\$ 227
DF5-2	Indoor, 5-inch in-ceiling discreet dome with fixed camera mount and chrome lower dome. Plenum rated back box.	\$ 405
DF5-3	Indoor, 5-inch in-ceiling discreet dome with fixed camera mount and gold lower dome. Plenum rated back box.	\$ 445
DF5-BKT	DF5 MNT BKT KIT C20 AND SARIX	\$ 65
DF5-PB-0	Dome, indoor, 5-inch pendant mount, black, with fixed camera mount bracket and smoked lower dome.	\$ 433

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF5-PB-1	Dome, indoor, 5-inch pendant mount, black, with fixed camera mount bracket and clear lower dome. Opaque liner not included.	\$ 445
DF5-PG-0	Dome, indoor, 5-inch pendant mount, gray, with fixed camera mount bracket and smoked lower dome.	\$ 433
DF5-PG-1	Dome, indoor, 5-inch pendant mount, gray, with fixed camera mount bracket and clear lower dome. Opaque liner not included.	\$ 445
DF5-PG-E0	Dome, environmental, 5-inch pendant mount, gray, with fixed camera mount bracket and smoked lower dome. Includes heater and sun shield.	\$ 609
DF5-PG-E1	Dome, environmental, 5-inch pendant mount, gray, with fixed camera mount bracket and clear lower dome. Includes heater and sun shield. Opaque liner not included.	\$ 621
DF5HD-1	Heavy-duty dome, flush, clear dome, no camera.	\$ 579

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF5HD-PG-1	Heavy-duty dome, gray pendant, clear dome, no camera.	\$ 790
DF5HD-PG-E1	Heavy-duty dome, gray pendant, clear dome, environmental, no camera.	\$ 973
DF5LINERKIT	Slotted liner kit for opaque domes. Provides additional discreetness in DF5 and DF5S series domes. (Liner is included with clear in -ceiling domes.)	\$ 32
DF5S-0	Indoor, 5.9-inch discreet dome with fixed camera mount and smoked lower dome (1/2 f-stop light loss). Plenum rated short back box for drop ceiling applications	\$ 209
DF5S-1	Indoor, 5.9-inch discreet dome with fixed camera mount and clear lower dome with opaque liner. Plenum rated short back box for drop ceiling applications.	\$ 222
DF5S-SMKIT	Mounting kit for surface mounting the DF5S short back box series. Includes bezel and attachment hardware.	\$ 100

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF8-PB-0	8-inch pendant mount, black, with smoked lower dome.	\$ 480
DF8-PB-1	8-inch pendant mount, black, with clear lower dome. Opaque liner not included.	\$ 480
DF8-PG-0	8-inch pendant mount, gray, with smoked lower dome.	\$ 480
DF8-PG-1	8-inch pendant mount, gray, with clear lower dome. Opaque liner not included.	\$ 480
DF8-PG-E0	8-inch pendant mount, gray, with smoked lower dome. Includes heater and sun shield.	\$ 931
DF8-PG-E1	8-inch pendant mount, gray, with clear lower dome. Includes heater and sun shield. Opaque liner not included.	\$ 931
DF8A	In-ceiling with smoked lower dome. Plenum rated formed aluminum back box. (1 f-stop light loss)	\$ 217
DF8A-0	In-ceiling with opaque black lower dome with a smoked viewing window. Plenum rated formed aluminum back box. (1/2 f-stop light loss).	\$ 229

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF8A-1	In-ceiling with opaque black lower dome with a clear viewing window. Plenum rated formed aluminum back box. (Virtually zero light loss).	\$ 229
DF8A-10	In-ceiling with opaque white lower dome with a clear viewing window. Plenum rated formed aluminum back box. (Virtually zero light loss).	\$ 229
DF8A-P	Dome ceiling mount for DF8A series. 2-foot X 2-foot aluminum ceiling panel, white, for use in suspended ceiling applications.	\$ 100
DF8A-R	Dome ceiling mount aluminum support rails for additional support in suspended ceiling applications. Use with DF8A series domes.	\$ 53
DF8PA-0V1A	DomePak® Consists of the following Pelco models: DF8A-0, C20-CH-6, 13VD1-3.	\$ 722
DF8PA-0V21	DomePak® Consists of the following Pelco models: DF8A-0, C20-CH-6, 13VA2.8-12.	\$ 568

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF8PA-0V21A	DomePak® Consists of the following Pelco models: DF8A-0, C20-CH-6, 13VD2.8-12.	\$ 613
DF8PA-0V2A	DomePak® Consists of the following Pelco models: DF8A-0, C20-CH-6, 13VD2.5-6.	\$ 682
DF8PA-0V3A	DomePak® Consists of the following Pelco models: DF8A-0, C20-CH-6, 13VD3-8.	\$ 554
DF8PA-0V5	DomePak® Consists of the following Pelco models: DF8A-0, C20-CH-6, 13VA5-40.	\$ 651
DF8PA-0V50	DomePak® Consists of the following Pelco models: DF8A-0, C20-CH-6, 13VA5-50.	\$ 669
DF8PA-0V50A	DomePak® Consists of the following Pelco models: DF8A-0, C20-CH-6, 13VD5-50.	\$ 719
DF8PA-0V55A	DomePak® Consists of the following Pelco models: DF8A-0, C20-CH-6, 13VD5.5-82.5.	\$ 813

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF8PA-0V5A	DomePak® Consists of the following Pelco models: DF8A-0, C20-CH-6, 13VD5-40.	\$ 666
DF8PA-1R3A	DomePak® Consists of the following Pelco models: DF8A-1, C20-CH-6, 13VDIR3-8.5.	\$ 581
DF8PA-1V21	DomePak® Consists of the following Pelco models: DF8A-1, C20-CH-6, 13VA2.8-12.	\$ 568
DF8PA-1V21A	DomePak® Consists of the following Pelco models: DF8A-1, C20-CH-6, 13VD2.8-12.	\$ 613
DF8PA-1V3	DomePak® Consists of the following Pelco models: DF8A-1, C20-CH-6, 13VA3-8.	\$ 548
DF8PA-1V3A	DomePak® Consists of the following Pelco models: DF8A-1, C20-CH-6, 13VD3-8.	\$ 554
DF8PA-1V50	DomePak® Consists of the following Pelco models: DF8A-1, C20-CH-6, 13VA5-50.	\$ 669

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF8PA-1V50A	DomePak® Consists of the following Pelco models: DF8A-1, C20-CH-6, 13VD5-50.	\$ 719
DF8PA-1V5A	DomePak® Consists of the following Pelco models: DF8A-1, C20-CH-6, 13VD5-40.	\$ 666
DF8PA-PB-0V21	DomePak® Consists of the following Pelco models: DF8-PB-0, C20-CH-6, 13VA2.8-12.	\$ 818
DF8PA-PB-0V21A	DomePak® Consists of the following Pelco models: DF8-PB-0, C20-CH-6, 13VD2.8-12.	\$ 863
DF8PA-PB-0V3A	DomePak® Consists of the following Pelco models: DF8-PB-0, C20-CH-6, 13VD3-8.	\$ 805
DF8PA-PB-0V50	DomePak® Consists of the following Pelco models: DF8-PB-0, C20-CH-6, 13VA5-50.	\$ 920
DF8PA-PB-0V5A	DomePak® Consists of the following Pelco models: DF8-PB-0, C20-CH-6, 13VD5-40.	\$ 916

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF8PA-PB-1V3A	DomePak® Consists of the following Pelco models: DF8-PB-1, C20-CH-6, 13VD3-8.	\$ 805
DF8PA-PB-1V50A	DomePak® Consists of the following Pelco models: DF8-PB-1, C20-CH-6, 13VD5-50.	\$ 969
DF8PA-PG-0V21	DomePak® Consists of the following Pelco models: DF8-PG-0, C20-CH-6, 13VA2.8-12.	\$ 818
DF8PA-PG-0V21A	DomePak® Consists of the following Pelco models: DF8-PG-0, C20-CH-6, 13VD2.8-12.	\$ 863
DF8PA-PG-0V2A	DomePak® Consists of the following Pelco models: DF8-PG-0, C20-CH-6, 13VD2.5-6.	\$ 933
DF8PA-PG-0V3	DomePak® Consists of the following Pelco models: DF8-PG-0, C20-CH-6, 13VA3-8.	\$ 798
DF8PA-PG-0V3A	DomePak® Consists of the following Pelco models: DF8-PG-0, C20-CH-6, 13VD3-8.	\$ 805

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF8PA-PG-0V50	DomePak® Consists of the following Pelco models: DF8-PG-0, C20-CH-6, 13VA5-50.	\$ 920
DF8PA-PG-0V50A	DomePak® Consists of the following Pelco models: DF8-PG-0, C20-CH-6, 13VD5-50.	\$ 969
DF8PA-PG-0V5A	DomePak® Consists of the following Pelco models: DF8-PG-0, C20-CH-6, 13VD5-40.	\$ 916
DF8PA-PG-1V21	DomePak® Consists of the following Pelco models: DF8-PG-1, C20-CH-6, 13VA2.8-12.	\$ 818
DF8PA-PG-1V21A	DomePak® Consists of the following Pelco models: DF8-PG-1, C20-CH-6, 13VD2.8-12.	\$ 863
DF8PA-PG-1V2A	DomePak® Consists of the following Pelco models: DF8-PG-1, C20-CH-6, 13VD2.5-6.	\$ 933
DF8PA-PG-1V3A	DomePak® Consists of the following Pelco models: DF8-PG-1, C20-CH-6, 13VD3-8.	\$ 805

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF8PA-PG-1V50	DomePak® Consists of the following Pelco models: DF8-PG-1, C20-CH-6, 13VA5-50.	\$ 920
DF8PA-PG-1V50A	DomePak® Consists of the following Pelco models: DF8-PG-1, C20-CH-6, 13VD5-50.	\$ 969
DF8PA-PG-E0V21A	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-CH-6, 13VD2.8-12.	\$ 1315
DF8PA-PG-E0V2A	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-CH-6, 13VD2.5-6.	\$ 1384
DF8PA-PG-E0V3	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-CH-6, 13VA3-8.	\$ 1250
DF8PA-PG-E0V3A	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-CH-6, 13VD3-8.	\$ 1257
DF8PA-PG-E0V50A	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-CH-6, 13VD5-50.	\$ 1421

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF8PA-PG-E0V5A	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-CH-6, 13VD5-40.	\$ 1368
DF8PA-PG-E1V21	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-CH-6, 13VA2.8-12.	\$ 1270
DF8PA-PG-E1V21A	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-CH-6, 13VD2.8-12.	\$ 1315
DF8PA-PG-E1V2A	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-CH-6, 13VD2.5-6.	\$ 1384
DF8PA-PG-E1V3A	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-CH-6, 13VD3-8.	\$ 1257
DF8PA-PG-E1V50	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-CH-6, 13VA5-50.	\$ 1371
DF8PA-PG-E1V50A	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-CH-6, 13VD5-50.	\$ 1421

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF8PA-PG-E1V55A	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-CH-6, 13VD5.5-82.5.	\$ 1516
DF8PA-PG-E1V5A	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-CH-6, 13VD5-40.	\$ 1368
DF8PA-V3	DomePak® Consists of the following Pelco models: DF8A, C20-CH-6, 13VA3-8.	\$ 536
DF8PA-V3A	DomePak® Consists of the following Pelco models: DF8A, C20-CH-6, 13VD3-8.	\$ 543
DF8PA-V50A	DomePak® Consists of the following Pelco models: DF8A, C20-CH-6, 13VD5-50.	\$ 707
DF8PJ-0R11A	DomePak® Consists of the following Pelco models: DF8A-0, C20-DW-6, 13VDIR2.8-11.	\$ 867
DF8PJ-0R3A	DomePak® Consists of the following Pelco models: DF8A-0, C20-DW-6, 13VDIR3-8.5.	\$ 817

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF8PJ-0R75A	DomePak® Consists of the following Pelco models: DF8A-0, C20-DW-6, 13VDIR7.5-50.	\$ 916
DF8PJ-0V21	DomePak® Consists of the following Pelco models: DF8A-0, C20-DW-6, 13VA2.8-12.	\$ 803
DF8PJ-0V21A	DomePak® Consists of the following Pelco models: DF8A-0, C20-DW-6, 13VD2.8-12.	\$ 848
DF8PJ-0V2A	DomePak® Consists of the following Pelco models: DF8A-0, C20-DW-6, 13VD2.5-6.	\$ 918
DF8PJ-0V3A	DomePak® Consists of the following Pelco models: DF8A-0, C20-DW-6, 13VD3-8.	\$ 790
DF8PJ-0V5	DomePak® Consists of the following Pelco models: DF8A-0, C20-DW-6, 13VA5-40.	\$ 886
DF8PJ-0V50	DomePak® Consists of the following Pelco models: DF8A-0, C20-DW-6, 13VA5-50.	\$ 905

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF8PJ-0V50A	DomePak® Consists of the following Pelco models: DF8A-0, C20-DW-6, 13VD5-50.	\$ 955
DF8PJ-0V55A	DomePak® Consists of the following Pelco models: DF8A-0, C20-DW-6, 13VD5.5-82.5.	\$ 1049
DF8PJ-0V5A	DomePak® Consists of the following Pelco models: DF8A-0, C20-DW-6, 13VD5-40.	\$ 901
DF8PJ-1R11A	DomePak® Consists of the following Pelco models: DF8A-1, C20-DW-6, 13VDIR2.8-11.	\$ 867
DF8PJ-1V1	DomePak® Consists of the following Pelco models: DF8A-1, C20-DW-6, 13VA1-3.	\$ 911
DF8PJ-1V21	DomePak® Consists of the following Pelco models: DF8A-1, C20-DW-6, 13VA2.8-12.	\$ 803
DF8PJ-1V21A	DomePak® Consists of the following Pelco models: DF8A-1, C20-DW-6, 13VD2.8-12.	\$ 848

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF8PJ-1V3A	DomePak® Consists of the following Pelco models: DF8A-1, C20-DW-6, 13VD3-8.	\$ 790
DF8PJ-1V50	DomePak® Consists of the following Pelco models: DF8A-1, C20-DW-6, 13VA5-50.	\$ 905
DF8PJ-1V50A	DomePak® Consists of the following Pelco models: DF8A-1, C20-DW-6, 13VD5-50.	\$ 955
DF8PJ-1V55A	DomePak® Consists of the following Pelco models: DF8A-1, C20-DW-6, 13VD5.5-82.5.	\$ 1049
DF8PJ-PB-0R3A	DomePak® Consists of the following Pelco models: DF8-PB-0, C20-DW-6, 13VDIR3-8.5.	\$ 1067
DF8PJ-PB-0V21	DomePak® Consists of the following Pelco models: DF8-PB-0, C20-DW-6, 13VA2.8-12.	\$ 1054
DF8PJ-PB-0V21A	DomePak® Consists of the following Pelco models: DF8-PB-0, C20-DW-6, 13VD2.8-12.	\$ 1099

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
DF8PJ-PB-0V3A	DomePak® Consists of the following Pelco models: DF8-PB-0, C20-DW-6, 13VD3-8.	\$ 1041
DF8PJ-PB-0V50A	DomePak® Consists of the following Pelco models: DF8-PB-0, C20-DW-6, 13VD5-50.	\$ 1205
DF8PJ-PB-1R3A	DomePak® Consists of the following Pelco models: DF8-PB-1, C20-DW-6, 13VDIR3-8.5.	\$ 1067
DF8PJ-PB-1R75A	DomePak® Consists of the following Pelco models: DF8-PB-1, C20-DW-6, 13VDIR7.5-50.	\$ 1167
DF8PJ-PB-1V21A	DomePak® Consists of the following Pelco models: DF8-PB-1, C20-DW-6, 13VD2.8-12.	\$ 1099
DF8PJ-PB-1V3A	DomePak® Consists of the following Pelco models: DF8-PB-1, C20-DW-6, 13VD3-8.	\$ 1041
DF8PJ-PB-1V55A	DomePak® Consists of the following Pelco models: DF8-PB-1, C20-DW-6, 13VD5.5-82.5.	\$ 1300

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF8PJ-PB-1V5A	DomePak® Consists of the following Pelco models: DF8-PB-1, C20-DW-6, 13VD5-40.	\$ 1152
DF8PJ-PG-0V21	DomePak® Consists of the following Pelco models: DF8-PG-0, C20-DW-6, 13VA2.8-12.	\$ 1054
DF8PJ-PG-0V21A	DomePak® Consists of the following Pelco models: DF8-PG-0, C20-DW-6, 13VD2.8-12.	\$ 1099
DF8PJ-PG-0V3A	DomePak® Consists of the following Pelco models: DF8-PG-0, C20-DW-6, 13VD3-8.	\$ 1041
DF8PJ-PG-0V50	DomePak® Consists of the following Pelco models: DF8-PG-0, C20-DW-6, 13VA5-50.	\$ 1155
DF8PJ-PG-0V50A	DomePak® Consists of the following Pelco models: DF8-PG-0, C20-DW-6, 13VD5-50.	\$ 1205
DF8PJ-PG-0V5A	DomePak® Consists of the following Pelco models: DF8-PG-0, C20-DW-6, 13VD5-40.	\$ 1152

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
DF8PJ-PG-1R11A	DomePak® Consists of the following Pelco models: DF8-PG-1, C20-DW-6, 13VDIR2.8-11.	\$ 1117
DF8PJ-PG-1R3A	DomePak® Consists of the following Pelco models: DF8-PG-1, C20-DW-6, 13VDIR3-8.5.	\$ 1067
DF8PJ-PG-1R75A	DomePak® Consists of the following Pelco models: DF8-PG-1, C20-DW-6, 13VDIR7.5-50.	\$ 1167
DF8PJ-PG-1V21A	DomePak® Consists of the following Pelco models: DF8-PG-1, C20-DW-6, 13VD2.8-12.	\$ 1099
DF8PJ-PG-1V2A	DomePak® Consists of the following Pelco models: DF8-PG-1, C20-DW-6, 13VD2.5-6.	\$ 1169
DF8PJ-PG-1V3A	DomePak® Consists of the following Pelco models: DF8-PG-1, C20-DW-6, 13VD3-8.	\$ 1041
DF8PJ-PG-1V50	DomePak® Consists of the following Pelco models: DF8-PG-1, C20-DW-6, 13VA5-50.	\$ 1155

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF8PJ-PG-1V50A	DomePak® Consists of the following Pelco models: DF8-PG-1, C20-DW-6, 13VD5-50.	\$ 1205
DF8PJ-PG-1V5A	DomePak® Consists of the following Pelco models: DF8-PG-1, C20-DW-6, 13VD5-40.	\$ 1152
DF8PJ-PG-E0R11A	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-DW-6, 13VDIR2.8-11.	\$ 1569
DF8PJ-PG-E0R3A	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-DW-6, 13VDIR3-8.5.	\$ 1519
DF8PJ-PG-E0R75A	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-DW-6, 13VDIR7.5-50.	\$ 1619
DF8PJ-PG-E0V1A	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-DW-6, 13VD1-3.	\$ 1660
DF8PJ-PG-E0V21	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-DW-6, 13VA2.8-12.	\$ 1506

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DF8PJ-PG-E0V21A	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-DW-6, 13VD2.8-12.	\$ 1550
DF8PJ-PG-E0V2A	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-DW-6, 13VD2.5-6.	\$ 1620
DF8PJ-PG-E0V3A	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-DW-6, 13VD3-8.	\$ 1492
DF8PJ-PG-E0V50	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-DW-6, 13VA5-50.	\$ 1607
DF8PJ-PG-E0V50A	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-DW-6, 13VD5-50.	\$ 1657
DF8PJ-PG-E0V55A	DomePak® Consists of the following Pelco models: DF8-PG-E0, C20-DW-6, 13VD5.5-82.5.	\$ 1751
DF8PJ-PG-E1R11A	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-DW-6, 13VDIR2.8-11.	\$ 1569

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
DF8PJ-PG-E1R3A	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-DW-6, 13VDIR3-8.5.	\$ 1519
DF8PJ-PG-E1R75A	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-DW-6, 13VDIR7.5-50.	\$ 1619
DF8PJ-PG-E1V21	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-DW-6, 13VA2.8-12.	\$ 1506
DF8PJ-PG-E1V21A	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-DW-6, 13VD2.8-12.	\$ 1550
DF8PJ-PG-E1V2A	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-DW-6, 13VD2.5-6.	\$ 1620
DF8PJ-PG-E1V3	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-DW-6, 13VA3-8.	\$ 1486
DF8PJ-PG-E1V3A	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-DW-6, 13VD3-8.	\$ 1492

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
DF8PJ-PG-E1V5	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-DW-6, 13VA5-40.	\$ 1589
DF8PJ-PG-E1V50	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-DW-6, 13VA5-50.	\$ 1607
DF8PJ-PG-E1V50A	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-DW-6, 13VD5-50.	\$ 1657
DF8PJ-PG-E1V55A	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-DW-6, 13VD5.5-82.5.	\$ 1751
DF8PJ-PG-E1V5A	DomePak® Consists of the following Pelco models: DF8-PG-E1, C20-DW-6, 13VD5-40.	\$ 1604
DS-SW-CAM	DS CAM LICENSE FEE NTI	\$ 196
DSSRV-005-US	2 RU DS Network Video Recorder 500GB US Power Cord	\$ 5511
DSSRV-005DVD-US	2RU DS Network Video Recorder 500GB and DVD US Pwr Crd	\$ 5677

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DSSRV-030-US	2 RU DS Network Video Recorder 3TB US Power Cord	\$ 6889
DSSRV-030DVD-US	2RU DS Network Video Recorder 3TB and DVD US Pwr Crd	\$ 7221
DSSRV-060-US	2 RU DS Network Video Recorder 6TB US Power Cord	\$ 8881
DSSRV-060DVD-US	2RU DS Network Video Recorder 6B and DVD US Pwr Crd	\$ 9213
DSSRV-090-US	2 RU DS Network Video Recorder 9TB US Power Cord	\$ 10873
DSSRV-090DVD-US	2RU DS Network Video Recorder 9TB and DVD US Pwr Crd	\$ 11205
DSSRV-120-US	2 RU DS Network Video Recorder 12TB US Power Cord	\$ 12865
DSSRV-120DVD-US	2RU DS Network Video Recorder 12TB and DVD US Pwr Crd	\$ 13197
DSSRV-150-US	2 RU DS Network Video Recorder 15TB US Power Cord	\$ 14857
DSSRV-180-US	2 RU DS Network Video Recorder 18TB US Power Cord	\$ 16849
DSSRV-RAID	DS Server Internal RAID Controller	\$ 1718

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DSSRV-RD-012-US	2RU Digital Sentry Network Video Recorder with RAID card & 12TB HDD & US power cord	\$ 15413
DSSRV-RD-015-US	2RU Digital Sentry Network Video Recorder with RAID card & 15TB HDD & US power cord	\$ 17405
DSSRV-RD-018-US	2RU Digital Sentry Network Video Recorder with RAID card & 18TB HDD & US power cord	\$ 19397
DSSRV-RD-090-US	2RU Digital Sentry Network Video Recorder with RAID card & 9TB HDD & US power cord	\$ 13421
DSSRV-SCSI	Digital Sentry Server SCSI Interface	\$ 780
DVR5100-RAM	Memory Upgrade for DVR5100	\$ 108
DVR5324RP-OS	DVR5324 Replacement OS Drive	\$ 591
DVR5348RP-OS	DVR5348 Imaged Replacement OS Drive	\$ 591
DVR5KRP-250	DVR5100 250GB Hard Drive replacement kit	\$ 812
DVR5KRP-500	DVR5100 500GB Hard Drive replacement kit	\$ 1496
DVR5KUP-250-1TB	DVR5100 250GB to 1TB upgrade kit	\$ 3005
DVR5KUP-250-500	DVR5100 250GB to 500GB upgrade kit	\$ 812

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DVR5KUP-500-1TB	DVR5100 500GB to 1TB upgrade kit	\$ 3005
DVR5KUP-800-1TB	DVR5100 800GB to 1TB upgrade kit	\$ 2991
DX4104-1000	4 Channel H264 DVR with 1000GB Storage	\$ 1868
DX4104-2000	4 Channel H264 DVR with 2000GB STORAGE	\$ 2864
DX4104-250	4 Channel H264 DVR with 250GB Storage	\$ 1121
DX4104-500	4 Channel H264 DVR with 500GB Storage	\$ 1370
DX4104DVD-1000	4 Channel H264 DVR with 1000GB Storage and DVDRW	\$ 2283
DX4104DVD-250	4 Channel H264 DVR with 250GB Storage and DVDRW	\$ 1536
DX4104DVD-500	4 Channel H264 DVR with 500GB Storage and DVDRW	\$ 1785
DX4104DVD-UPG	DX4104 DVD UPGRADE KIT	\$ 415
DX4104HDD-500	DX4104 UPGRADE HDD 500GB	\$ 208
DX4708-1000	HVR/8CH/2MP/CIF/30IPS/DVD/1TB	\$ 3144
DX4708-2000	HVR/8CH/2MP/CIF/30IPS/DVD/2TB	\$ 3808
DX4708-250	HVR/8CH/2MP/4CIF/30IPS/DVD/250GB	\$ 2472
DX4708-4000	HVR/8CH/2MP/CIF/30IPS/DVD/4TB	\$ 5136

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX4708-500	HVR/8CH/2MP/CIF/3 0IPS/DVD/500GB	\$ 2696
DX4708-6000	HVR/8CH/2MP/CIF/3 0IPS/DVD/6TB	\$ 6464
DX4708-8000	HVR/8CH/2MP/CIF/3 0IPS/DVD/8TB	\$ 7792
DX4708HD-1000	8-CH, 8IP, H.264 HVR, 480 IPS @ CIF,DVDRW	\$ 4324
DX4708HD-2000	8-CH, 8IP, H.264 HVR, 480 IPS @ CIF,DVDRW	\$ 4988
DX4708HD-250	8-CH, 8IP, H.264 HVR, 480 IPS @ CIF,DVDRW	\$ 3652
DX4708HD-4000	8-CH, 8IP, H.264 HVR, 480 IPS @ CIF,DVDRW	\$ 6316
DX4708HD-500	8-CH, 8IP, H.264 HVR, 480 IPS @ CIF,DVDRW	\$ 3876
DX4708HD-6000	8-CH, 8IP, H.264 HVR, 480 IPS @ CIF,DVDRW	\$ 7644
DX4708HD-8000	8-CH, 8IP, H.264 HVR, 480 IPS @ CIF,DVDRW	\$ 8972
DX4716-1000	HVR/16CH/2MP/CIF/ 30IPS/DVD/1TB	\$ 3435
DX4716-2000	HVR/16CH/2MP/CIF/ 30IPS/DVD/2TB	\$ 4099
DX4716-250	HVR/16CH/2MP/ CIF/30IPS/DVD/250 GB	\$ 2762
DX4716-4000	HVR/16CH/2MP/CIF/ 30IPS/DVD/4TB	\$ 5427
DX4716-500	HVR/16CH/2MP/CIF/ 30IPS/DVD/500GB	\$ 2986

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX4716-6000	HVR/16CH/2MP/CIF/ 30IPS/DVD/6TB	\$ 6755
DX4716-8000	HVR/16CH/2MP/CIF/ 30IPS/DVD/8TB	\$ 8083
DX4716HD-1000	16-CH, 8IP, H.264 HVR, 480 IPS @ CIF,DVDRW	\$ 5486
DX4716HD-2000	16-CH, 8IP, H.264 HVR, 480 IPS @ CIF,DVDRW	\$ 6150
DX4716HD-250	16-CH, 8IP, H.264 HVR, 480 IPS @ CIF,DVDRW	\$ 4814
DX4716HD-4000	16-CH, 8IP, H.264 HVR, 480 IPS @ CIF,DVDRW	\$ 7478
DX4716HD-500	16-CH, 8IP, H.264 HVR, 480 IPS @ CIF,DVDRW	\$ 5038
DX4716HD-6000	16-CH, 8IP, H.264 HVR, 480 IPS @ CIF,DVDRW	\$ 8806
DX4716HD-8000	16-CH, 8IP, H.264 HVR, 480 IPS @ CIF,DVDRW	\$ 10134
DX4808-1000	HVR/8CH/2MP/4CIF/ 30IPS/DVD/1TB	\$ 3984
DX4808-2000	HVR/8CH/2MP/4CIF/ 30IPS/DVD/2TB	\$ 4648
DX4808-250	HVR/8CH/2MP/4CIF/ 30IPS/DVD/250GB	\$ 3312
DX4808-4000	HVR/8CH/2MP/4CIF/ 30IPS/DVD/4TB	\$ 5976
DX4808-500	HVR/8CH/2MP/4CIF/ 30IPS/DVD/500GB	\$ 3536
DX4808-6000	HVR/8CH/2MP/4CIF/ 30IPS/DVD/6TB	\$ 7304
DX4808-8000	HVR/8CH/2MP/4CIF/ 30IPS/DVD/8TB	\$ 8632

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX4808HD-1000	8-CH, 8IP, H.264 HVR, 480 IPS @ 4CIF,DVDRW	\$ 5164
DX4808HD-2000	8-CH, 8IP, H.264 HVR, 480 IPS @ 4CIF,DVDRW	\$ 5828
DX4808HD-250	8-CH, 8IP, H.264 HVR, 480 IPS @ 4CIF,DVDRW	\$ 4492
DX4808HD-4000	8-CH, 8IP, H.264 HVR, 480 IPS @ 4CIF,DVDRW	\$ 7156
DX4808HD-500	8-CH, 8IP, H.264 HVR, 480 IPS @ 4CIF,DVDRW	\$ 4716
DX4808HD-6000	8-CH, 8IP, H.264 HVR, 480 IPS @ 4CIF,DVDRW	\$ 8484
DX4808HD-8000	8-CH, 8IP, H.264 HVR, 480 IPS @ 4CIF,DVDRW	\$ 9812
DX4816-1000	HVR/16CH/2MP/4CI F/30IPS/DVD/1TB	\$ 4814
DX4816-2000	HVR/16CH/2MP/4CI F/30IPS/DVD/2TB	\$ 5478
DX4816-250	HVR/16CH/2MP/4CI F/30IPS/DVD/250GB	\$ 4142
DX4816-4000	HVR/16CH/2MP/4CI F/30IPS/DVD/4TB	\$ 6806
DX4816-500	HVR/16CH/2MP/4CI F/30IPS/DVD/500GB	\$ 4366
DX4816-6000	HVR/16CH/2MP/4CI F/30IPS/DVD/6TB	\$ 8134
DX4816-8000	HVR/16CH/2MP/4CI F/30IPS/DVD/8TB	\$ 9462
DX4816HD-1000	16-CH, 8IP, H.264 HVR, 480 IPS @ 4CIF,DVDRW	\$ 6866

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX4816HD-2000	16-CH, 8IP, H.264 HVR, 480 IPS @ 4CIF,DVDRW	\$ 7530
DX4816HD-250	16-CH, 8IP, H.264 HVR, 480 IPS @ 4CIF,DVDRW	\$ 6193
DX4816HD-4000	16-CH, 8IP, H.264 HVR, 480 IPS @ 4CIF,DVDRW	\$ 8858
DX4816HD-500	16-CH, 8IP, H.264 HVR, 480 IPS @ 4CIF,DVDRW	\$ 6418
DX4816HD-6000	16-CH, 8IP, H.264 HVR, 480 IPS @ 4CIF,DVDRW	\$ 10186
DX4816HD-8000	16-CH, 8IP, H.264 HVR, 480 IPS @ 4CIF,DVDRW	\$ 11514
DX8100-512RAM	512MB RAM KIT FOR 15 MIN. PRE- ALARM	\$ 171
DX8100-EXP	16 CAMERA EXPANSION KIT FOR DX8108 AND DX8116	\$ 2822
DX8100-ISCI	SCSI card for DX8108 and DX8116	\$ 847
DX8100DSP-W2K	DX8100DSP Upgrade Kit for W2K	\$ 822
DX8100DSP-XP	DX8100DSP Upgrade Kit for XPE	\$ 208
DX8100HDDI-12TB	DX8100 HDDI Storage Expansion Unit - 2250 GBConsisting of: 1 DX8100HDDI and 6 HDD2000-SATA3.	\$ 18394

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX8100HDDI-18TB	DX8100 HDDI Storage Expansion Unit - 2250 GBConsisting of: 1 DX8100HDDI and 9 HDD2000-SATA3.	\$ 23106
DX8100HDDI-24TB	DX8100 HDDI Storage Expansion Unit - 24 TB GBConsisting of: 1 DX8100HDDI and 12 HDD2000-SATA3.	\$ 27817
DX8100HDDI-6TB	DX8100 HDDI Storage Expansion Unit - 6 TB Consisting of: 1 DX8100HDDI and 3 HDD2000-SATA3.	\$ 13683
DX8108-1000	8 CH. DVR NTSC/PAL with 1 TB HDD with DVD-RW	\$ 10579
DX8108-1000A	8 Channel DVR with DVD, 1TB Storage and 8 Channel Audio	\$ 10911
DX8108-2000	8 Channel DVR with DVD, 2TB Storage	\$ 14673
DX8108-2000A	8 Channel DVR with DVD, 2TB Storage and 8 Channel Audio	\$ 15005
DX8108-2000D	8 Channel DVR with 2TB Storage Diacap	\$ 14673
DX8108-2000M	8 Channel DVR with DVD, 2TB Storage and 8 Channel MUX	\$ 15835
DX8108-2000MA	8 Channel DVR with DVD, 2TB Storage, 8 Channel Audio and 8 Channel MUX	\$ 16167

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX8108-250	8 CH. DVR NTSC/PAL with 250 GB HDD with DVD- RW	\$ 7508
DX8108-250A	8 Channel DVR with DVD, 250GB Storage and 8 Channel Audio	\$ 7840
DX8108-250D	8 CH. DVR NTSC/PAL with 250 GB HDD with DVD- RW	\$ 7508
DX8108-250M	8 Channel DVR with DVD, 250GB Storage and 8 Channel MUX	\$ 8670
DX8108-250MA	8 Channel DVR with DVD, 250GB Storage, 8 Channel Audio and 8 Channel MUX	\$ 9002
DX8108-4000	8 Channel DVR with DVD, 4TB Storage	\$ 22863
DX8108-4000A	8 Channel DVR with DVD, 4TB Storage and 8 Channel Audio	\$ 23195
DX8108-4000D	8 Channel DVR with DVD, 4TB Storage Diacap Compliant	\$ 22863
DX8108-4000M	8 Channel DVR with DVD, 4TB Storage and 8 Channel MUX	\$ 24025
DX8108-4000MA	8 Channel DVR with DVD, 4TB Storage, 8 Channel Audio and 8 Channel MUX	\$ 24357
DX8108-500	8 CH. DVR NTSC/PAL with 500 GB HDD with DVD- RW	\$ 8531

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX8108-500A	8 Channel DVR with DVD, 500GB Storage and 8 Channel Audio	\$ 8863
DX8108-500D	8 Channel DVR NTSC/PAL with 500 GB HDD with DVD-RW DIACAP	\$ 8531
DX8108-500M	8 Channel DVR with DVD, 500GB Storage and 8 Channel MUX	\$ 9693
DX8108-500MA	8 Channel DVR with DVD, 500GB Storage, 8 Channel Audio and 8 Channel MUX	\$ 10025
DX8108-6000	8 Channel DVR with DVD, 6TB Storage	\$ 31054
DX8108-6000A	8 Channel DVR with DVD, 6TB Storage and 8 Channel Audio	\$ 31386
DX8108-6000D	8 Channel DVR with DVD, 6TB Storage Diacap	\$ 31054
DX8108-6000M	8 Channel DVR with DVD, 6TB Storage and 8 Channel MUX	\$ 32216
DX8108-6000MA	8 Channel DVR with DVD, 6TB Storage, 8 Channel Audio and 8 Channel MUX	\$ 32548
DX8108-8000	8 Channel DVR with DVD, 8TB Storage	\$ 32714
DX8108-8000A	8 Channel DVR with DVD, 8TB Storage and 8 Channel Audio	\$ 33046
DX8108-8000M	8 Channel DVR with DVD, 8TB Storage and 8 Channel MUX	\$ 33876

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX8108-8000MA	8 Channel DVR with DVD, 8TB Storage, 8 Channel Audio and 8 Channel MUX	\$ 34208
DX8108-AUD	8 channel audio card for DX81XX	\$ 342
DX8108-MUX	8 CHANNEL MUX CARD FOR DX8108	\$ 1162
DX8116-1000	16 CH. DVR NTSC/PAL with 1 TB HDD with DVD-RW	\$ 12496
DX8116-1000A	16 Channel DVR with DVD, 1TB Storage and 16 Channel Audio	\$ 13160
DX8116-2000	16 Channel DVR with DVD, 2TB Storage	\$ 16590
DX8116-2000A	16 Channel DVR with DVD, 2TB Storage and 16 Channel Audio	\$ 17254
DX8116-2000D	16 Channel DVR with DVD, 2TB Storage DIACAP	\$ 16590
DX8116-2000DMA	16 Channel DVR with DVD, 2TB Storage, 16 Channel Audio and 16 Channel MUX. Diacap Compliant	\$ 18914
DX8116-2000M	16 Channel DVR with DVD, 2TB Storage and 16 Channel MUX	\$ 18250
DX8116-2000MA	16 Channel DVR with DVD, 2TB Storage, 16 Channel Audio and 16 Channel MUX	\$ 18914

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX8116-250	16 CH. DVR NTSC/PAL with 250 GB HDD with DVD- RW	\$ 9425
DX8116-250A	16 Channel DVR with DVD, 250GB Storage and 16 Channel Audio	\$ 10089
DX8116-250M	16 Channel DVR with DVD, 250GB Storage and 16 Channel MUX	\$ 11085
DX8116-250MA	16 Channel DVR with DVD, 250GB Storage, 16 Channel Audio and 16 Channel MUX	\$ 11749
DX8116-4000	16 Channel DVR with DVD, 4TB Storage	\$ 24780
DX8116-4000A	16 Channel DVR with DVD, 4TB Storage and 16 Channel Audio	\$ 25444
DX8116-4000D	16 Channel DVR with DVD, 4TB Storage - DIACAP	\$ 24780
DX8116-4000DM	16 Channel DVR with DVD, 4TB Storage and 16 Channel MUX - DIACAP	\$ 26440
DX8116-4000M	16 Channel DVR with DVD, 4TB Storage and 16 Channel MUX	\$ 26440
DX8116-4000MA	16 Channel DVR with DVD, 4TB Storage, 16 Channel Audio and 16 Channel MUX	\$ 27104

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX8116-500	16 CH. DVR NTSC/PAL with 500 GB HDD with DVD- RW	\$ 10448
DX8116-500A	16 Channel DVR with DVD, 500GB Storage and 16 Channel Audio	\$ 11112
DX8116-500D	16 CH. DVR NTSC/PAL with 500 GB HDD with DVD- RW	\$ 10448
DX8116-500M	16 Channel DVR with DVD, 500GB Storage and 16 Channel MUX	\$ 12108
DX8116-500MA	16 Channel DVR with DVD, 500GB Storage, 16 Channel Audio and 16 Channel MUX	\$ 12772
DX8116-6000	16 Channel DVR with DVD, 6TB Storage and 16 Channel MUX	\$ 32971
DX8116-6000A	16 Channel DVR with DVD, 6TB Storage and 16 Channel Audio	\$ 33635
DX8116-6000D	16 Channel DVR with DVD, 6TB Storage and 16 Channel MUX Diacap	\$ 32971
DX8116-6000M	16 Channel DVR with DVD, 6TB Storage and 16 Channel MUX	\$ 34631

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX8116-6000MA	16 Channel DVR with DVD, 6TB Storage, 16 Channel Audio and 16 Channel MUX	\$ 35295
DX8116-8000	16 Channel DVR with DVD, 8TB Storage	\$ 34631
DX8116-8000A	16 Channel DVR with DVD, 8TB Storage and 16 Channel Audio	\$ 35295
DX8116-8000M	16 Channel DVR with DVD, 8TB Storage and 16 Channel MUX	\$ 36291
DX8116-8000MA	16 Channel DVR with DVD, 8TB Storage, 16 Channel Audio and 16 Channel MUX	\$ 36955
DX8116-8000MAD	16 Channel DVR with DVD, 8TB Storage, 16 Channel Audio and 16 Channel MUX	\$ 36955
DX8116-8000MD	16 Channel DVR with DVD, 8TB Storage and 16 Channel MUX Diacap	\$ 36291
DX8116-AUD	16CHANNEL AUDIO CARD FOR DX8116	\$ 684
DX8116-MUX	16 CHANNEL MUX CARD FOR DX8116	\$ 1660
DX8124-1000	24 Channel DVR with DVD, 1TB Storage	\$ 13401

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX8124-1000A	24 Channel DVR with DVD, 1TB Storage and 24 Channel Audio	\$ 14397
DX8124-1000D	24 Channel DVR with DVD, 1TB Storage DIACAP	\$ 13401
DX8124-1000M	24 Channel DVR with DVD, 1TB Storage and 24 Channel MUX	\$ 16223
DX8124-1000MA	24 Channel DVR with DVD, 1TB Storage, 24 Channel Audio and 24 Channel MUX	\$ 17219
DX8124-2000	24 Channel DVR with DVD, 2TB Storage	\$ 17495
DX8124-2000A	24 Channel DVR with DVD, 2TB Storage and 24 Channel Audio	\$ 18491
DX8124-2000D	24 Channel DVR with DVD, 2TB Storage DIACAP	\$ 17495
DX8124-2000M	24 Channel DVR with DVD, 2TB Storage and 24 Channel MUX	\$ 20317
DX8124-2000MA	24 Channel DVR with DVD, 2TB Storage, 24 Channel Audio and 24 Channel MUX	\$ 21313
DX8124-250	24 Channel DVR with DVD, 250GB Storage	\$ 10330

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX8124-250A	24 Channel DVR with DVD, 250GB Storage and 24 Channel Audio	\$ 11326
DX8124-250M	24 Channel DVR with DVD, 250GB Storage and 24 Channel MUX	\$ 13152
DX8124-250MA	24 Channel DVR with DVD, 250GB Storage, 24 Channel Audio and 24 Channel MUX	\$ 14148
DX8124-4000	24 Channel DVR with DVD, 3TB Storage	\$ 25685
DX8124-4000A	24 Channel DVR with DVD, 4TB Storage and 24 Channel Audio	\$ 26681
DX8124-4000M	24 Channel DVR with DVD, 4TB Storage and 24 Channel MUX	\$ 28507
DX8124-4000MA	24 Channel DVR with DVD, 4TB Storage, 24 Channel Audio, and 24 Channel MUX	\$ 29503
DX8124-500	24 Channel DVR with DVD, 500GB Storage	\$ 11353
DX8124-500A	24 Channel DVR with DVD, 500GB Storage and 24 Channel Audio	\$ 12349
DX8124-500M	24 Channel DVR with DVD, 500GB Storage and 24 Channel MUX	\$ 14175

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX8124-500MA	24 Channel DVR with DVD, 500GB Storage, 24 Channel Audio and 24 Channel MUX	\$ 15171
DX8124-6000	24 Channel DVR with DVD, 6TB Storage	\$ 33876
DX8124-6000A	24 Channel DVR with DVD, 6TB Storage and 24 Channel Audio	\$ 34872
DX8124-6000M	24 Channel DVR with DVD, 6TB Storage and 24 Channel MUX	\$ 36698
DX8124-6000MA	24 Channel DVR with DVD, 6TB Storage, 24 Channel Audio and 24 Channel MUX	\$ 37694
DX8124-8000	24 Channel DVR with DVD, 8TB Storage	\$ 35536
DX8124-8000A	24 Channel DVR with DVD, 8TB Storage and 24 Channel Audio	\$ 36532
DX8124-8000M	24 Channel DVR with DVD, 8TB Storage and 24 Channel MUX	\$ 38358
DX8124-8000MA	24 Channel DVR with DVD, 8TB Storage, 24 Channel Audio and 24 Channel MUX	\$ 39354
DX8132-1000	32 Channel DVR with DVD, 1TB Storage	\$ 15318

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX8132-1000A	32 Channel DVR with DVD, 1TB Storage and 32 Channel Audio	\$ 16646
DX8132-1000M	32 Channel DVR with DVD, 1TB Storage and 32 Channel MUX	\$ 18638
DX8132-1000MA	32 Channel DVR with DVD, 1TB Storage, 32 Channel Audio and 32 Channel MUX	\$ 19966
DX8132-2000	32 Channel DVR with DVD, 2TB Storage	\$ 19412
DX8132-2000A	32 Channel DVR with DVD, 2TB Storage and 32 Channel Audio	\$ 20740
DX8132-2000D	32CH DVR 2TB DIACAP COMPLIANT	\$ 19412
DX8132-2000M	32 Channel DVR with DVD, 2TB Storage and 32 Channel MUX	\$ 22732
DX8132-2000MA	32 Channel DVR with DVD, 2TB Storage, 32 Channel Audio and 32 Channel MUX	\$ 24060
DX8132-250	32 Channel DVR with DVD, 250GB Storage	\$ 12247
DX8132-250A	32 Channel DVR with DVD, 250GB Storage and 32 Channel Audio	\$ 13575

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX8132-250M	32 Channel DVR with DVD, 250GB Storage and 32 Channel MUX	\$ 15567
DX8132-250MA	32 Channel DVR with DVD, 250GB Storage, 32 Channel Audio and 32 Channel MUX	\$ 16895
DX8132-4000	32 Channel DVR with DVD, 4TB Storage	\$ 27602
DX8132-4000A	32 Channel DVR with DVD, 4TB Storage and 32 Channel Audio	\$ 28930
DX8132-4000D	32 Channel DVR with DVD, 4TB Storage Diacap Compliant	\$ 27602
DX8132-4000M	32 Channel DVR with DVD, 4TB Storage and 32 Channel MUX	\$ 30922
DX8132-4000MA	32 Channel DVR with DVD, 4TB Storage, 32 Channel Audio and 32 Channel MUX	\$ 32250
DX8132-500	32 Channel DVR with DVD, 500GB Storage	\$ 13270
DX8132-500A	32 Channel DVR with DVD, 500GB Storage and 32 Channel Audio	\$ 14598
DX8132-500M	32 Channel DVR with DVD, 500GB Storage and 32 Channel MUX	\$ 16590

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX8132-500MA	32 Channel DVR with DVD, 500GB Storage, 32 Channel Audio and 32 Channel MUX	\$ 17918
DX8132-6000	32 Channel DVR with DVD, 6TB Storage	\$ 35793
DX8132-6000A	32 Channel DVR with DVD, 6TB Storage and 32 Channel Audio	\$ 37121
DX8132-6000D	32 Channel DVR with 6TB Storage Diacap	\$ 35793
DX8132-6000M	32 Channel DVR with DVD, 6TB Storage and 32 Channel MUX	\$ 39113
DX8132-6000MA	32 Channel DVR with DVD, 6TB Storage, 32 Channel Audio and 32 Channel MUX	\$ 40441
DX8132-8000	32 Channel DVR with DVD, 8TB Storage	\$ 37453
DX8132-8000A	32 Channel DVR with DVD, 8TB Storage and 32 Channel Audio	\$ 38781
DX8132-8000D	32CH DVR 8TB DIACAP	\$ 37453
DX8132-8000M	32 Channel DVR with DVD, 8TB Storage and 32 Channel MUX	\$ 40773

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
DX8132-8000MA	32 Channel DVR with DVD, 8TB Storage, 32 Channel Audio and 32 Channel MUX	\$ 42101
DX81SWV20XPED	DX8100 2.0D Diacap Compliance Kit	\$ 0
E1003	Ceiling mount for EH1000. 2-foot x 2-foot ceiling panel, white, for use in suspended ceiling applications. Replaces existing ceiling tile. Includes 360-degree locking rotating plate.	\$ 149
E110-0PAV21A	ImagePak® Consists of the following Pelco models: EH100-10, C20-CH-6, 13VD2.8-12.	\$ 500
E110-0PAV21AW	ImagePak® Consists of the following Pelco models: EH100-10, C20-CH-6, 13VD2.8-12, EM1450.	\$ 559
E110-0PAV21W	ImagePak® Consists of the following Pelco models: EH100-10, C20-CH-6, 13VA2.8-12, EM1450.	\$ 515
E110-0PAV2AW	ImagePak® Consists of the following Pelco models: EH100-10, C20-CH-6, 13VD2.5-6, EM1450.	\$ 629

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
E110-0PAV3AW	ImagePak® Consists of the following Pelco models: EH100-10, C20-CH-6, 13VD3-8, EM1450.	\$ 501
E110-0PAV3W	ImagePak® Consists of the following Pelco models: EH100-10, C20-CH-6, 13VA3-8, EM1450.	\$ 495
E110-0PAV50A	ImagePak® Consists of the following Pelco models: EH100-10, C20-CH-6, 13VD5-50.	\$ 606
E110-0PAV50AW	ImagePak® Consists of the following Pelco models: EH100-10, C20-CH-6, 13VD5-50, EM1450.	\$ 666
E110-0PAV50W	ImagePak® Consists of the following Pelco models: EH100-10, C20-CH-6, 13VA5-50, EM1450.	\$ 616
E110-0PAV55AW	ImagePak® Consists of the following Pelco models: EH100-10, C20-CH-6, 13VD5.5-82.5, EM1450.	\$ 760
E110-0PAV5A	ImagePak® Consists of the following Pelco models: EH100-10, C20-CH-6, 13VD5-40.	\$ 553

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
E110-0PAV5AW	ImagePak® Consists of the following Pelco models: EH100-10, C20-CH-6, 13VD5-40, EM1450.	\$ 613
E110-0PAV5W	ImagePak® Consists of the following Pelco models: EH100-10, C20-CH-6, 13VA5-40, EM1450.	\$ 598
E110-0PJV21A	ImagePak® Consists of the following Pelco models: EH100-10, C20-DW-6, 13VD2.8-12.	\$ 735
E110-0PJV21AW	ImagePak® Consists of the following Pelco models: EH100-10, C20-DW-6, 13VD2.8-12, EM1450.	\$ 795
E2020	Ceiling mount for EH2020. 2-foot x 2-foot ceiling panel, white, for use in suspended ceiling applications. Replaces existing ceiling tile. Includes 360-degree locking rotating plate.	\$ 120

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
E2100	Ceiling mount for EH2100. 2-foot x 2-foot ceiling panel, white, for use in suspended ceiling applications. Replaces existing ceiling tile. Includes 360-degree locking rotating plate.	\$ 111
E700A	Air funnel kit. Provides positive pressure air flow across face of front window to prevent dust accumulation. Use with E706, E708, E710 series, HT10V, or MT10P. Filtered compressed air supply required.	\$ 581
E706-16	Dust-tight, non-pressurized with removable front and rear plates and sun visor. Aluminum construction. 6-inch diameter and 16-inch length.	\$ 596
E706-16P	Dust-tight, non-pressurized with purge fittings, removable front and rear plates and sun visor. Aluminum construction. 6-inch diameter and 16-inch length. Requires air supply.	\$ 715

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
E706-16PS	Dust-tight, non-pressurized with purge fittings, removable front and rear plates and sun visor. Stainless steel construction. 6-inch diameter and 16-inch length. Requires air supply.	\$ 1084
E706-16S	Dust-tight, non-pressurized with removable front and rear plates and sun visor. Stainless steel construction. 6-inch diameter and 16-inch length.	\$ 974
E706V	Sun visor for E706-16, E706-16P, E706-24 and E706-24P. Aluminum construction.	\$ 60
E706VS	Sun visor for E706-16PS, E706-16S, E706-24PS and E706-24S. Stainless steel construction.	\$ 100
E716S	Sun shield for E706-16 and E706-16P. Aluminum construction.	\$ 133
E716SS	Sun shield for E706-16S and E706-16PS. Stainless steel construction.	\$ 362

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EA2010	Post equalizing video amplifier, highly effective in maintaining picture quality in runs of up to 3,000 feet of RG59 coaxial cable. 120 VAC input.	\$ 309
EA4348	Adapter plate to mount EWM to PP4348 and other Legacy® footprint mounts.	\$ 60
EB1	Camera elevation block, 1-inch height. For use with cameras having a low optical center line or using a large diameter lens.	\$ 75
ECM100	Corner adapter for EWM wall mount used in Esprit® systems.	\$ 101
EE532-06-US	EnduraXpress 32 Channel, 6TB, US Cord	\$ 19986
EE532-12-US	EnduraXpress 32 Channel, 12TB, US Cord	\$ 24966
EE532-24B-US	EnduraXpress 32ch, 24TB, 72K US Crd	\$ 30942
EE532-36-US	EnduraXpress 32channel, 36TB, US Cord	\$ 44886
EE532F-06-US	EnduraXpress FC 32 Channel, 6TB, US Cord	\$ 27539
EE532F-12-US	EnduraXpress FC 32 Channel, 12TB, US Cord	\$ 32519

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EE532F-24B-US	EnduraXpress FC 32ch 24TB 72K US	\$ 38495
EE532F-36-US	EnduraXpress FC 32channel, 36TB, US Cord	\$ 52439
EE564-06-US	EnduraXpress 64 Channel, 6TB, US Cord	\$ 24448
EE564-12-US	EnduraXpress 64 Channel, 12TB, US Cord	\$ 29428
EE564-24B-US	EnduraXpress 64ch, 24TB 72K US	\$ 35404
EE564-36-US	EnduraXpress 64 channel, 36TB, US Cord	\$ 49348
EE564F-06-US	EnduraXpress FC 64 Channel, 6TB, US Cord	\$ 32001
EE564F-12-US	EnduraXpress FC 64 Channel, 12TB, US Cord	\$ 36981
EE564F-24B-US	EnduraXpress FC 64ch, 24TB, 72K US	\$ 42957
EE564F-36-US	EnduraXpress FC 64 channel, 36TB, US Cord	\$ 56901
EH-MKIT	Marine Kit for EM1512 & EN1450 mounts	\$ 37
EH-SKIT	Security Kit for EH1512 Enclosure	\$ 25

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EH100-10	Enclosure, indoor. Economical interlocking aluminum clamshell design. Security rated with camera/lens access requiring removal of one tamper-resistant screw. 10-inch length.	\$ 116
EH100-8	Enclosure, indoor. Economical interlocking aluminum clamshell design. Security rated with camera/lens access requiring removal of one tamper-resistant screw. 8-inch length.	\$ 121
EH1000	Enclosure, indoor. Low profile wedge- style for drop ceiling applications. Hinged lower ABS plastic cover with tamper- resistant screw. Aluminum back box.	\$ 217
EH1512	Enclosure, Environmentsl, Small, Casted. Compact body length of 13.38 (base) and 14.39 (overall) inches (33.99 and 36.55 cm, respectively).	\$ 103

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EH1512-1	High Wattage EH1512 Housing for 120VAC with heater/blower and 24VAC Camera power supply	\$ 149
EH1512-1BKIT	EH1512 Blower Kit, 24V Camera PSU, 120V	\$ 66
EH1512-1HBKIT	EH1512 Heater / Blower Kit, 24V Camera PSU, 120V	\$ 70
EH1512-1L	Low Wattage EH1512 Housing for 120VAC with heater/blower and 24VAC Camera power supply built in, suitable for most low wattage cameras	\$ 154
EH1512-1LMT	Low Wattage EH1512 Housing for 120VAC with heater/blower and 24VAC Camera power supply built in and feed thru mount, suitable for most low wattage cameras	\$ 178
EH1512-1LMTS	Low Wattage EH1512 Housing for 120VAC with heater/blower and 24VAC Camera power supply built in, feed thru mount, and sun shroud, suitable for most low wattage cameras	\$ 208
EH1512-1MT	Small Environmental Enclosure with wall mount	\$ 173

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EH1512-1MTS	Small Environmental enclosure, heater / blower, 24V Camera PSU, 120V, wall mount, sunshield	\$ 199
EH1512-2	EH1512 Enclosure, 24V Heater/Blower, Camera PSU	\$ 129
EH1512-2BKIT	EH1512 Blower Kit, 24V Camera PSU, 24V	\$ 58
EH1512-2HBKIT	EH1512 Heater/Blower Kit, 24V Camera PSU, 24V	\$ 61
EH1512-2MT	Enclosure, Environmental ,Heater/Blower, 24V Camera PSU, 24V, wall mount.	\$ 154
EH1512-2MTS	Enclosure, Environmental, Heater/Blower, 24V Camera PSU, 24V, wall mount, sunshield.	\$ 183
EH1512-3MT	Environmental enclosure, heater/blower, 24V camera PSU, 230V, wall mount	\$ 173
EH1512-3MTS	Environmental enclosure, heater / blower, 24V camera PSU, 230V, wall mount, sunshield	\$ 208
EH1512MT	Small Environmental Enclosure with wall mount	\$ 121

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EH2020	Enclosure, indoor. Low profile wedge-style for drop ceiling applications. Security rated with hinged lower cover and two tamper proof screws. Aluminum back box.	\$ 166
EH2100	Enclosure, indoor. Low profile wedge-style for drop ceiling applications. Hinged lower ABS plastic cover with Phillips head screw. Aluminum back box.	\$ 171
EH2100P	Enclosure, indoor. Low profile wedge-style for drop ceiling applications. Hinged lower ABS plastic cover with Phillips head screw. Plenum rated aluminum back box.	\$ 221
EH2400	Enclosure, indoor. Medium aluminum economical design to accommodate small cube or board fixed mount cameras. Corner mount flush against the ceiling or mid-wall. Security rated.	\$ 191
EH2508	Enclosure, dust-tight and waterproof. Small aluminum cylindrical design. Meets NEMA4 and IP66 standards. 4.25-inch diameter and 8-inch length.	\$ 154

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EH2508-1	Enclosure, dust-tight and waterproof. Small aluminum cylindrical design. Meets NEMA4 and IP66 standards. Includes 120 VAC dual element 15W heater for defog/defrost. 4.25-inch diameter and 8-inch length.	\$ 226
EH2508-2	Enclosure, dust-tight and waterproof. Small aluminum cylindrical design. Meets NEMA4 and IP66 standards. Includes 24V dual element 15W heater for defog/defrost. 4.25-inch diameter and 8-inch length.	\$ 226
EH2512	Enclosure, dust-tight and waterproof. Small aluminum cylindrical design. Meets NEMA4 and IP66 standards. 4.25-inch diameter and 12-inch length.	\$ 154
EH2512-1	Enclosure, dust-tight and waterproof. Small aluminum cylindrical design. Meets NEMA4 and IP66 standards. Includes 120 VAC dual element 15W heater for defog/defrost. 4.25-inch diameter and 12-inch length.	\$ 227

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EH2512-2	Enclosure, dust-tight and waterproof. Small aluminum cylindrical design. Meets NEMA4 and IP66 standards. Includes 24V dual element 15W heater for defog/defrost. 4.25-inch diameter and 12-inch length.	\$ 227
EH2515	Enclosure, dust-tight and waterproof. Small aluminum cylindrical design. Meets NEMA4 and IP66 standards. 4.25-inch diameter and 15-inch length.	\$ 154
EH2515-1	Enclosure, dust-tight and waterproof. Small aluminum cylindrical design. Meets NEMA4 and IP66 standards. Includes 120 VAC dual element 15W heater for defog/defrost. 4.25-inch diameter and 15-inch length.	\$ 241
EH2515-2	Enclosure, dust-tight and waterproof. Small aluminum cylindrical design. Meets NEMA4 and IP66 standards. Includes 24V dual element 15W heater for defog/defrost. 4.25-inch diameter and 15-inch length.	\$ 244

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EH3010	Enclosure, small aluminum rectangular style with removable front and rear end caps. 3 inch height and 10 inch length.	\$ 141
EH3014	Enclosure, small aluminum rectangular style with removable front and rear end caps. 3 inch height and 14 inch length.	\$ 159
EH3508	Enclosure, small aluminum rectangular style with front hinged lid and rear link-lock latch. 8-inch length.	\$ 138
EH3508-1	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear link-lock latch. Thermostat controlled 10W heater and 3W continuous duty defogger. 8-inch length. 120 VAC.	\$ 274

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
EH3508-1/MT	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear latch. Thermostat controlled 10W heater and 3W continuous duty defogger. 8-inch length. Includes EM1450 wall mount. 120 VAC.	\$ 287
EH3508-2	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear link-lock latch. Thermostat controlled 10W heater and 3W continuous duty defogger. 8-inch length. 24 VAC.	\$ 274
EH3508-2/MT	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear latch. Thermostat controlled 10W heater and 3W continuous duty defogger. 8-inch length. Includes EM1450 wall mount. 24 VAC.	\$ 287

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EH3508/MT	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear link-lock latch. 8-inch length. Includes EM1450 wall mount.	\$ 168
EH3512	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear link-lock latch. 12-inch length.	\$ 146
EH3512-1	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear latch. Thermostat controlled 10W heater, 3.8W continuous duty blower and 3W continuous duty defogger. 12-inch length. 120 VAC.	\$ 354

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
EH3512-1/MT	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear latch. Thermostat controlled 10W heater, 3.8W continuous duty blower and 3W continuous duty defogger. 12-inch length. Includes EM1450 wall mount. 120 VAC.	\$ 355
EH3512-1HD	Enclosure, small aluminum rectangular style with front hinged lid and rear latch. Thermostat controlled 10W heater with 3W continuous duty defogger. 12-inch length. 120 VAC.	\$ 294
EH3512-1HD/MT	Enclosure, small rectangular style with front hinged lid and rear latch. Thermostat controlled 10W heater with 3W continuous duty defogger. 12-inch length. Includes EM1450 wall mount. 120 VAC.	\$ 304

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
EH3512-2	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear latch. Thermostat controlled 10W heater, 3.8W continuous duty blower and 3W continuous duty defogger. 12-inch length. 24 VAC.	\$ 378
EH3512-2/FMT	Enclosure, environmental with EM3512 mount. Small aluminum rectangular style with front hinged lid and rear latch. 24 VAC 40W heater and 1.9W continuous duty blower. 12-inch length.	\$ 518
EH3512-2/MT	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear latch. Thermostat controlled 10W heater, 3.8W continuous duty blower and 3W continuous duty defogger. 12-inch length. Includes EM1450 wall mount. 24 VAC.	\$ 430

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
EH3512-2HD	Enclosure, small aluminum rectangular style with front hinged lid and rear latch. Thermostat controlled 10W heater with 3W continuous duty defogger. 12-inch length. 24 VAC.	\$ 294
EH3512-2HD/FMT	Enclosure, environmental with EM3512 mount. Small rectangular style with front hinged lid and rear latch. 24 VAC thermostat controlled 10W heater with 3W continuous defroster. 12-inch length.	\$ 433
EH3512-2HD/MT	Enclosure, environmental with EM1450 mount. Small rectangular style with front hinged lid and rear latch. 24 VAC thermostat controlled 10W heater with 3W continuous defroster. 12-inch length.	\$ 304

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EH3512-3/FMT	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear latch. Thermostat controlled 10W heater, 3.8W continuous duty blower and 3W continuous duty defogger. 12-inch length. Includes EM3512 feed through mount. 230 VAC.	\$ 518
EH3512/FMT	Enclosure, environmental with EM3512 mount. Small aluminum rectangular style with front hinged lid and rear link-lock latch. 12-inch length.	\$ 286
EH3512/MT	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear link-lock latch. 12-inch length. Includes EM1450 wall mount.	\$ 178
EH3515	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear link-lock latch. 15-inch length.	\$ 161

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



Model Number	Description	MSRP
EH3515-1	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear latch. Two thermostat controlled 10W heaters, 3.8W continuous duty blower and 3W continuous duty defogger. 15-inch length. 120 VAC.	\$ 370
EH3515-1/MT	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear latch. Two thermostat controlled 10W heaters, 3.8W continuous duty blower and 3W continuous duty defogger. 15-inch length. Includes EM1450 wall mount. 120 VAC.	\$ 372
EH3515-1HD	Enclosure, small aluminum rectangular style with front hinged lid and rear latch. Two thermostat controlled 10W heaters with 3W continuous duty defogger. 15-inch length. 120 VAC.	\$ 339

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
EH3515-1HD/MT	Enclosure, environmental, small rectangular style with front hinged lid and rear latch. Two thermostat controlled 10W heaters and 3W continuous duty defogger. 15-inch length. Includes EM1450 wall mount. 120 VAC.	\$ 344
EH3515-2	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear latch. Two thermostat controlled 10W heaters, 3.8W continuous duty blower and 3W continuous duty defogger. 15-inch length. 24 VAC.	\$ 395
EH3515-2/MT	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear latch. Two thermostat controlled 10W heaters, 3.8W continuous duty blower and 3W continuous duty defogger. 15-inch length. Includes EM1450 wall mount. 24 VAC.	\$ 393

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
EH3515-2HD	Enclosure, small aluminum rectangular style with front hinged lid and rear latch. Two thermostat controlled 10W heaters with 3W continuous duty defogger. 15-inch length. 24 VAC.	\$ 339
EH3515-2HD/MT	Enclosure, environmental, small rectangular style with front hinged lid and rear latch. Two thermostat controlled 10W heaters and 3W continuous duty defogger. 15-inch length. Includes EM1450 wall mount. 24 VAC.	\$ 344
EH3515/MT	Enclosure, environmental, small aluminum rectangular style with front hinged lid and rear link-lock latch. 15-inch length. Includes EM1450 wall mount.	\$ 193
EH4010	Enclosure, environmental, small aluminum rectangular style with removable front and rear end caps. 4-inch height and 10-inch length.	\$ 161

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EH4014	Enclosure, indoor. Medium aluminum rectangular style with removable front and rear end caps. 4-inch height and 14-inch length.	\$ 191
EH4712DB	Enclosure, indoor. Medium aluminum rectangular style with front hinged drop bottom and quarter-turn wing latch on bottom. 12-inch length.	\$ 274
EH4712DB-1	Enclosure, indoor. Medium aluminum rectangular style with front hinged drop bottom and quarter-turn wing latch on bottom. 120 VAC 60W heater and 8W blower. 12-inch length.	\$ 455
EH4712DB-2	Enclosure, indoor. Medium aluminum rectangular style with front hinged drop bottom and quarter-turn wing latch on bottom. 24 VAC 50W heater and 8W blower. 12-inch length.	\$ 475
EH4718	Enclosure, indoor. Medium aluminum rectangular style with front hinged lid and rear link-lock latch. 18-inch length.	\$ 282

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EH4718-1	Enclosure, indoor. Medium aluminum rectangular style with front hinged lid and rear link-lock latch. 120 VAC thermostat controlled 60W heater and 8W blower. 18-inch length.	\$ 442
EH4718-2	Enclosure, indoor. Medium aluminum rectangular style with front hinged lid and rear link-lock latch. 24 VAC thermostat controlled 60W heater and 8W blower. 18-inch length.	\$ 461
EH4718DB	Enclosure, indoor. Medium aluminum rectangular style with front hinged drop bottom and quarter-turn wing latch on bottom. 18-inch length.	\$ 286
EH4718DB-1	Enclosure, indoor. Medium aluminum rectangular style with front hinged drop bottom and quarter-turn wing latch on bottom. 120 VAC 60W heater and 8W blower. 18-inch length.	\$ 475

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
EH4718DB-2	Enclosure, indoor. Medium aluminum rectangular style with front hinged drop bottom and quarter-turn wing latch on bottom. 24 VAC 50W heater and 8W blower. 18-inch length.	\$ 503
EH4718L-1	Enclosure, indoor. Medium aluminum rectangular style with RediLINK® pre-wired connector. 120 VAC heater and blower. Use with PT480 or PT780 series Legacy® pan/tilt. 18-inch length.	\$ 611
EH4718L-2	Enclosure, indoor. Medium aluminum rectangular style with RediLINK® pre-wired connector. 24 VAC heater and blower. Use with PT480 or PT780 series Legacy® pan/tilt. 18-inch length.	\$ 634
EH4722	Enclosure, indoor. Medium aluminum rectangular style with front hinged lid and rear link-lock latch. 22-inch length.	\$ 295

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
EH4722-1	Enclosure, indoor. Medium aluminum rectangular style with front hinged lid and rear link-lock latch. 120 VAC thermostat controlled 60W heater and 8W blower. 22-inch length.	\$ 491
EH4722-2	Enclosure, indoor. Medium aluminum rectangular style with front hinged lid and rear link-lock latch. 24 VAC thermostat controlled 60W heater and 8W blower. 22-inch length.	\$ 510
EH4722L-2	Enclosure, indoor. Medium aluminum rectangular style with RediLINK® pre-wired connector. 24 VAC heater and blower. Use with PT480 or PT780 series Legacy® pan/tilt. 22-inch length.	\$ 686
EH5723	Enclosure, environmental. Enclosure, environmental. Large aluminum rectangular style with front hinged lid and rear link-lock latch. 23-inch length.	\$ 415

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
EH5723-1	Enclosure, environmental. Large aluminum rectangular style with front hinged lid and rear link-lock latch. 120 VAC thermostat controlled 90W heater and 15W blower. 23-inch length.	\$ 637
EH5723-2	Enclosure, environmental. Large aluminum rectangular style with front hinged lid and rear link-lock latch. 24 VAC thermostat controlled 90W heater and 15W blower. 23-inch length.	\$ 657
EH5723L-1	Enclosure, environmental. Large aluminum rectangular style with RediLINK® pre-wired connector. 120 VAC heater and blower. Use with PT780 series Legacy® pan/tilt. 23-inch length.	\$ 760
EH5723L-2	Enclosure, environmental. Large aluminum rectangular style with RediLINK® pre-wired connector. 24 VAC heater and blower. Use with PT780 series Legacy® pan/tilt. 23-inch length.	\$ 785

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EH5729	Enclosure, environmental. Large aluminum rectangular style with front hinged lid and rear link-lock latch. 29-inch length.	\$ 450
EH5729-1	Enclosure, environmental. Large aluminum rectangular style with front hinged lid and rear link-lock latch. 120 VAC thermostat controlled 90W heater and 15W blower. 29-inch length.	\$ 694
EH5729-2	Enclosure, environmental. Large aluminum rectangular style with front hinged lid and rear link-lock latch. 24 VAC thermostat controlled 90W heater and 15W blower. 29-inch length.	\$ 717
EH8000RKIT	Dry Nitrogen Recharging Kit for the EH8100 or EH8106L pressurized enclosure series. Non Returnable.	\$ 677
EH8006ORKIT	O-ring kit for the EH8106 or EH8106L pressurized enclosure. Includes desiccant bags.	\$ 30
EH8104-1	Enclosure 4 in pressurized 120VAC	\$ 1154

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EH8104-3	Enclosure 4 in pressurized 230VAC	\$ 1154
EH8106-1	Enclosure 6 in pressurized 120VAC	\$ 1218
EH8106-3	Enclosure 6 in pressurized 230VAC	\$ 1218
EH8106L	Enclosure, environmental, pressurized. Aluminum, 6-inch inside diameter. w/ removable rear plate, lens preset capabilities, heaters. RediLINK® pre-wired connectors. Use w/ Legacy® PT780 pan/tilt. 20-inch length.	\$ 1277
EHX4E	Enclosure, explosion -proof, dust-tight and waterproof. Aluminum with removable rear plate. Two explosion-proof sealable fittings supplied. 4-inch diameter and 12-inch length. IP66 rated.	\$ 1897
EHX6E	Enclosure, explosion -proof, dust-tight and waterproof. Aluminum with removable rear plate. Two explosion-proof sealable fittings supplied. 6-inch diameter and 24-inch length. IP66 rated.	\$ 2128

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EHX6E-16	Enclosure, explosion-proof, dust-tight and waterproof. Aluminum with removable rear plate. Two explosion-proof sealable fittings supplied. 6-inch diameter and 16-inch length. IP66 rated.	\$ 2020
EHX8E	Enclosure, explosion-proof, dust-tight and waterproof. Aluminum with removable rear plate. Two explosion-proof sealable fittings supplied. 8-inch diameter and 26-inch length. IP66 rated.	\$ 2656
EHX8EORKIT	O-ring kit for the EHX8E explosion-proof enclosure. Includes O-rings, desiccant and lubricant.	\$ 60
EHXM3036-2	ExSite® Explosion proof Camera System, 24 VAC, Day/Night, 36X Optical and 10x digital Zoom, 470 line Color LowLight, NTSC	\$ 12528
EHXM3036-7	ExSite® Explosion proof Camera System, 100-240 VAC, Day/Night, 36X Optical and 10x digital Zoom, 470 line Color LowLight, NTSC	\$ 12528

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EHXM31	Explosionproof camera enclosures designed to meet rigorous requirements of explosionproof and dust-ignitionproof electrical equipment for installation and use in hazardous locations.	\$ 3987
EHXM3136-2	ExSite® Explosion proof Camera System, 24 VAC, Day/Night, 36X Optical and 10x digital Zoom, 470 line Color LowLight, NTSC, with Wiper	\$ 13014
EHXM3136-7	ExSite® Explosion proof Camera System, 100-240 VAC, Day/Night, 36X Optical and 10x digital Zoom, 470 line Color LowLight, NTSC, with Wiper	\$ 13014
EHXME036-2	ExSite® EX/ATEX H.264 Fixed 24V 36X NTSC	\$ 13755
EHXME036-7	ExSite® EX/ATEX H.264 Fixed 100/240V 36X NTSC	\$ 13755
EHXME136-2	ExSite® EX/ATEX H.264 Fixed 24V 36X Wiper NTSC	\$ 14239
EHXME136-7	ExSite® EX/ATEX H.264 Fixed 100/240V 36X Wiper NTSC	\$ 14239

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EM1009U	Medium-duty ceiling/pedestal mount, 9-inch height, with adjustable swivel head and cable feedthrough hole. Supports up to 40 lbs. For enclosures with 2-inch mounting hole pattern.	\$ 83
EM1015U	Medium-duty ceiling/pedestal mount, 15-inch height, with adjustable swivel head and cable feedthrough hole. Supports up to 40 lbs. For enclosures with 2-inch mounting hole pattern.	\$ 105
EM1109	Medium-duty pedestal mount with manually adjustable swivel head. For enclosures with 2-inch mounting hole pattern. Primarily for mounting on horizontal pipes or poles.	\$ 83
EM1450	Light-duty wall mount for use with EH3500 series enclosures.	\$ 60
EM1512	Wall mount with feedthrough for EH1512 (tilt angle of +20° to -70°), sustains wind velocity up to 90 mph.	\$ 35

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EM1900U	Medium-duty 90-degree wall mount with manually adjustable swivel head and cable feedthrough hole. Extends 15.45-inch from wall. Supports up to 40 lbs. 2-inch mounting hole pattern.	\$ 129
EM2000	Medium-duty 90-degree J mount for mounting to a vertical pipe or pole. Manually adjustable swivel head. For enclosures with 2-inch mounting hole pattern.	\$ 126
EM22	Medium-duty wall mount for enclosures with 2-inch hole pattern and light- to medium-weight cameras. Manually adjustable swivel head. Supports up to 40 lbs.	\$ 126
EM2200	Medium-duty hook mount for mounting to a horizontal pipe or pole. Manually adjustable swivel head. For enclosures with 2-inch mounting hole pattern.	\$ 126

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EM2400	Light-duty wall mount with cable feedthrough hole and manually adjustable swivel head. Use with EH3010/EH3014 or EH4010/EH4014/EH4018 enclosures and light- to medium-weight cameras.	\$ 88
EM3000	Light-duty ceiling J mount for use with EH3010, EH3014, EH4010, EH4014 enclosures, or light- to medium-weight cameras. Supports up to 20 lbs.	\$ 129
EM3512	Wall mount, feedthrough for EH3512 24V	\$ 139
EM4400	Light-duty wall mount with manually adjustable swivel head and cable feedthrough hole. Use with EH3010/EH3014 or cameras. Supports up to 15 lbs.	\$ 75
EM4450	Light-duty wall mount with manually adjustable swivel head and cable feedthrough hole (coax, 2-conductor, for camera power). For use with lightweight cameras only.	\$ 91
ENC5400-4PORT	4 Port Host Card	\$ 224

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ENC5416-US	16 Channel H.264 Direct-attach Encoder US Power	\$ 2490
ENDURA2URAILKIT	Endura 2U Rail Kit	\$ 125
EPM	Pole adapter for Esprit® systems. Adapts any wall mounted Esprit® system (models which include the EWM wall mount) for pole mounting applications.	\$ 105
EPP	Esprit® Pedestal Plate for ES30 and ES31 Series Esprit® systems.	\$ 35
EPS5000-120	External / Redundant Power Supply, 2 x 120W	\$ 925
ERD2200	Outdoor Coaxitron® receiver, NTSC/PAL.	\$ 1064
ERD97P21-U	Receiver, indoor/outdoor. Interfaces between system 9760® and 24/120/230 VAC pan and tilt devices. Allows up to 80 presets, random scan and frame scan. Has one relay output. NEMA4X rated housing.	\$ 1165

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ES-MKIT	The ES-MKIT marine kit is designed to protect the Esprit® Series positioning system from galvanic corrosion by electrically isolating the system from the mounting structure.	\$ 40
ES-REPLBLADE-10	Esprit® 10-piece wiper blade replacement.	\$ 55
ES-REPLBLADE-2	Esprit® 2-piece wiper blade replacement.	\$ 17
ES3012-2	Esprit® pan/tilt, outdoor enclosure and receiver. 24 VAC, 50/60 Hz primary input. Does not include camera/lens or mount.	\$ 2970
ES3012-2N	Esprit® ImagePak®. Consists of the following Pelco models: ES3012-2, EPP. 24 VAC.	\$ 3005
ES3012-2PAZ10N	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-CH-6, 13ZD6X10, EPP.	\$ 3933
ES3012-2PAZ10PN	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-CH-6, 13ZD6X10P, EPP.	\$ 4074

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ES3012-2PAZ10PW	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-CH-6, 13ZD6X10P, EWM.	\$ 4120
ES3012-2PAZ10W	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-CH-6, 13ZD6X10, EWM.	\$ 3979
ES3012-2PAZ20N	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-CH-6, 13ZD5.6X20, EPP.	\$ 4588
ES3012-2PAZ20PN	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-CH-6, 13ZD5.6X20P, EPP.	\$ 4759
ES3012-2PAZ20PW	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-CH-6, 13ZD5.6X20P, EWM.	\$ 4806
ES3012-2PAZ20W	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-CH-6, 13ZD5.6X20, EWM.	\$ 4635

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ES3012-2PAZ30N	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-CH-6, 13ZD5.5X30, EPP.	\$ 5566
ES3012-2PAZ30PN	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-CH-6, 13ZD5.5X30P, EPP.	\$ 5669
ES3012-2PAZ30PW	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-CH-6, 13ZD5.5X30P, EWM.	\$ 5715
ES3012-2PAZ30W	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-CH-6, 13ZD5.5X30, EWM.	\$ 5612
ES3012-2PJZ10	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZV6X10.	\$ 4133
ES3012-2PJZ10N	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZD6X10, EPP.	\$ 4168

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ES3012-2PJZ10P	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZV6X10P.	\$ 4275
ES3012-2PJZ10PN	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZD6X10P, EPP.	\$ 4309
ES3012-2PJZ10PW	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZD6X10P, EWM.	\$ 4356
ES3012-2PJZ10W	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZD6X10, EWM.	\$ 4215
ES3012-2PJZ20	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZD5.6X20.	\$ 4789
ES3012-2PJZ20N	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZD5.6X20, EPP.	\$ 4824
ES3012-2PJZ20P	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZD5.6X20P.	\$ 4960

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ES3012-2PJZ20PN	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZD5.6X20P, EPP.	\$ 4995
ES3012-2PJZ20PW	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZD5.6X20P, EWM.	\$ 5041
ES3012-2PJZ20W	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZD5.6X20, EWM.	\$ 4870
ES3012-2PJZ30	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZD5.5X30.	\$ 5767
ES3012-2PJZ30N	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZD5.5X30, EPP.	\$ 5802
ES3012-2PJZ30P	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZD5.5X30P.	\$ 5870

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ES3012-2PJZ30PN	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZD5.5X30P, EPP.	\$ 5905
ES3012-2PJZ30PW	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZD5.5X30P, EWM.	\$ 5951
ES3012-2PJZ30W	Esprit® ImagePak® Consists of the following Pelco models: ES3012-2, C20-DW-6, 13ZD5.5X30, EWM.	\$ 5848
ES3012-2W	Esprit® ImagePak®. Consists of the following Pelco models: ES3012-2, EWM. 24 VAC.	\$ 3051
ES3012-5	Esprit® pan/tilt, environmental enclosure and receiver. 115/230 VAC, 50/60 Hz primary input. Does not include camera/lens or mount.	\$ 2970
ES3012-5N	Esprit® ImagePak®. Consists of the following Pelco models: ES3012-5, EPP. 115/230 VAC.	\$ 3005

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ES3012-5PAZ10N	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-CH-6, 13ZD6X10, EPP.	\$ 3933
ES3012-5PAZ10PN	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-CH-6, 13ZD6X10P, EPP.	\$ 4074
ES3012-5PAZ10PW	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-CH-6, 13ZD6X10P, EWM.	\$ 4120
ES3012-5PAZ10W	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-CH-6, 13ZD6X10, EWM.	\$ 3979
ES3012-5PAZ20N	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-CH-6, 13ZD5.6X20, EPP.	\$ 4588
ES3012-5PAZ20P	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-CH-6, 13ZD5.6X20P.	\$ 4724
ES3012-5PAZ20PN	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-CH-6, 13ZD5.6X20P, EPP.	\$ 4759

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ES3012-5PAZ20PW	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-CH-6, 13ZD5.6X20P, EWM.	\$ 4806
ES3012-5PAZ20W	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-CH-6, 13ZD5.6X20, EWM.	\$ 4635
ES3012-5PAZ30N	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-CH-6, 13ZD5.5X30, EPP.	\$ 5566
ES3012-5PAZ30P	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-CH-6, 13ZD5.5X30P	\$ 5634
ES3012-5PAZ30PN	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-CH-6, 13ZD5.5X30P, EPP.	\$ 5669
ES3012-5PAZ30PW	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-CH-6, 13ZD5.5X30P, EWM.	\$ 5715

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ES3012-5PAZ30W	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-CH-6, 13ZD5.5X30, EWM.	\$ 5612
ES3012-5PJZ10N	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-DW-6, 13ZD6X10, EPP	\$ 4168
ES3012-5PJZ10PN	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-DW-6, 13ZD6X10P, EPP.	\$ 4309
ES3012-5PJZ10PW	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-DW-6, 13ZD6X10P, EWM.	\$ 4356
ES3012-5PJZ10W	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-DW-6, 13ZD6X10, EWM.	\$ 4215
ES3012-5PJZ20N	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-DW-6, 13ZD5.6X20, EPP.	\$ 4824
ES3012-5PJZ20P	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-DW-6, 12ZD5.6X20P.	\$ 4960

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ES3012-5PJZ20PN	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-DW-6, 13ZD5.6X20P, EPP.	\$ 4995
ES3012-5PJZ20PW	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-DW-6, 13ZD5.6X20P, EWM.	\$ 5041
ES3012-5PJZ20W	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-DW-6, 13ZD5.6X20, EWM.	\$ 4870
ES3012-5PJZ30N	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-DW-6, 13ZD5.5X30, EPP.	\$ 5802
ES3012-5PJZ30P	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-DW-6, 13ZD5.5X30P, ESTX-5.	\$ 5870
ES3012-5PJZ30PN	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-DW-6, 13ZD5.5X30P, EPP.	\$ 5905

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ES3012-5PJZ30PW	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-DW-6, 13ZD5.5X30P, EWM.	\$ 5951
ES3012-5PJZ30W	Esprit® ImagePak® Consists of the following Pelco models: ES3012-5, C20-DW-6, 13ZD5.5X30, EWM.	\$ 5848
ES3012-5W	Esprit® Wall Mount System. Consists of the following Pelco models: ES3012-5, EWM. 115/230 VAC.	\$ 3051
ES4036-2N	Consists of: ESPT40, ESTX-2, ESIOP36 AND EPP.	\$ 4603
ES4036-2W	Consists of: ESPT40, ESTX-2, ESIOP36 AND EWM.	\$ 4646
ES4036-5N	Consists of: ESPT40, ESTX-5, ESIOP36 AND EPP.	\$ 4603
ES4036-5W	Consists of: ESPT40, ESTX-5, ESIOP36 AND EWM.	\$ 4646
ES40E36-2N	Consists of: ESPT40, ESTX-2, ESIOP 36, TXB-N AND EPP	\$ 5211
ES40E36-2W	Consists of: ESPT40, ESTX-2, ESIOP 36, TXB-N AND EWM.	\$ 5254

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ES40E36-5N	Consists of: ESPT40, ESTX-5, ESIOP 36, TXB-N AND EPP.	\$ 5211
ES40E36-5W	Consists of: ESPT40, ESTX-5, ESIOP 36, TXB-N AND EWM.	\$ 5254
ES40EP36-2N	Consists of: ESPT40P, ESTX-2, IOC-36 AND EPP.	\$ 6457
ES40EP36-2W	Consists of: ESPT40P, ESTX-2, IOC-36, TXB-N AND EWM.	\$ 6497
ES40EP36-5N	Consists of: ESPT40P, ESTX-5, IOC-36, TXB-N AND EPP.	\$ 6457
ES40EP36-5W	Consists of: ESPT40P, ESTX-5, IOC-36, TXB-N AND EWM.	\$ 6497
ES40P36-2N	Consists of: ESPT40P, ESTX-2, IOC-36 AND EPP.	\$ 5850
ES40P36-2W	Consists of: ESPT40P, ESTX-2, IOC-36 AND EWM.	\$ 5890
ES40P36-5N	Consists of: ESPT40P, ESTX-5, IOC-36 AND EPP.	\$ 5850
ES40P36-5W	Consists of: ESPT40P, ESTX-5, IOC-36 AND EWM.	\$ 5890
ES4136-2N	Consists of: ESPT41, ESIOP36 AND EPP.	\$ 4844

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ES4136-2W	Consists of: ESPT41, ESTX-2. ESIOP36 AND EWM.	\$ 4885
ES4136-5N	Consists of: ESPT41, ESTX-5. ESIOP36 AND EPP.	\$ 4844
ES4136-5W	Consists of: ESPT41, ESTX-5. ESIOP36 AND EWM.	\$ 4885
ES41E36-2N	Consists of: ESPT41, ESIOP 36, TXB-N AND EPP.	\$ 5451
ES41E36-2W	Consists of: ESPT41, ESTX-2. ESIOP 36, TXB-N AND EWM.	\$ 5493
ES41E36-5N	Consists of: ESPT41, ESTX-5. ESIOP 36, TXB-N AND EPP.	\$ 5451
ES41E36-5W	Consists of: ESPT41, ESTX-5. ESIOP 36, TXB-N AND EWM.	\$ 5493
ES41EP36-2N	Consists of: ESPT41P, ESTX-2, IOC-36, TXB-N and EPP.	\$ 6698
ES41EP36-2W	Consists of: ESPT41P, ESTX-2, IOC-36, TXB-N and EWM.	\$ 6738
ES41EP36-5N	Consists of: ESPT41P, ESTX-5, IOC-36, TXB-N and EPP.	\$ 6698

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ES41EP36-5W	Consists of: ESPT41P, ESTX-5, IOC-36 and, TXB-N EWM.	\$ 6738
ES41P36-2N	Consists of: ESPT41P, ESTX-2, IOC-36 and EPP.	\$ 6091
ES41P36-2W	Consists of: ESPT41P, ESTX-2, IOC-36 and EWM.	\$ 6130
ES41P36-5N	Consists of: ESPT41P, ESTX-5, IOC-36 and EPP.	\$ 6091
ES41P36-5W	Consists of: ESPT41P, ESTX-5, IOC-36 and EWM.	\$ 6130
ESIOP36	Esprit® Prsized Camera Module 36X Hi Res Wiper NTSC	\$ 1831
ESTI3100-2N	Sarix Thermal Imaging Esprit Positioning System 384x288 with 100mm Lens IP or NTSC 24VAC Pedestal Mount	\$ 34860
ESTI3100-2W	Sarix Thermal Imaging Esprit Positioning System 384x288 with 100mm Lens IP or NTSC 24VAC Wall Mount	\$ 34860
ESTI3100-5N	Sarix Thermal Imaging Esprit Positioning System 384x288 with 100mm Lens IP or NTSC 110-230VAC Pedestal Mount	\$ 34860

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ESTI3100-5W	Sarix Thermal Imaging Esprit Positioning System 384x288 with 100mm Lens IP or NTSC 110-230VAC Wall Mount	\$ 34860
ESTI314-2N	Sarix Thermal Imaging Esprit Positioning System 384x288 with 14.25mm Lens IP or NTSC 24VAC Pedestal Mount	\$ 19918
ESTI314-2W	Sarix Thermal Imaging Esprit Positioning System 384x288 with 14.25mm Lens IP or NTSC 24VAC Wall Mount	\$ 19918
ESTI314-5N	Sarix Thermal Imaging Esprit Positioning System 384x288 with 14.25mm Lens IP or NTSC 110-230VAC Pedestal Mount	\$ 19918
ESTI314-5W	Sarix Thermal Imaging Esprit Positioning System 384x288 with 14.25mm Lens IP or NTSC 110-230VAC Wall Mount	\$ 19918
ESTI335-2N	Sarix Thermal Imaging Esprit Positioning System 384x288 with 35mm Lens IP or NTSC 24VAC Pedestal Mount	\$ 25398

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ESTI335-2W	Sarix Thermal Imaging Esprit Positioning System 384x288 with 35mm Lens IP or NTSC 24VAC Wall Mount	\$ 25398
ESTI335-5N	Sarix Thermal Imaging Esprit Positioning System 384x288 with 35mm Lens IP or NTSC 110-230VAC Pedestal Mount	\$ 25398
ESTI335-5W	Sarix Thermal Imaging Esprit Positioning System 384x288 with 35mm Lens IP or NTSC 110-230VAC Wall Mount	\$ 25398
ESTI350-2N	Sarix Thermal Imaging Esprit Positioning System 384x288 with 50mm Lens IP or NTSC 24VAC Pedestal Mount	\$ 29878
ESTI350-2W	Sarix Thermal Imaging Esprit Positioning System 384x288 with 50mm Lens IP or NTSC 24VAC Wall Mount	\$ 29878
ESTI350-5N	Sarix Thermal Imaging Esprit Positioning System 384x288 with 50mm Lens IP or NTSC 110-230VAC Pedestal Mount	\$ 29878

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ESTI350-5W	Sarix Thermal Imaging Esprit Positioning System 384x288 with 50mm Lens IP or NTSC 110-230VAC Wall Mount	\$ 29878
ESTI6100-2N	Pre-Sale - Available October 2012. Sarix Thermal Imaging Esprit Positioning System 640X480 with 100mm Lens IP or NTSC 24VAC Pedestal Mount	\$ 46146
ESTI6100-2W	Pre-Sale - Available October 2012. Sarix Thermal Imaging Esprit Positioning System 640X480 with 100mm Lens IP or NTSC 24VAC Wall Mount	\$ 46146
ESTI6100-5N	Pre-Sale - Available October 2012. Sarix Thermal Imaging Esprit Positioning System 640X480 with 100mm Lens IP or NTSC 110-230VAC Pedestal Mount	\$ 46146
ESTI6100-5W	Pre-Sale - Available October 2012. Sarix Thermal Imaging Esprit Positioning System 640X480 with 100mm Lens IP or NTSC 110-230VAC Wall Mount	\$ 46146

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ESTI635-2N	Pre-Sale - Available October 2012. Sarix Thermal Imaging Esprit Positioning System 640X480 with 35mm Lens IP or NTSC 24VAC Pedestal Mount	\$ 31538
ESTI635-2W	Pre-Sale - Available October 2012. Sarix Thermal Imaging Esprit Positioning System 640X480 with 35mm Lens IP or NTSC 24VAC Wall Mount	\$ 31538
ESTI635-5N	Pre-Sale - Available October 2012. Sarix Thermal Imaging Esprit Positioning System 640X480 with 35mm Lens IP or NTSC 110- 230VAC Pedestal Mount	\$ 31538
ESTI635-5W	Pre-Sale - Available October 2012. Sarix Thermal Imaging Esprit Positioning System 640X480 with 35mm Lens IP or NTSC 110- 230VAC Wall Mount	\$ 31538
ESTI650-2N	Pre-Sale - Available October 2012. Sarix Thermal Imaging Esprit Positioning System 640X480 with 50mm Lens IP or NTSC 24VAC Pedestal Mount	\$ 37016

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ESTI650-2W	Pre-Sale - Available October 2012. Sarix Thermal Imaging Esprit Positioning System 640X480 with 50mm Lens IP or NTSC 24VAC Wall Mount	\$ 37016
ESTI650-5N	Pre-Sale - Available October 2012. Sarix Thermal Imaging Esprit Positioning System 640X480 with 50mm Lens IP or NTSC 110-230VAC Pedestal Mount	\$ 37016
ESTI650-5W	Pre-Sale - Available October 2012. Sarix Thermal Imaging Esprit Positioning System 640X480 with 50mm Lens IP or NTSC 110-230VAC Wall Mount	\$ 37016
ESTXE-2	Esprit IP Retrofit 24VAC Power Module	\$ 1295
ESTXE-5	Esprit IP Retrofit 120/240VAC Power Module	\$ 1295
EWM	Wall mount for Esprit® systems. Provides indoor and outdoor wall mounting to any vertical load bearing surface. Use optional adapter, EPM, for pole mounting applications.	\$ 81

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
EXAC	ExSite armored cable interface caox/UPT	\$ 2538
FD-SC	Service cable for Dome cameras 2 PIN to BNC terminal	\$ 42
FD1-F4-4	Dome Fix Economy Indoor 12V NTSC 3.6 Lens	\$ 133
FD1-IRF4-4	Dome Fix Economy Indoor IR Illumination 12V NTSC 3.6 Lens	\$ 232
FD1-IRV9-4	Dome Fix Economy Indoor IR Illumination 12V NTSC 3-9 Lens	\$ 332
FD2-DV10-6	Dome Fix Standard Indoor 12/24V D/N NTSC 2.8-10.5 Lens	\$ 374
FD2-DWV10-6	Dome Fix Standard Indoor 12/24V D/N W NTSC 2.8-10.5 Lens	\$ 473
FD2-F4-6	Dome Fix Standard Indoor 12/24V NTSC 3.6 Lens	\$ 199
FD2-IRV10-6	Dome Fix Standard Indoor 12/24V IR Illumination NTSC 2.8-10.5 Lens	\$ 440
FD2-V10-6	Dome Fix Standard Indoor 12/24V NTSC 2.8-10.5 Lens	\$ 249
FD5-DV10-6	Dome Fix Standard Outdoor 12/24V D/N NTSC 2.8-10.5 Lens	\$ 415
FD5-IRV10-6	Dome Fix Standard Outdoor 12/24V IR Illumination NTSC 2.8-10.5 Lens	\$ 440

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FD5-V9-6	Dome Fix Standard Outdoor 12/24V NTSC 3-9 Lens	\$ 332
FEXTPS	FIBER EXT PWR SUP 100 240VAC 9V2AMP EU US UK Aus	\$ 18
FEXTPS-48V	FIBER EXT PWR SUP,CNGE2MCPOE M	\$ 141
FKIT-DF5DF8	FIBER MOUNT KIT FOR DF5DF8, USE WITH FTV10M MINI MODULE	\$ 13
FKIT-EH2500	FIBER MOUNT KIT FOR EH2500, USE WITH FTV10M MINI MODULE	\$ 13
FKIT-EH3500	FIBER MOUNT KIT FOR EH3500, USE WITH FTV10M MINI MODULE	\$ 20
FLDSUPPORT	Field support per day charge as specified with Pelco's product support team contact proservices@pelco.c om for details	\$ 2490
FMCI-AF1MM1ST	G-MEDIA CNVRT-A 100M MM 1CH ST	\$ 706
FMCI-AF1MM1STM	G-MEDIA CNVRT-A 100M MM 1CH,ST MINI	\$ 581
FMCI-AF1SM1ST	G-MEDIA CNVRT-A 100M SM 1CH ST	\$ 697
FMCI-AF1SM1STM	G-MEDIA CNVRT-A 100M SM 1CH,ST MINI	\$ 830
FMCI-BF1MM1ST	G-MEDIA CNVRT-B 100M MM 1CH ST	\$ 706

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FMCI-BF1MM1STM	G-MEDIA CNVRT-B 100M MM 1CH,ST MINI	\$ 581
FMCI-BF1SM1ST	G-MEDIA CNVRT-B 100M SM 1CH ST	\$ 697
FMCI-BF1SM1STM	G-MEDIA CNVRT-B 100M SM 1CH,ST MINI	\$ 830
FMCI-PF1	G-MEDIA CNVRT- SEP 100M 1CH	\$ 706
FMCI-PF1M	G-MEDIA CNVRT- SFP 100M 1CH MINI	\$ 706
FMCI-PF1POE	G-MEDIA CNVRT- SFP 100M 1CH POE	\$ 830
FMCI-PF2	G-MEDIA CNVRT- SFP 100M 2CH	\$ 996
FMCI-PG1	G-MEDIA CNVRT- SFP 1000M 1CH	\$ 1121
FMCI-PG1M	G-MEDIA CNVRT- SFP 1000M ICH MINI	\$ 1121
FMCI-PG1POE	G-MEDIA CNVRT- SEP 1000M 1CH POE	\$ 830
FMCI-PG2	G-MEDIA CNVRT- SFP 1000M 2CH	\$ 1602
FR82011MSCR-1	Ethernet Media Converter 10/100BASE-T to 100BASE-FX Fiber, 1 Fiber, single-width module, MULTI- MODE, SC Connector, RX	\$ 863

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
FR82011MSTR-1	Ethernet Media Converter 10/100BASE-T to 100BASE-FX Fiber, 1 Fiber, single-width module, MULTI-MODE, ST Connector, RX	\$ 863
FR82011SSCR-1	Ethernet Media Converter 10/100BASE-T to 100BASE-FX Fiber, 1 Fiber, single-width module, SINGLE-MODE, SC Connector, RX	\$ 1208
FR82011SSTR-1	Ethernet Media Converter 10/100BASE-T to 100BASE-FX Fiber, 1 Fiber, single-width module, SINGLE-MODE, ST Connector, RX	\$ 1208
FR82041MSCR-1	Ethernet Fiber Switch, four 10BASE-T/100BASE-T Ports and one 100BASE-FX Fiber Port, 1 fiber, single-width module, MULTI-MODE, SC Connector, Receiver	\$ 1381
FR82041MSTR-1	Ethernet Fiber Switch, four 10BASE-T/100BASE-T Ports and one 100BASE-FX Fiber Port, 1 fiber, single-width module, MULTI-MODE, ST Connector, Receiver	\$ 1381

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
FR82041SSCR-1	Ethernet Fiber Switch, four 10BASE-T/100BASE-T Ports and one 100BASE-FX Fiber Port, 1 fiber, single-width module, single-mode, SC Connector, Receiver	\$ 1640
FR82041SSTR-1	Ethernet Fiber Switch, four 10BASE-T/100BASE-T Ports and one 100BASE-FX Fiber Port, 1 fiber, single-width module, single-mode, ST Connector, Receiver	\$ 1640
FR85011AMSTR	Digital 1310nm / 850nm Video / Bidirectional Data Multimode Fiber Rx, ST Connector	\$ 955
FR85011ASFCR	Digital 1310nm / 1550nm Video / Bidirectional Data Single mode Fiber Rx, FC Connector	\$ 1682
FR85011ASSTR	Digital 1310nm / 1550nm Video / Bidirectional Data Single Mode Fiber Rx, ST Connector	\$ 1682
FRD1M1ST	RS232/RS422/RS485 data transceiver RX multimode ST connector	\$ 789
FRD1S1FC	RS232/RS422/RS485 data transceiver RX single mode FC connector	\$ 2034

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FRD1S1ST	RS232/RS422/RS48 5 data transceiver RX single mode ST connector	\$ 2034
FRD4M1ST	4 channel bi- directional RS2322/RS422/RS4 85 data multiplexer RX multimode ST connector	\$ 996
FRD4S1FC	4 channel bi- directional RS2322/rs422/Rs48 5 data multiplexer RX singlemode FC connector	\$ 1453
FRD4S1ST	4 channel bi- directional RS2322/RS422/RS4 85 data multiplexer RX singlemode ST connector	\$ 1453
FRV10D1A2M1ST	1 channel 10-bit digital video with 1 data 1 contact closure & 2 audio bi- directional RX multimode ST connector	\$ 2158
FRV10D1A2S1FC	1 channel 10-bit digital video with 1 data 1 contact closure & 2 audio bi- directional RX singlemode FC connector	\$ 2490

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FRV10D1A2S1ST	1 channel 10-bit digital video with 1 data 1 contact closure & 2 audio bi-directional RX singlemode ST connector	\$ 2490
FRV10D1M1ST	1 channel 10-bit digital video 1 channel bi-directional data receiver multimode ST connector	\$ 913
FRV10D1S1FC	1 channel 10-bit digital video 1 channel bi-directional data receiver singlemode FC connector	\$ 1536
FRV10D1S1ST	1 channel 10-bit digital video 1 channel bi-directional data receiver singlemode ST connector	\$ 1536
FRV160S1FC	16 channel 10-bit digital video multiplexer RX singlemode FC connector	\$ 10790
FRV160S1ST	16 channel 10-bit digital video multiplexer RX singlemode ST connector	\$ 10790
FRV20M2ST	2 channel 10-bit digital video 2 fiber receiver multimode ST connector	\$ 598

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FRV20S2FC	2 channel 10-bit digital video 2 fiber receiver singlemode FC connector	\$ 1594
FRV20S2ST	2 channel 10-bit digital video 2 fiber receiver singlemode ST connector	\$ 1594
FRV320S1FC	32 channel 10-bit digital video multiplexer RX singlemode FC connector	\$ 27390
FRV320S1ST	32 channel 10-bit digital video multiplexer RX singlemode ST connector	\$ 27390
FRV40D2M1ST	4 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional RX multimode ST connector	\$ 3237
FRV40D2S1FC	4 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional RX singlemode FC connector	\$ 3860
FRV40D2S1ST	4 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional RX singlemode ST connector	\$ 3860

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FRV40M1ST	4 channel 10-bit digital video multiplexer RX multimode ST connector	\$ 1494
FRV40S1FC	4 channel 10-bit digital video multiplexer RX singlemode FC connector	\$ 2490
FRV40S1ST	4 channel 10-bit digital video multiplexer RX singlemode ST connector	\$ 2490
FRV80D2M1ST	8 channel 10-bit digital video multiplexer 2 data bi- directional & 1 contact closure bi- directional RX multimode ST connector	\$ 4648
FRV80D2S1FC	8 channel 10-bit digital video multiplexer 2 data bi- directional & 1 contact closure bi- directional RX singlemode FC connector	\$ 5976
FRV80D2S1ST	8 channel 10-bit digital video multiplexer 2 data bi- directional & 1 contact closure bi- directional RX singlemode ST connector	\$ 5976

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
FRV80M1ST	8 channel 10-bit digital video multiplexer RX multimode ST connector	\$ 3486
FRV80S1FC	8 channel 10-bit digital video multiplexer RX singlemode FC connector	\$ 4233
FRV80S1ST	8 channel 10-bit digital video multiplexer RX singlemode ST connector	\$ 4233
FS85011AMST	Single Channel Fiber for Spectra	\$ 855
FS85011AMSTEX	Single Channel Fiber for Exsite - 6 foot fiber cable	\$ 1373
FS85011ASFC	Single Channel Fiber for Spectra	\$ 1633
FS85011ASFCEX	Single Channel Fiber for Exsite - 6 foot fiber cable	\$ 1373
FS85011ASST	Single Channel Fiber for Spectra	\$ 1633
FS85011ASSTEX	Single Channel Fiber for Exsite - 6 foot fiber cable	\$ 1373
FSFP-AFMM1SC2	SFP A 100M 1310NM SM 1FIB SC 2K	\$ 191
FSFP-AFSM1LC20	SFP A 100M 1310NM SM 1FIB LC 20K	\$ 216
FSFP-AFSM1LC60	SFP A 100M 1310NM SM 1FIB LC 60K	\$ 531

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FSFP-AFSM1SC20	SFP A 100M 1310NM SM 1FIB SC 20K	\$ 216
FSFP-AFSM1SC60	SFP A 100M 1310NM SM 1FIB SC 60K	\$ 531
FSFP-AGSM1LC20	SFP A 1000M 1310NM SM 1FIB LC 20K	\$ 332
FSFP-AGSM1LC60	SFP A 1000M 1310NM SM 1FIB LC 60K	\$ 531
FSFP-AGSM1SC20	SFP A 1000M 1310NM SM 1FIB SC 20K	\$ 332
FSFP-AGSM1SC60	SFP A 1000M 1310NM SM 1FIB SC 60K	\$ 531
FSFP-BFMM1SC2	SFP B 100M 1550NM SM 1FIB SC 2K	\$ 191
FSFP-BFSM1LC20	SFP B 100M 1550NM SM 1FIB LC 20K	\$ 216
FSFP-BFSM1LC60	SFP B 100M 1550NM SM 1FIB LC 60K	\$ 531
FSFP-BFSM1SC20	SFP B 100M 1550NM SM 1FIB SC 20K	\$ 216
FSFP-BFSM1SC60	SFP B 100M 1550NM SM 1FIB SC 60K	\$ 531
FSFP-BGSM1LC20	SFP B 1000M 1550NM SM 1FIB LC 20K	\$ 332
FSFP-BGSM1LC60	SFP B 1000M 1550NM SM 1FIB LC 60K	\$ 531

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FSFP-BGSM1SC20	SFP B 1000M 1550NM SM 1FIB SC 20K	\$ 332
FSFP-BGSM1SC60	SFP B 1000M 1550NM SM 1FIB SC 60K	\$ 531
FSFP-EFMM2LC2	SFP EI 100M 1310NM MM 2FIB LC 2K	\$ 133
FSFP-EFSM2LC20	SFP EI 100M 1310NM SM 2FIB LC 20K	\$ 133
FSFP-EFSM2LC40	SFP EI 100M 1310NM SM 2FIB LC 40K	\$ 423
FSFP-EFSM2LC80	SFP EI 100M 1310NM SM 2FIB LC 80K	\$ 481
FSFP-EGBM2LC.55	SFP EI 1000M 850NM MM 2FIB LC 0.55K	\$ 133
FSFP-EGRJ45	SFP EI 1000M RJ45	\$ 183
FSFP-EGSM2LC120	SFP EI 1000M 1550NM SM 2FIB LC 120K	\$ 1079
FSFP-EGSM2LC15	SFP EI 1000M 1310NM SM 2FIB LC 15K	\$ 133
FSFP-EGSM2LC40	SFP EI 1000M 1310NM SM 2FIB LC 40K	\$ 423
FSFP-EGSM2LC70	SFP EI 1000M 1550NM SM 2FIB LC 70K	\$ 481
FSV10D1M1ST	1 channel 10-bit digital video 1 channel bi-directional data transmitter for Spectra multimode ST connector	\$ 789

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FSV10D1S1FC	1 channel 10-bit digital video 1 channel bi-directional data transmitter for Spectra singlemode FC connector	\$ 1494
FSV10D1S1ST	1 channel 10-bit digital video 1 channel bi-directional data transmitter for Spectra singlemode ST connector	\$ 1494
FT82011MSCR-1	Ethernet Media Converter 10/100BASE-T to 100BASE-FX Fiber, 1 Fiber, single-width module, MULTI-MODE, SC Connector, TX	\$ 863
FT82011MSTR-1	Ethernet Media Converter 10/100BASE-T to 100BASE-FX Fiber, 1 Fiber, single-width module, MULTI-MODE, ST Connector, TX	\$ 863
FT82011SSCR-1	Ethernet Media Converter 10/100BASE-T to 100BASE-FX Fiber, 1 Fiber, single-width module, SINGLE-MODE, SC Connector, TX	\$ 1208

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



Model Number	Description	MSRP
FT82011SSTR-1	Ethernet Media Converter 10/100BASE-T to 100BASE-FX Fiber, 1 Fiber, single-width module, SINGLE-MODE, ST Connector, TX	\$ 1208
FT82041MSCR-1	Ethernet Fiber Switch, four 10BASE-T/100BASE-T Ports and one 100BASE-FX Fiber Port, 1 fiber, single-width module, MULTI-MODE, SC Connector, Transmitter	\$ 1381
FT82041MSTR-1	Ethernet Fiber Switch, four 10BASE-T/100BASE-T Ports and one 100BASE-FX Fiber Port, 1 fiber, single-width module, MULTI-MODE, ST Connector, Transmitter	\$ 1381
FT82041SSCR-1	Ethernet Fiber Switch, four 10BASE-T/100BASE-T Ports and one 100BASE-FX Fiber Port, 1 fiber, single-width module, single-mode, SC Connector, Transmitter	\$ 1640

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
FT82041SSTR-1	Ethernet Fiber Switch, four 10BASE-T/100BASE-T Ports and one 100BASE-FX Fiber Port, 1 fiber, single-width module, single-mode, ST Connector, Transmitter	\$ 1640
FT85011AMSTR	Digital 1310nm / 850nm Video / Bidirectional Data Multimode Fiber Tx, ST Connector	\$ 955
FT85011ASFCR	Digital 1310nm / 1550nm Video / Bidirectional Data Single mode Fiber Tx, FC Connector	\$ 1682
FT85011ASSTR	Digital 1310nm / 1550nm Video / Bidirectional Data Single Mode Fiber Tx, ST Connector	\$ 1682
FTD1M1ST	RS232/RS422/RS485 data transceiver TX multimode ST connector	\$ 789
FTD1S1FC	RS232/RS422/RS485 data transceiver TX single mode FC connector	\$ 2034
FTD1S1ST	RS232/RS422/RS485 data transceiver TX single mode ST connector	\$ 2034

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FTD4M1ST	4 channel bi-directional RS2322/RS422/RS485 data multiplexer TX multimode ST connector	\$ 996
FTD4S1FC	4 channel bi-directional RS2322/rs422/Rs485 data multiplexer TX singlemode FC connector	\$ 1453
FTD4S1ST	4 channel bi-directional RS2322/RS422/RS485 data multiplexer TX singlemode ST connector	\$ 1453
FTPGTI-CM970P	1-day course covers the components, configuration and operation of CM9700 systems including operator/keyboard management-PTZ control and alarms	\$ 2490
FTPGTI-CM97CERT	CM9700 ADVANCED CERTIFICATION	\$ 2075
FTPGTI-CUST	Students learn about the specific Pelco equipment installed in their system during this 1- to 3-day course Operation and programming principles are discussed and demonstrated	\$ 2075

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FTPGTI-DSCERT	DIGITAL SENTRY SRV CERTIFICATION	\$ 2075
FTPGTI-DSOP	2-day course discusses DS physical architecture- hdwr and software services-explaining the differences between DS XPress and distributed DS Enterprise systems	\$ 2075
FTPGTI-DX81TT	2-day course provides participants with in-depth technical and product knowledge of the DX8100 line	\$ 2075
FTPGTI-ENDADMIN	ENDURA ADMINISTRATION	\$ 2075
FTPGTI-ENDCERT	ENDURA CERTIFICATION	\$ 2075
FTPGTI-IPCAMS	IP CAMERAS OVERVIEW	\$ 2075
FTPGTI-NETFUN1	NETWORK FUNDAMENTALS I	\$ 2075
FTPGTI-NETFUN2	NETWORK FUNDAMENTALS II	\$ 2075
FTPGTI-VSDF	VIDEO SECURITY DESIGN FUNDAMENT	\$ 2075
FTV10D1A2M1ST	1 channel 10-bit ditgital video with 1 data 1 contact closure & 2 audio bi- directional TX multimode ST connector	\$ 2158

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FTV10D1A2S1FC	1 channel 10-bit digital video with 1 data 1 contact closure & 2 audio bi-directional TX singlemode FC connector	\$ 2490
FTV10D1A2S1ST	1 channel 10-bit digital video with 1 data 1 contact closure & 2 audio bi-directional TX singlemode ST connector	\$ 2490
FTV10D1M1ST	1 channel 10-bit digital video 1 channel bi-directional data transmitter multimode ST connector	\$ 913
FTV10D1S1FC	1 channel 10-bit digital video 1 channel bi-directional data transmitter singlemode FC connector	\$ 1536
FTV10D1S1ST	1 channel 10-bit digital video 1 channel bi-directional data transmitter singlemode ST connector	\$ 1536
FTV10M1ST	single 10-bit digital video transmitter multimode ST connector	\$ 332
FTV10M1STM	mini single 10-bit digital video transmitter multimode ST connector	\$ 332

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FTV10S1FC	single 10-bit digital video transmitter multimode FC connector	\$ 797
FTV10S1FCM	mini single 10-bit digital video transmitter singlemode FC connector	\$ 797
FTV10S1ST	single 10-bit digital video transmitter singlemode ST connector	\$ 797
FTV10S1STM	mini single 10-bit digital video transmitter singlemode ST connector	\$ 797
FTV160S1FC	16 channel 10-bit digital video multiplexer TX singlemode FC connector	\$ 10790
FTV160S1ST	16 channel 10-bit digital video multiplexer TX singlemode ST connector	\$ 10790
FTV320S1FC	32 channel 10-bit digital video multiplexer TX singlemode FC connector	\$ 27390
FTV320S1ST	32 channel 10-bit digital video multiplexer TX singlemode ST connector	\$ 27390

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FTV40D2M1ST	4 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional TX multimode ST connector	\$ 3237
FTV40D2S1FC	4 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional TX singlemode FC connector	\$ 3860
FTV40D2S1ST	4 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional TX singlemode ST connector	\$ 3860
FTV40M1ST	4 channel 10-bit digital video multiplexer TX multimode ST connector	\$ 1494
FTV40S1FC	4 channel 10-bit digital video multiplexer TX singlemode FC connector	\$ 2490
FTV40S1ST	4 channel 10-bit digital video multiplexer TX singlemode ST connector	\$ 2490

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FTV80D2M1ST	8 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional TX multimode ST connector	\$ 4648
FTV80D2S1FC	8 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional TX singlemode FC connector	\$ 5976
FTV80D2S1ST	8 channel 10-bit digital video multiplexer 2 data bi-directional & 1 contact closure bi-directional TX singlemode ST connector	\$ 5976
FTV80M1ST	8 channel 10-bit digital video multiplexer TX multimode ST connector	\$ 3486
FTV80S1FC	8 channel 10-bit digital video multiplexer TX singlemode FC connector	\$ 4233
FTV80S1ST	8 channel 10-bit digital video multiplexer TX singlemode ST connector	\$ 4233
FUMS-FFX2TX2	G-UM SWITCH 100M,2SFP 2RJ45	\$ 531

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FUMS-FFX4	G-UM SWITCH 100, 4SFP	\$ 561
FUMS-FFX4TX4	G-UM SWITCH 100M,4SFP 4RJ45	\$ 842
FUMS-FFX8	G-UM SWITCH 100M, 8SFP	\$ 1121
FUMS-FTX4	G-UM SWITCH 100M, 4RJ45	\$ 498
FUMS-FTX8	G-UM SWITCH 100M, 8RJ45	\$ 842
FUMS-GFX4	G-UM SWITCH 1000M, 4SFP	\$ 842
FUMS-GFX8	G-UM SWITCH 1000M, 8SFP	\$ 1345
FX82011MSCR-2	Ethernet Media Converter 10/100BASE-T to 100BASE-FX Fiber, 2 Fibers, single-width module, MULTI- MODE, SC Conn	\$ 604
FX82011MSTR-2	Ethernet Media Converter 10/100BASE-T to 100BASE-FX Fiber, 2 Fibers, single-width module, MULTI- MODE, ST Connector	\$ 604
FX82011SSCR-2	Ethernet Media Converter 10/100BASE-T to 100BASE-FX Fiber, 2 Fibers, single-width module, SINGLEMODE, SC Conn	\$ 1295

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
FX82011SSTR-2	Ethernet Media Converter 10/100BASE-T to 100BASE-FX Fiber, 2 Fibers, single-width module, SINGLEMODE, ST Conn	\$ 1295
G1512-0PAV21AD	ImagePak® Consists of the following Pelco models: EH1512, C20-CH-6, 13VD2.8 -12, EM1512.	\$ 521
G1512-0PAV3A	ImagePak® Consists of the following Pelco models: EH1512, C20-CH-6, 13VD3- 8.	\$ 428
G1512-0PAV3AD	ImagePak® Consists of the following Pelco models: EH1512, C20-CH-6, 13VD3- 8, EM1512.	\$ 463
G1512-0PAV50AD	ImagePak® Consists of the following Pelco models: EH1512, C20-CH-6, 13VD5- 50, EM1512.	\$ 627
G1512-1PAV1	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA1-3	\$ 601
G1512-1PAV1A	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD1-3	\$ 647
G1512-1PAV1AD	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD1- 3, EM1512	\$ 682

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-1PAV1AS	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD1-3, SS1512	\$ 682
G1512-1PAV1AT	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD1-3, EM1512, SS1512	\$ 717
G1512-1PAV1D	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA1-3, EM1512	\$ 636
G1512-1PAV1S	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA1-3, SS1512	\$ 636
G1512-1PAV1T	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA1-3, EM1512, SS1512	\$ 671
G1512-1PAV21	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA2.8-12	\$ 493
G1512-1PAV21A	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD2.8-12	\$ 538
G1512-1PAV21AD	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD2.8-12, EM1512	\$ 573

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-1PAV21AS	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD2.8-12, SS1512	\$ 573
G1512-1PAV21AT	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD2.8-12, EM1512, SS1512	\$ 608
G1512-1PAV21D	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA2.8-12, EM1512	\$ 528
G1512-1PAV21S	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA2.8-12, SS1512	\$ 528
G1512-1PAV21T	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA2.8-12, EM1512, SS1512	\$ 563
G1512-1PAV2A	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA2.5-6	\$ 608
G1512-1PAV2AD	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD2.5-6, EM1512	\$ 642
G1512-1PAV2AS	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD2.5-6, SS1512	\$ 642

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-1PAV2AT	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD2.5-6, EM1512, SS1512	\$ 677
G1512-1PAV3	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA3-8	\$ 473
G1512-1PAV3A	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD3-8	\$ 480
G1512-1PAV3AD	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD3-8, EM1512	\$ 515
G1512-1PAV3AS	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD3-8, SS1512	\$ 515
G1512-1PAV3AT	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD3-8, EM1512, SS1512	\$ 549
G1512-1PAV3D	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA3-8, EM1512	\$ 508
G1512-1PAV3S	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA3-8, SS1512	\$ 508

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-1PAV3T	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA3-8, EM1512, SS1512	\$ 543
G1512-1PAV5	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA5-40	\$ 576
G1512-1PAV50	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA5-50	\$ 594
G1512-1PAV50A	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD5-50	\$ 644
G1512-1PAV50AD	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD5-50, EM1512	\$ 679
G1512-1PAV50AS	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD5-50, SS1512	\$ 679
G1512-1PAV50AT	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD5-50, EM1512, SS1512	\$ 714
G1512-1PAV50D	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA5-50, EM1512	\$ 629

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-1PAV50S	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA5-50, SS1512	\$ 629
G1512-1PAV50T	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA5-50, EM1512, SS1512	\$ 664
G1512-1PAV55	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA5.5-82.5	\$ 704
G1512-1PAV55A	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD5.5-82.5	\$ 739
G1512-1PAV55AD	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD5.5-82.5, EM1512	\$ 774
G1512-1PAV55AS	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD5.5-82.5, SS1512	\$ 774
G1512-1PAV55AT	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD5.5-82.5, EM1512, SS1512	\$ 808
G1512-1PAV55D	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA5.5-82.5, EM1512	\$ 739

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-1PAV55S	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA5.5-82.5, SS1512	\$ 739
G1512-1PAV55T	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VA5.5-82.5, EM1512, SS1512	\$ 774
G1512-1PAV5A	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD5-40	\$ 591
G1512-1PAV5AD	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD5-40, EM1512	\$ 626
G1512-1PAV5AS	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD5-40, SS1512	\$ 626
G1512-1PAV5AT	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD5-40, EM1512, SS1512	\$ 661
G1512-1PAV5D	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD5-40, EM1512	\$ 611
G1512-1PAV5S	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD5-40, SS1512	\$ 611

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-1PAV5T	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-CH-6, 13VD5-40, EM1512, SS1512	\$ 646
G1512-1PJV1	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA1-3	\$ 837
G1512-1PJV1A	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD1-3	\$ 883
G1512-1PJV1AD	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD1-3, EM1512	\$ 918
G1512-1PJV1AS	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD1-3, SS1512	\$ 918
G1512-1PJV1AT	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD1-3, EM1512, SS1512	\$ 953
G1512-1PJV1D	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA1-3, EM1512	\$ 872
G1512-1PJV1S	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA1-3, SS1512	\$ 872

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-1PJV1T	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA1-3, EM1512, SS1512	\$ 906
G1512-1PJV21	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA2.8-12	\$ 729
G1512-1PJV21A	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD2.8-12	\$ 774
G1512-1PJV21AD	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD2.8-12, EM1512	\$ 808
G1512-1PJV21AS	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD2.8-12, SS1512	\$ 808
G1512-1PJV21AT	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD2.8-12, EM1512, SS1512	\$ 843
G1512-1PJV21D	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA2.8-12, EM1512	\$ 764
G1512-1PJV21S	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA2.8-12, SS1512	\$ 764

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-1PJV21T	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA2.8-12, EM1512, SS1512	\$ 798
G1512-1PJV2A	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD2.5-6	\$ 843
G1512-1PJV2AD	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD2.5-6, EM1512	\$ 878
G1512-1PJV2AS	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD2.5-6, SS1512	\$ 878
G1512-1PJV2AT	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD2.5-6, EM1512, SS1512	\$ 913
G1512-1PJV3	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA3-8	\$ 709
G1512-1PJV3A	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD3-8	\$ 715
G1512-1PJV3AD	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD3-8, EM1512	\$ 750

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-1PJV3AS	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD3-8, SS1512	\$ 750
G1512-1PJV3AT	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD3-8, EM1512, SS1512	\$ 785
G1512-1PJV3D	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA3-8, EM1512	\$ 744
G1512-1PJV3S	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA3-8, SS1512	\$ 744
G1512-1PJV3T	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA3-8, EM1512, SS1512	\$ 779
G1512-1PJV5	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA5-40	\$ 812
G1512-1PJV50	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA5-50	\$ 830
G1512-1PJV50A	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD5-50	\$ 880

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-1PJV50AD	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD5-50, EM1512	\$ 915
G1512-1PJV50AS	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD5-50, SS1512	\$ 915
G1512-1PJV50AT	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD5-50, EM1512, SS1512	\$ 950
G1512-1PJV50D	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA5-50, EM1512	\$ 865
G1512-1PJV50S	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA5-50, SS1512	\$ 865
G1512-1PJV50T	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA5-50, EM1512, SS1512	\$ 900
G1512-1PJV55	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA5.5-82.5	\$ 940
G1512-1PJV55A	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD5.5-82.5	\$ 974

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-1PJV55AD	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD5.5-82.5, EM1512	\$ 1009
G1512-1PJV55AS	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD5.5-82.5, SS1512	\$ 1009
G1512-1PJV55AT	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD5.5-82.5, EM1512, SS1512	\$ 1044
G1512-1PJV55D	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA5.5-82.5, EM1512	\$ 974
G1512-1PJV55S	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA5.5-82.5, SS1512	\$ 974
G1512-1PJV55T	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA5.5-82.5, EM1512, SS1512	\$ 1009
G1512-1PJV5A	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD5-40	\$ 827
G1512-1PJV5AD	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD5-40, EM1512	\$ 862

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-1PJV5AS	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD5-40, SS1512	\$ 862
G1512-1PJV5AT	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VD5-40, EM1512, SS1512	\$ 896
G1512-1PJV5D	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA5-40, EM1512	\$ 847
G1512-1PJV5S	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA5-40, SS1512	\$ 847
G1512-1PJV5T	ImagePak® Consists of the following Pelco models: EH1512-1L, C20-DW-6, 13VA5-40, EM1512, SS1512	\$ 881
G1512-2PAV1	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA1-3	\$ 576
G1512-2PAV1A	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD1-3	\$ 623
G1512-2PAV1AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD1-3, EM1512	\$ 657

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-2PAV1AS	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD1-3, SS1512	\$ 657
G1512-2PAV1AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD1-3, EM1512, SS1512	\$ 692
G1512-2PAV1D	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA1-3, EM1512	\$ 611
G1512-2PAV1S	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA1-3, SS1512	\$ 611
G1512-2PAV1T	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA1-3, EM1512, SS1512	\$ 646
G1512-2PAV21	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA2.8-12	\$ 468
G1512-2PAV21A	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD2.8-12	\$ 513
G1512-2PAV21AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD2.8-12, EM1512	\$ 548

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-2PAV21AS	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD2.8-12, SS1512	\$ 548
G1512-2PAV21AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD2.8-12, EM1512, SS1512	\$ 583
G1512-2PAV21D	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA2.8-12, EM1512	\$ 503
G1512-2PAV21S	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA2.8-12, SS1512	\$ 503
G1512-2PAV21T	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA2.8-12, EM1512, SS1512	\$ 538
G1512-2PAV2A	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA2.5-6	\$ 583
G1512-2PAV2AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD2.5-6, EM1512	\$ 618
G1512-2PAV2AS	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD2.5-6, SS1512	\$ 618

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-2PAV2AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD2.5-6, EM1512, SS1512	\$ 652
G1512-2PAV3	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA3-8	\$ 448
G1512-2PAV3A	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD3-8	\$ 455
G1512-2PAV3AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD3-8, EM1512	\$ 490
G1512-2PAV3AS	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD3-8, SS1512	\$ 490
G1512-2PAV3AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD3-8, EM1512, SS1512.	\$ 525
G1512-2PAV3D	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA3-8, EM1512	\$ 483
G1512-2PAV3S	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA3-8, SS1512	\$ 483

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-2PAV3T	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA3-8, EM1512, SS1512	\$ 518
G1512-2PAV5	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA5-40	\$ 551
G1512-2PAV50	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA5-50	\$ 569
G1512-2PAV50A	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD5-50	\$ 619
G1512-2PAV50AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD5-50, EM1512	\$ 654
G1512-2PAV50AS	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD5-50, SS1512	\$ 654
G1512-2PAV50AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD5-50, EM1512, SS1512	\$ 689
G1512-2PAV50D	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA5-50, EM1512	\$ 604

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-2PAV50S	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA5-50, SS1512	\$ 604
G1512-2PAV50T	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA5-50, EM1512, SS1512	\$ 639
G1512-2PAV55	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA5.5-82.5	\$ 679
G1512-2PAV55A	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD5.5-82.5	\$ 714
G1512-2PAV55AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD5.5-82.5, EM1512	\$ 749
G1512-2PAV55AS	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD5.5-82.5, SS1512	\$ 749
G1512-2PAV55AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD5.5-82.5, EM1512, SS1512	\$ 784
G1512-2PAV55D	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA5.5-82.5, EM1512	\$ 714

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-2PAV55S	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA5.5-82.5, SS1512	\$ 714
G1512-2PAV55T	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VA5.5-82.5, EM1512, SS1512	\$ 749
G1512-2PAV5A	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD5-40	\$ 566
G1512-2PAV5AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD5-40, EM1512	\$ 601
G1512-2PAV5AS	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD5-40, SS1512	\$ 601
G1512-2PAV5AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD5-40, EM1512, SS1512	\$ 636
G1512-2PAV5D	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD5-40, EM1512	\$ 586
G1512-2PAV5S	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD5-40, SS1512	\$ 586

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-2PAV5T	ImagePak® Consists of the following Pelco models: EH1512-2, C20-CH-6, 13VD5-40, EM1512, SS1512	\$ 621
G1512-2PJR11AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VDIR2.8-11, EM1512	\$ 802
G1512-2PJR11AS	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VDIR2.8-11, SS1512	\$ 802
G1512-2PJR11AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VDIR2.8-11, EM1512, SS1512.	\$ 837
G1512-2PJR3AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VDIR3-8.5.	\$ 752
G1512-2PJR3AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VDIR3-8.5, EM1512 and SS1512	\$ 787
G1512-2PJR75A	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VDIR7.5-50.	\$ 817

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-2PJR75AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VDIR7.5-50.	\$ 852
G1512-2PJR75AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VDIR7.5-50, SS1512, EM1512.	\$ 886
G1512-2PJV1	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA1-3	\$ 812
G1512-2PJV1A	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD1-3	\$ 858
G1512-2PJV1AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD1-3, EM1512	\$ 893
G1512-2PJV1AS	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD1-3, SS1512	\$ 893
G1512-2PJV1AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD1-3, EM1512, SS1512	\$ 928
G1512-2PJV1D	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA1-3, EM1512	\$ 847

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-2PJV1S	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA1-3, SS1512	\$ 847
G1512-2PJV1T	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA1-3, EM1512, SS1512	\$ 881
G1512-2PJV21	ImagePak® Consists of the following Pelco models: EH1512-1, C20-DW-6, 13VA2.8-12	\$ 704
G1512-2PJV21A	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD2.8-12	\$ 749
G1512-2PJV21AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD2.8-12, EM1512	\$ 784
G1512-2PJV21AS	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD2.8-12, SS1512	\$ 784
G1512-2PJV21AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD2.8-12, EM1512, SS1512	\$ 818
G1512-2PJV21D	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA2.8-12, EM1512	\$ 739

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-2PJV21S	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA2.8-12, SS1512	\$ 739
G1512-2PJV21T	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA2.8-12, EM1512, SS1512	\$ 774
G1512-2PJV2A	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD2.5-6	\$ 818
G1512-2PJV2AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD2.5-6, EM1512	\$ 853
G1512-2PJV2AS	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD2.5-6, SS1512	\$ 853
G1512-2PJV2AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD2.5-6, EM1512, SS1512	\$ 888
G1512-2PJV3	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA3-8	\$ 684
G1512-2PJV3A	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD3-8	\$ 691

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-2PJV3AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD3-8, EM1512	\$ 725
G1512-2PJV3AS	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD3-8, SS1512	\$ 725
G1512-2PJV3AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD3-8, EM1512, SS1512	\$ 760
G1512-2PJV3D	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA3-8, EM1512	\$ 719
G1512-2PJV3S	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA3-8, SS1512	\$ 719
G1512-2PJV3T	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA3-8, EM1512, SS1512	\$ 754
G1512-2PJV5	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA5-40	\$ 787
G1512-2PJV50	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA5-50	\$ 805

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-2PJV50A	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD5-50	\$ 855
G1512-2PJV50AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD5-50, EM1512	\$ 890
G1512-2PJV50AS	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD5-50, SS1512	\$ 890
G1512-2PJV50AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD5-50, EM1512, SS1512	\$ 925
G1512-2PJV50D	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA5-50, EM1512	\$ 840
G1512-2PJV50S	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA5-50, SS1512	\$ 840
G1512-2PJV50T	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA5-50, EM1512, SS1512	\$ 875
G1512-2PJV55	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA5.5-82-5	\$ 915

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-2PJV55A	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD5.5-82.5	\$ 950
G1512-2PJV55AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD5.5-82.5, EM1512	\$ 984
G1512-2PJV55AS	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD5.5-82.5, SS1512	\$ 984
G1512-2PJV55AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD5.5-82.5, EM1512, SS1512	\$ 1019
G1512-2PJV55D	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA5.5-82.5, EM1512	\$ 950
G1512-2PJV55S	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA5.5-82.5, SS1512	\$ 950
G1512-2PJV55T	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA5.5-82.5, EM1512, SS1512	\$ 984
G1512-2PJV5A	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD5-40	\$ 802

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-2PJV5AD	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD5-40, EM1512	\$ 837
G1512-2PJV5AS	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD5-40, SS1512	\$ 837
G1512-2PJV5AT	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD5-40, EM1512, SS1512	\$ 872
G1512-2PJV5D	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA5-40, EM1512	\$ 822
G1512-2PJV5S	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA5-40, SS1512	\$ 822
G1512-2PJV5T	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VA5-40, EM1512, SS1512	\$ 857
G1512-3PAV1	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA1-3	\$ 593
G1512-3PAV1A	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD1-3	\$ 639

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-3PAV1AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD1-3, EM1512	\$ 674
G1512-3PAV1AS	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD1-3, SS1512	\$ 674
G1512-3PAV1AT	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD1-3, EM1512, SS1512	\$ 709
G1512-3PAV1D	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA1-3, EM1512	\$ 627
G1512-3PAV1S	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA1-3, SS1512	\$ 627
G1512-3PAV1T	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA1-3, EM1512, SS1512	\$ 662
G1512-3PAV21	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA2.8-12	\$ 485
G1512-3PAV21A	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD2.8-12	\$ 530

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-3PAV21AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD2.8-12, EM1512	\$ 564
G1512-3PAV21AS	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD2.8-12, SS1512	\$ 564
G1512-3PAV21AT	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD2.8-12, EM1512, SS1512	\$ 599
G1512-3PAV21D	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA2.8-12, EM1512	\$ 520
G1512-3PAV21S	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA2.8-12, SS1512	\$ 520
G1512-3PAV21T	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA2.8-12, EM1512, SS1512	\$ 554
G1512-3PAV2A	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA2.5-6	\$ 599
G1512-3PAV2AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD2.5-6, EM1512	\$ 634

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-3PAV2AS	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD2.5-6, SS1512	\$ 634
G1512-3PAV2AT	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD2.5-6, EM1512, SS1512	\$ 669
G1512-3PAV3	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA3-8	\$ 465
G1512-3PAV3A	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD3-8	\$ 471
G1512-3PAV3AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD3-8, EM1512	\$ 506
G1512-3PAV3AS	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD3-8, SS1512	\$ 506
G1512-3PAV3AT	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD3-8, EM1512, SS1512	\$ 541
G1512-3PAV3D	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA3-8, EM1512	\$ 500

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-3PAV3S	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA3-8, SS1512	\$ 500
G1512-3PAV3T	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA3-8, EM1512, SS1512	\$ 535
G1512-3PAV5	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA5-40	\$ 568
G1512-3PAV50	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA5-50	\$ 586
G1512-3PAV50A	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD5-50	\$ 636
G1512-3PAV50AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD5-50, EM1512	\$ 671
G1512-3PAV50AS	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD5-50, SS1512	\$ 671
G1512-3PAV50AT	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD5-50, EM1512, SS1512	\$ 706

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-3PAV50D	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA5-50, EM1512	\$ 621
G1512-3PAV50S	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA5-50, SS1512	\$ 621
G1512-3PAV50T	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA5-50, EM1512, SS1512	\$ 656
G1512-3PAV55	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA5.5-82.5	\$ 696
G1512-3PAV55A	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD5.5-82.5	\$ 730
G1512-3PAV55AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD5.5-82.5, EM1512	\$ 765
G1512-3PAV55AS	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD5.5-82.5, SS1512	\$ 765
G1512-3PAV55AT	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD5.5-82.5, EM1512, SS1512	\$ 800

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-3PAV55D	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA5.5-82.5, EM1512	\$ 730
G1512-3PAV55S	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA5.5-82.5, SS1512	\$ 730
G1512-3PAV55T	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VA5.5-82.5, EM1512, SS1512	\$ 765
G1512-3PAV5A	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD5-40	\$ 583
G1512-3PAV5AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD5-40, EM1512	\$ 618
G1512-3PAV5AS	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD5-40, SS1512	\$ 618
G1512-3PAV5AT	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD5-40, EM1512, SS1512	\$ 652
G1512-3PAV5D	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD5-40, EM1512	\$ 603

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-3PAV5S	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD5-40, SS1512	\$ 603
G1512-3PAV5T	ImagePak® Consists of the following Pelco models: EH1512-3, C20-CH-6, 13VD5-40, EM1512, SS1512	\$ 637
G1512-3PJR11AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VDIR2.8-11.	\$ 818
G1512-3PJR3AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VDIR3-8.5.	\$ 769
G1512-3PJR75AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VDIR7.5-50.	\$ 868
G1512-3PJV1	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA1-3	\$ 828
G1512-3PJV1A	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD1-3	\$ 875
G1512-3PJV1AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD1-3, EM1512	\$ 910

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-3PJV1AS	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD1-3, SS1512	\$ 910
G1512-3PJV1AT	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD1-3, EM1512, SS1512	\$ 945
G1512-3PJV1D	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA1-3, EM1512	\$ 863
G1512-3PJV1S	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA1-3, SS1512	\$ 863
G1512-3PJV1T	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA1-3, EM1512, SS1512	\$ 898
G1512-3PJV21	ImagePak® Consists of the following Pelco models: EH1512-1, C20-DW-6, 13VA2.8-12	\$ 720
G1512-3PJV21A	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD2.8-12	\$ 765
G1512-3PJV21AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD2.8-12, EM1512	\$ 800

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-3PJV21AS	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD2.8-12, SS1512	\$ 800
G1512-3PJV21AT	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD2.8-12, EM1512, SS1512	\$ 835
G1512-3PJV21D	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA2.8-12, EM1512	\$ 755
G1512-3PJV21S	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA2.8-12, SS1512	\$ 755
G1512-3PJV21T	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA2.8-12, EM1512, SS1512	\$ 790
G1512-3PJV2A	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD2.5-6	\$ 835
G1512-3PJV2AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD2.5-6, EM1512	\$ 870
G1512-3PJV2AS	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD2.5-6, SS1512	\$ 870

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-3PJV2AT	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD2.5-6, EM1512, SS1512	\$ 905
G1512-3PJV3	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA3-8	\$ 701
G1512-3PJV3A	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD3-8	\$ 707
G1512-3PJV3AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD3-8, EM1512	\$ 742
G1512-3PJV3AS	ImagePak® Consists of the following Pelco models: EH1512-2, C20-DW-6, 13VD3-8, SS1512	\$ 742
G1512-3PJV3AT	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD3-8, EM1512, SS1512	\$ 777
G1512-3PJV3D	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA3-8, EM1512	\$ 735
G1512-3PJV3S	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA3-8, SS1512	\$ 735

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-3PJV3T	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA3-8, EM1512, SS1512	\$ 770
G1512-3PJV5	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA5-40	\$ 803
G1512-3PJV50	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA5-50	\$ 822
G1512-3PJV50A	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD5-50	\$ 872
G1512-3PJV50AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD5-50, EM1512	\$ 906
G1512-3PJV50AS	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD5-50, SS1512	\$ 906
G1512-3PJV50AT	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD5-50, EM1512, SS1512	\$ 941
G1512-3PJV50D	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA5-50, EM1512	\$ 857

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-3PJV50S	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA5-50, SS1512	\$ 857
G1512-3PJV50T	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA5-50, EM1512, SS1512	\$ 891
G1512-3PJV55	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA5.5-82-5	\$ 931
G1512-3PJV55A	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD5.5-82.5	\$ 966
G1512-3PJV55AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD5.5-82.5, EM1512	\$ 1001
G1512-3PJV55AS	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD5.5-82.5, SS1512	\$ 1001
G1512-3PJV55AT	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD5.5-82.5, EM1512, SS1512	\$ 1036
G1512-3PJV55D	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA5.5-82.5, EM1512	\$ 966

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-3PJV55S	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA5.5-82.5, SS1512	\$ 966
G1512-3PJV55T	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA5.5-82.5, EM1512, SS1512	\$ 1001
G1512-3PJV5A	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD5-40	\$ 818
G1512-3PJV5AD	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD5-40, EM1512	\$ 853
G1512-3PJV5AS	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD5-40, SS1512	\$ 853
G1512-3PJV5AT	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VD5-40, EM1512, SS1512	\$ 888
G1512-3PJV5D	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA5-40, EM1512	\$ 838
G1512-3PJV5S	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA5-40, SS1512	\$ 838

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G1512-3PJV5T	ImagePak® Consists of the following Pelco models: EH1512-3, C20-DW-6, 13VA5-40, EM1512, SS1512	\$ 873
G2512-0PAR3AS	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VDIR3-8.5, SS2512.	\$ 551
G2512-0PAR75A	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VDIR7.5-50.	\$ 606
G2512-0PAV21A	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VD2.8-12.	\$ 538
G2512-0PAV21AK	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VD2.8-12, EM1450, SS2512.	\$ 642
G2512-0PAV21AW	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VD2.8-12, EM1450.	\$ 598

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
G2512-0PAV21K	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VA2.8-12, EM1450, SS2512.	\$ 598
G2512-0PAV21W	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VA2.8-12, EM1450.	\$ 553
G2512-0PAV2AK	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VD2.5-6, EM1450, SS2512.	\$ 712
G2512-0PAV2AW	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VD2.5-6, EM1450.	\$ 667
G2512-0PAV3	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VA3-8.	\$ 473
G2512-0PAV3A	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VD3-8.	\$ 480

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
G2512-0PAV3AK	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VD3-8, EM1450, SS2512.	\$ 584
G2512-0PAV3AW	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VD3-8, EM1450.	\$ 540
G2512-0PAV3W	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VA3-8, EM1450.	\$ 533
G2512-0PAV5	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VA5-40.	\$ 576
G2512-0PAV50	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VA5-50.	\$ 594
G2512-0PAV50A	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VD5-50.	\$ 644

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
G2512-0PAV50AK	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VD5-50, EM1450, SS2512.	\$ 749
G2512-0PAV50AS	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VD5-50, SS2512.	\$ 689
G2512-0PAV50AW	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VD5-50, EM1450.	\$ 704
G2512-0PAV55AK	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VD5.5-82.5, EM1450, SS2512.	\$ 843
G2512-0PAV5AK	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VD5-40, EM1450, SS2512.	\$ 696
G2512-0PAV5AW	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VD5-40, EM1450.	\$ 651

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G2512-0PAV5W	ImagePak® Consists of the following Pelco models: EH2512, C20-CH-6, 13VA5-40, EM1450.	\$ 636
G2512-0PJR3A	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VDIR3-8.5.	\$ 742
G2512-0PJR3AK	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VDIR3-8.5, EM1450, SS2512.	\$ 847
G2512-0PJR3AS	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VDIR3-8.5, SS2512.	\$ 787
G2512-0PJR3AW	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VDIR3-8.5, EM1450.	\$ 802
G2512-0PJR75A	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VDIR7.5-50.	\$ 842

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G2512-0PJR75AK	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VDIR7.5-50, EM1450, SS2512.	\$ 946
G2512-0PJV21AK	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VD2.8-12, EM1450, SS2512.	\$ 878
G2512-0PJV21AW	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VD2.8-12, EM1450.	\$ 833
G2512-0PJV21W	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VA2.8-12, EM1450.	\$ 789
G2512-0PJV2AK	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VD2.5-6, SS2512, EM1450.	\$ 948
G2512-0PJV3AK	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VD3-8, EM1450, SS2512.	\$ 820

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G2512-0PJV3AS	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VD3-8, SS2512.	\$ 760
G2512-0PJV50A	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VD5-40.	\$ 880
G2512-0PJV50AK	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VD5-40, EM1450, SS2512.	\$ 984
G2512-0PJV50AS	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VD5-50, SS2512.	\$ 925
G2512-0PJV50AW	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VD5-50, EM1450.	\$ 940
G2512-0PJV55AS	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VD5.5-82.5, SS2512.	\$ 1019
G2512-0PJV55AW	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VD5.5-82.5, EM1450.	\$ 1034

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G2512-2PAR3AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VDIR3-8.5, EM1450, SS2512.	\$ 684
G2512-2PAV1AW	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD1-3, EM1450.	\$ 780
G2512-2PAV21A	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD2.8-12.	\$ 611
G2512-2PAV21AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD2.8-12, EM1450, SS2512.	\$ 715
G2512-2PAV21AS	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD2.8-12, SS2512.	\$ 656
G2512-2PAV21AW	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD2.8-12, EM1450.	\$ 671

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
G2512-2PAV2AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD2.5-6, EM1450, SS2512.	\$ 785
G2512-2PAV2AS	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD2.5-6, SS2512.	\$ 725
G2512-2PAV2AW	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD2.5-6, EM1450.	\$ 740
G2512-2PAV3	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VA3-8.	\$ 546
G2512-2PAV3AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD3-8, EM1450, SS2512.	\$ 657
G2512-2PAV3AS	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD3-8, SS2512.	\$ 598

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G2512-2PAV3AW	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD3-8, EM1450.	\$ 613
G2512-2PAV3K	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VA3-8, EM1450, SS2512.	\$ 651
G2512-2PAV50	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VA5-50.	\$ 667
G2512-2PAV50A	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD5-50.	\$ 717
G2512-2PAV50AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD5-50, EM1450, SS2512.	\$ 822
G2512-2PAV50AS	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD5-50, SS2512.	\$ 762

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
G2512-2PAV50AW	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD5-50, EM1450.	\$ 777
G2512-2PAV55AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD5.5-82.5, EM1450, SS2512.	\$ 916
G2512-2PAV55AS	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD5.5-82.5, SS2512.	\$ 857
G2512-2PAV55AW	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD5.5-82.5, EM1450.	\$ 872
G2512-2PAV5AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD5-40, EM1450, SS2512.	\$ 769
G2512-2PAV5AS	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD5-40, SS2512.	\$ 709

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
G2512-2PAV5AW	ImagePak® Consists of the following Pelco models: EH2512-2, C20-CH-6, 13VD5-40, EM1450.	\$ 724
G2512-2PJR11A	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VDIR2.8-11.	\$ 865
G2512-2PJR11AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VDIR2.8-11, EM1450, SS2512.	\$ 969
G2512-2PJR11AS	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VDIR2.8-11, SS2512.	\$ 910
G2512-2PJR11AW	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VDIR2.8-11, EM1450.	\$ 925
G2512-2PJR3A	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VDIR3-8.5.	\$ 815

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G2512-2PJR3AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VDIR3-8.5, EM1450, SS2512.	\$ 920
G2512-2PJR3AS	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VDIR3-8.5, SS2512.	\$ 860
G2512-2PJR3AW	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VDIR3-8.5, EM1450.	\$ 875
G2512-2PJR75A	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VDIR7.5-50.	\$ 915
G2512-2PJR75AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VDIR7.5-50, EM1450, SS2512.	\$ 1019
G2512-2PJR75AS	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VDIR7.5-50, SS2512.	\$ 959

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
G2512-2PJR75AW	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VDIR7.5-50, EM1450.	\$ 974
G2512-2PJV1A	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD1-3	\$ 956
G2512-2PJV1AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD1-3, EM1450, SS2512.	\$ 1061
G2512-2PJV21A	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD2.8-12.	\$ 847
G2512-2PJV21AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD2.8-12, EM1450, SS2512.	\$ 951
G2512-2PJV21AS	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD2.8-12, SS2512.	\$ 891

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G2512-2PJV21AW	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD2.8-12, EM1450.	\$ 906
G2512-2PJV2A	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD2.5-6.	\$ 916
G2512-2PJV2AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD2.5-6, EM1450, SS2512.	\$ 1021
G2512-2PJV3A	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD3-8.	\$ 789
G2512-2PJV3AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD3-8, EM1450, SS2512.	\$ 893
G2512-2PJV3AS	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD3-8, SS3512.	\$ 833

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G2512-2PJV3AW	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD3-8, EM1450.	\$ 848
G2512-2PJV5	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VA5-40.	\$ 885
G2512-2PJV50A	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD5-50.	\$ 953
G2512-2PJV50AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD5-50, EM1450, SS2512.	\$ 1057
G2512-2PJV50AS	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD5-50, SS2512.	\$ 998
G2512-2PJV50AW	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD5-50, EM1450.	\$ 1013
G2512-2PJV55A	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD5.5-82.5.	\$ 1047

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
G2512-2PJV55AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD5.5-82.5, EM1450, SS2512.	\$ 1152
G2512-2PJV5A	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD5-40.	\$ 900
G2512-2PJV5AK	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD5-40, EM1450, SS2512.	\$ 1004
G2512-2PJV5AS	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD5-40, SS2512.	\$ 945
G2512-2PJV5AW	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VD5-40, EM1450.	\$ 959
G2512-2PJV5S	ImagePak® Consists of the following Pelco models: EH2512-2, C20-DW-6, 13VA5-40, SS2512.	\$ 930

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G2515-0PAV21AK	ImagePak® Consists of the following Pelco models: EH2515, C20-CH-6, 13VD2.8-12, EM1450, SS2515.	\$ 646
G2515-0PAV50W	ImagePak® Consists of the following Pelco models: EH2515, C20-CH-6, 13VA5-50, EM1450.	\$ 654
G2515-0PJR75AK	ImagePak® Consists of the following Pelco models: EH2515, C20-DW-6, 13VDIR7.5-50, EM1450, SS2515.	\$ 950
G2515-0PJV55AS	ImagePak® Consists of the following Pelco models: EH2515, C20-DW-6, 13VD5.5-82.5, SS2515.	\$ 1023
G2515-2PAV21AK	ImagePak® Consists of the following Pelco models: EH2515-2, C20-CH-6, 13VD2.8-12, EM1450, SS2515.	\$ 735
G2515-2PAV2A	ImagePak® Consists of the following Pelco models: EH2515-2, C20-CH-6, 13VD2.5-6.	\$ 697

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G2515-2PAV2AK	ImagePak® Consists of the following Pelco models: EH2515-2, C20-CH-6, 13VD2.5-6, EM1450, SS2515.	\$ 805
G2515-2PAV3AW	ImagePak® Consists of the following Pelco models: EH2515-2, CC20-CH-6, 13VD2.8-12, EM1450.	\$ 629
G2515-2PAV5A	ImagePak® Consists of the following Pelco models: EH2515-2, CC20-CH-6, 13VD5-40.	\$ 681
G2515-2PAV5AK	ImagePak® Consists of the following Pelco models: EH2515-2, CC20-CH-6, 13VD5-40, EM1450, SS2512.	\$ 789
G2515-2PAV5AS	ImagePak® Consists of the following Pelco models: EH2515-2, CC20-CH-6, 13VD5-40, EM1450, SS2512.	\$ 729
G2515-2PJR3AS	ImagePak® Consists of the following Pelco models: EH2515-2, C20-DW-6, 13VDIR3-8.5, SS2515.	\$ 880

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G2515-2PJR3AW	ImagePak® Consists of the following Pelco models: EH2515-2, C20-DW-6, 13VDIR3-8.5, EM1450.	\$ 891
G2515-2PJR75AK	ImagePak® Consists of the following Pelco models: EH2515-2, C20-DW-6, 13VDIR7.5-50, EM1450, SS2515.	\$ 1039
G2515-2PJR75AW	ImagePak® Consists of the following Pelco models: EH2515-2, C20-DW-6, 13VDIR7.5-50, EM1450.	\$ 991
G2515-2PJV21A	ImagePak® Consists of the following Pelco models: EH2515-2, C20-DW-6, 13VD2.8-12, .	\$ 863
G2515-2PJV21AK	ImagePak® Consists of the following Pelco models: EH2515-2, C20-DW-6, 13VD2.8-12, EM1450, SS2515.	\$ 971
G2515-2PJV21AS	ImagePak® Consists of the following Pelco models: EH2515-2, C20-DW-6, 13VD2.8-12, SS2515.	\$ 911

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G2515-2PJV2AK	ImagePak® Consists of the following Pelco models: EH2515-2, C20-DW-6, 13VD2.5-6, EM1450, SS2515.	\$ 1041
G2515-2PJV3A	ImagePak® Consists of the following Pelco models: EH2515-2, C20-DW-6, 13VD3-8, EM1450.	\$ 865
G2515-2PJV3AK	ImagePak® Consists of the following Pelco models: EH2515-2, C20-DW-6, 13VD3-8, EM1450, SS2515.	\$ 913
G2515-2PJV3AS	ImagePak® Consists of the following Pelco models: EH2515-2, C20-DW-6, 13VD3-8, SS2515.	\$ 853
G2515-2PJV50A	ImagePak® Consists of the following Pelco models: EH2515-2, C20-DW-6, 13VD5-50.	\$ 969
G2515-2PJV50AK	ImagePak® Consists of the following Pelco models: EH2515-2, C20-DW-6, 13VD5-50, EM1450, SS2515.	\$ 1077

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G2515-2PJV50AS	ImagePak® Consists of the following Pelco models: EH2515-2, C20-DW-6, 13VD5-50, SS2515.	\$ 1018
G2515-2PJV55AK	ImagePak® Consists of the following Pelco models: EH2515-2, C20-DW-6, 13VD5.5-82.5, EM1450, SS2515.	\$ 1172
G2515-2PJV5AS	ImagePak® Consists of the following Pelco models: EH2515-2, C20-DW-6, 13VD5-40, SS2515.	\$ 964
G3512-0PAR75AK	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VDIR7.5-50, EM1450, SS3512.	\$ 702
G3512-0PAV21A	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD2.8-12.	\$ 530
G3512-0PAV21AK	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD2.8-12, EM1450, SS3512.	\$ 634

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



Model Number	Description	MSRP
G3512-0PAV21AS	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD2.8-12, SS3512.	\$ 574
G3512-0PAV21AW	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD2.8-12, EM1450.	\$ 589
G3512-0PAV21W	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VA2.8-12, EM1450.	\$ 544
G3512-0PAV2A	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD2.5-6.	\$ 599
G3512-0PAV2AK	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD2.5-6, EM1450, SS3512.	\$ 704
G3512-0PAV2AW	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD2.5-6, EM1450.	\$ 659

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3512-0PAV3	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VA3-8.	\$ 465
G3512-0PAV3A	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD3-8.	\$ 471
G3512-0PAV3AK	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD3-8, EM1450, SS3512.	\$ 576
G3512-0PAV3AS	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD3-8, SS3512.	\$ 516
G3512-0PAV3AW	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD3-8, EM1450.	\$ 531
G3512-0PAV3W	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VA3-8, EM1450.	\$ 525

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3512-0PAV5	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VA5-40.	\$ 568
G3512-0PAV50	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VA5-50.	\$ 586
G3512-0PAV50A	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD5-50.	\$ 636
G3512-0PAV50AK	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD5-50, EM1450, SS3512.	\$ 740
G3512-0PAV50AS	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD5-50, SS3512.	\$ 681
G3512-0PAV50AW	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD5-50, EM1450.	\$ 696

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
G3512-0PAV50W	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VA5-50, EM1450.	\$ 646
G3512-0PAV55A	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD5.5-82.5.	\$ 730
G3512-0PAV55AK	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD5.5-82.5, EM1450, SS3512.	\$ 835
G3512-0PAV55AS	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD5.5-82.5, SS3512.	\$ 775
G3512-0PAV55AW	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD5.5-82.5, EM1450.	\$ 790
G3512-0PAV5A	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD5-40.	\$ 583

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3512-0PAV5AK	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD5-40, EM1450, SS3512.	\$ 687
G3512-0PAV5AS	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD5-40, SS3512.	\$ 627
G3512-0PAV5AW	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VD5-40, EM1450.	\$ 642
G3512-0PAV5W	ImagePak® Consists of the following Pelco models: EH3512, C20-CH-6, 13VA5-40, EM1450.	\$ 627
G3512-0PJR11AK	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VDIR2.8-11, EM1450, SS3512.	\$ 888
G3512-0PJR11AS	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VDIR2.8-11, SS3512.	\$ 828

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3512-0PJR3AK	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VDIR3-8.5, EM1450, SS3512.	\$ 838
G3512-0PJR3AS	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VDIR3-8.5, SS3512.	\$ 779
G3512-0PJR3AW	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VDIR3-8.5, EM1450.	\$ 793
G3512-0PJR75AK	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VDIR7.5-50, EM1450, SS3512.	\$ 938
G3512-0PJR75AS	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VDIR7.5-50, SS3512.	\$ 878
G3512-0PJR75AW	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VDIR7.5-50, EM1450.	\$ 893

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
G3512-0PJV1AS	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD1-3, SS3512.	\$ 920
G3512-0PJV21A	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD2.8-12.	\$ 765
G3512-0PJV21AK	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD2.8-12, EM1450, SS3512.	\$ 870
G3512-0PJV21AS	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD2.8-12, SS3512.	\$ 810
G3512-0PJV21AW	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD2.8-12, EM1450.	\$ 825
G3512-0PJV2AW	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD2.5-6, EM1450.	\$ 895

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3512-0PJV3A	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD3-8.	\$ 707
G3512-0PJV3AK	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD3-8, EM1450, SS3512.	\$ 812
G3512-0PJV3AS	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD3-8, SS3512.	\$ 752
G3512-0PJV3AW	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD3-8, EM1450.	\$ 767
G3512-0PJV3W	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VA3-8, EM1450.	\$ 760
G3512-0PJV50A	ImagePak® Consists of the following Pelco models: EH2512, C20-DW-6, 13VD5-50.	\$ 872

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



Model Number	Description	MSRP
G3512-0PJV50AK	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD5-50, EM1450, SS3512.	\$ 976
G3512-0PJV50AS	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD5-50, SS3512.	\$ 916
G3512-0PJV50AW	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD5-50, EM1450.	\$ 931
G3512-0PJV55A	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD5.5-82.5.	\$ 966
G3512-0PJV55AK	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD5.5-82.5, EM1450, SS3512.	\$ 1071
G3512-0PJV55AS	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD5.5-82.5, SS3512.	\$ 1011

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3512-0PJV5AK	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD5-40, EM1450, SS3512.	\$ 923
G3512-0PJV5AS	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD5-40, SS3512.	\$ 863
G3512-0PJV5AW	ImagePak® Consists of the following Pelco models: EH3512, C20-DW-6, 13VD5-40, EM1450.	\$ 878
G3512-2PAR3AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VDIR3-8.5, EM1450, SS3512.	\$ 835
G3512-2PAR3AS	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VDIR3-8.5, SS3512.	\$ 775
G3512-2PAR3AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VDIR3-8.5, EM1450.	\$ 790

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3512-2PAR75AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VDIR7.5-50, EM1450, SS3512.	\$ 935
G3512-2PAR75AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VDIR7.5-50, EM1450.	\$ 890
G3512-2PAV1AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD1-3, EM1450, SS3512.	\$ 976
G3512-2PAV1W	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VA1-3, EM1450.	\$ 885
G3512-2PAV21A	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD2.8-12.	\$ 762
G3512-2PAV21AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD2.8-12, EM1450, SS3512.	\$ 867

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3512-2PAV21AS	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD2.8-12, SS3512.	\$ 807
G3512-2PAV21AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD2.8-12, EM1450.	\$ 822
G3512-2PAV2A	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD2.5-6.	\$ 832
G3512-2PAV2AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD2.5-6, EM1450, SS3512.	\$ 936
G3512-2PAV2AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD2.5-6, EM1450.	\$ 891
G3512-2PAV3A	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD3-8.	\$ 704

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3512-2PAV3AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD3-8, EM1450, SS3512.	\$ 808
G3512-2PAV3AS	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD3-8, SS3512.	\$ 749
G3512-2PAV3AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD3-8, EM1450.	\$ 764
G3512-2PAV50A	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD5-50.	\$ 868
G3512-2PAV50AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD5-50, EM1450, SS3512.	\$ 973
G3512-2PAV50AS	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD5-50, SS3512.	\$ 913

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
G3512-2PAV50AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD5-50, EM1450.	\$ 928
G3512-2PAV50K	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VA5-50, EM1450, SS3512.	\$ 923
G3512-2PAV55A	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD5.5-82.5.	\$ 963
G3512-2PAV55AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD5.5-82.5, EM1450, SS3512.	\$ 1067
G3512-2PAV55AS	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD5.5-82.5, SS3512.	\$ 1008
G3512-2PAV55AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD5.5-82.5, EM1450.	\$ 1023

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3512-2PAV5A	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD5-40.	\$ 815
G3512-2PAV5AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD5-40, EM1450, SS3512.	\$ 920
G3512-2PAV5AS	ImagePak® Consists of the following Pelco models: EH3512-2, C20-CH-6, 13VD5-40, SS3512.	\$ 860
G3512-2PAV5S	ImagePak® Consists of the following Pelco models: EH3512-2, CC20-CH-6, 13VA5-40, SS3512.	\$ 845
G3512-2PJR11A	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VDIR2.8-11.	\$ 1016
G3512-2PJR11AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VDIR2.8-11, SS3512, EM1450.	\$ 1121

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3512-2PJR11AS	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VDIR2.8-11, SS3512.	\$ 1061
G3512-2PJR11AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VDIR2.8-11, EM1450.	\$ 1076
G3512-2PJR3A	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VDIR3-8.5.	\$ 966
G3512-2PJR3AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VDIR3-8.5, EM1450, SS3512.	\$ 1071
G3512-2PJR3AS	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VDIR3-8.5, SS3512.	\$ 1011
G3512-2PJR3AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VDIR3-8.5, EM1450.	\$ 1026

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3512-2PJR75A	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VDIR7.5-50.	\$ 1066
G3512-2PJR75AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VDIR7.5-50, EM1450, SS3512.	\$ 1170
G3512-2PJR75AS	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VDIR7.5-50, SS3512.	\$ 1111
G3512-2PJR75AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VDIR7.5-50, EM1450.	\$ 1125
G3512-2PJV1AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD1-3, EM1450, SS3512.	\$ 1212
G3512-2PJV1AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD1-3, EM1450.	\$ 1167

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
G3512-2PJV21A	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD2.8-12.	\$ 998
G3512-2PJV21AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD2.8-12, EM1450, SS3512.	\$ 1102
G3512-2PJV21AS	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD2.8-12, SS3512.	\$ 1042
G3512-2PJV21AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD2.8-12, EM1450.	\$ 1057
G3512-2PJV2A	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD2.5-6.	\$ 1067
G3512-2PJV2AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD2.5-6, EM1450, SS3512.	\$ 1172

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
G3512-2PJV2AS	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD2.5-6, SS3512.	\$ 1112
G3512-2PJV2AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD2.5-6, EM1450.	\$ 1127
G3512-2PJV3A	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD3-8.	\$ 940
G3512-2PJV3AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD3-8, EM1450, SS3512.	\$ 1044
G3512-2PJV3AS	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD3-8, SS3512.	\$ 984
G3512-2PJV3AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD3-8, EM1450.	\$ 999

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3512-2PJV3K	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VA3-8, EM1450, SS3512.	\$ 1038
G3512-2PJV3W	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VA3-8 and EM1450.	\$ 993
G3512-2PJV50A	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD5-50.	\$ 1104
G3512-2PJV50AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD5-50, EM1450, SS3512.	\$ 1208
G3512-2PJV50AS	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD5-50, SS3512.	\$ 1149
G3512-2PJV50AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD5-50, EM1450.	\$ 1164

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
G3512-2PJV50K	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VA5-50, EM1450, SS3512.	\$ 1159
G3512-2PJV50PJ	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD5-50, EM3512.	\$ 1243
G3512-2PJV55A	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD5.5-82.5	\$ 1199
G3512-2PJV55AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD5.5-82.5, EM1450, SS3512.	\$ 1303
G3512-2PJV55AS	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD5.5-82.5, SS3512.	\$ 1243
G3512-2PJV55AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD5.5-82.5, EM1450.	\$ 1258

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3512-2PJV5A	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD5-40.	\$ 1051
G3512-2PJV5AK	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD5-40, EM1450, SS3512.	\$ 1155
G3512-2PJV5AS	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD5-40, SS3512.	\$ 1096
G3512-2PJV5AW	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD5-40, EM1450.	\$ 1111
G3512-2PJV5PJ	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13VD5-40, EM3512.	\$ 1190
G3512-2PJZ10W	ImagePak® Consists of the following Pelco models: EH3512-2, C20-DW-6, 13ZD6X10, EM1450.	\$ 1602

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3515-0PAV55AK	ImagePak® Consists of the following Pelco models: EH3515, C20-CH-6, 13VD5.5-82.5, EM1450, SS3515.	\$ 853
G3515-0PAV5AS	ImagePak® Consists of the following Pelco models: EH3515, C20-CH-6, 13VD5-40, SS3515	\$ 646
G3515-2PAV2AK	ImagePak® Consists of the following Pelco models: EH3515-2, C20-CH-6, 13VD2.5-6, EM1450, SS3515.	\$ 956
G3515-2PAV55AK	ImagePak® Consists of the following Pelco models: EH3515-2, C20-CH-6, 13VD5.5-82.5, EM1450, SS3515.	\$ 1087
G3515-2PAV5AK	ImagePak® Consists of the following Pelco models: EH3515-2, C20-CH-6, 13VD5-40, EM1450, SS3515.	\$ 940
G3515-2PAV5AS	ImagePak® Consists of the following Pelco models: EH3515-2, C20-CH-6, 13VD5-40, SS3515.	\$ 880

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3515-2PJR11AK	magePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VDIR2-8.11, EM1450, SS3515.	\$ 1140
G3515-2PJR3A	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VDIR3-8.5.	\$ 983
G3515-2PJR3AK	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VDIR3-8.5, EM1450, SS3515.	\$ 1091
G3515-2PJR75AK	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VDIR7.5-50, EM1450, SS3515.	\$ 1190
G3515-2PJR75AS	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VDIR7.5-50, SS3515.	\$ 1130
G3515-2PJR75AW	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VDIR7.5-50, EM1450.	\$ 1142

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3515-2PJV21A	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VD2.8-12.	\$ 1014
G3515-2PJV21AS	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VD2.8-12, SS3515.	\$ 1062
G3515-2PJV21AW	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VD2.8-12, EM1450.	\$ 1074
G3515-2PJV2A	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VD2.5-6.	\$ 1084
G3515-2PJV3A	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VD3-8.	\$ 956
G3515-2PJV3AK	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VD3-8, EM1450, SS3515.	\$ 1064
G3515-2PJV50A	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VD5-50	\$ 1121

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G3515-2PJV50AK	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VD5-50, EM1450, SS3515.	\$ 1228
G3515-2PJV50AS	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VD5-50, SS3515.	\$ 1169
G3515-2PJV55AK	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VD5.5-82.5, EM1450, SS3515.	\$ 1323
G3515-2PJV55AS	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VD5.5-82.5, SS3515.	\$ 1263
G3515-2PJV5AS	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VD5-40, SS3515.	\$ 1116
G3515-2PJV5AW	ImagePak® Consists of the following Pelco models: EH3515-2, C20-DW-6, 13VD5-40, EM1450	\$ 1127

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G35H2-2PAR3AK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VDIR3-8.5, EM1450, SS3512.	\$ 750
G35H2-2PAR3AW	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VDIR3-8.5, EM1450.	\$ 706
G35H2-2PAV21AK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VD2.8-12, EM1450, SS3512.	\$ 782
G35H2-2PAV21AS	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VD2.8-12, SS3512.	\$ 722
G35H2-2PAV2A	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VD2.5-6.	\$ 747
G35H2-2PAV2AK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VD2.5-6, EM1450, SS3512.	\$ 852

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G35H2-2PAV2AS	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VD2.5-6, SS3512.	\$ 792
G35H2-2PAV3A	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VD3-8.	\$ 619
G35H2-2PAV3AK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VD3-8, EM1450, SS3512.	\$ 724
G35H2-2PAV3AS	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VD3-8, SS3512.	\$ 664
G35H2-2PAV3AW	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VD3-8, EM1450.	\$ 679
G35H2-2PAV50AK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VD5-50, EM1450, SS3512.	\$ 888

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G35H2-2PAV50AS	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VD5-50, SS3512.	\$ 828
G35H2-2PAV50AW	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VD5-50, EM1450.	\$ 843
G35H2-2PAV55AK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VD5.5-82.5, EM1450, SS3512.	\$ 983
G35H2-2PAV55AS	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VD5.5-82.5, SS3512.	\$ 923
G35H2-2PAV5AK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VD5-40, EM1450, SS3512.	\$ 835
G35H2-2PAV5AS	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-CH-6, 13VD5-40, SS3512.	\$ 775

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G35H2-2PJR11AK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VDIR2.8-11, EM1450, SS3512.	\$ 1036
G35H2-2PJR3AK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VDIR3-8.5, EM1450, SS3512.	\$ 986
G35H2-2PJR3AS	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VDIR3-8.5, SS3512.	\$ 926
G35H2-2PJR3AW	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VDIR3-8.5, EM1450.	\$ 941
G35H2-2PJR75A	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VDIR7.5-50.	\$ 981
G35H2-2PJR75AK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VDIR7.5-50, EM1450, SS3512.	\$ 1086

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G35H2-2PJR75AS	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VDIR7.5-50, SS3512.	\$ 1026
G35H2-2PJR75AW	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VDIR7.5-50, EM1450.	\$ 1041
G35H2-2PJV1AK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD1-3, EM1450, SS3512.	\$ 1127
G35H2-2PJV21	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VA2.8-12.	\$ 868
G35H2-2PJV21A	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD2.8-12.	\$ 913
G35H2-2PJV21AK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD2.8-12, EM1450, SS3512.	\$ 1018

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
G35H2-2PJV21AS	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD2.8-12, SS3512.	\$ 958
G35H2-2PJV21AW	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD2.8-12, EM1450.	\$ 973
G35H2-2PJV21VK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VA2.8-12, SS3512, EM1450.	\$ 973
G35H2-2PJV3A	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD3-8.	\$ 855
G35H2-2PJV3AK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD3-8, EM1450, SS3512.	\$ 959
G35H2-2PJV3AS	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD3-8, SS3512.	\$ 900

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G35H2-2PJV3AW	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD3-8, EM1450.	\$ 915
G35H2-2PJV50	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VA5-50.	\$ 969
G35H2-2PJV50A	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD5-50.	\$ 1019
G35H2-2PJV50AK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD5-50, EM1450, SS3512.	\$ 1124
G35H2-2PJV50AS	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD5-50, SS3512.	\$ 1064
G35H2-2PJV50AW	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD5-50, EM1450.	\$ 1079

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G35H2-2PJV55AK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD5.5-82.5, EM1450, SS3512.	\$ 1218
G35H2-2PJV55AW	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD5.5-82.5, EM1450.	\$ 1174
G35H2-2PJV5AK	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD5-40, EM1450, SS3512.	\$ 1071
G35H2-2PJV5AS	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD5-40, SS3512.	\$ 1011
G35H2-2PJV5AW	ImagePak® Consists of the following Pelco models: EH3512-2HD, C20-DW-6, 13VD5-40, EM1450.	\$ 1026
G35H5-2PAV50	ImagePak® Consists of the following Pelco models: EH3515-2HD, C20-CH-6, 13VA5-50.	\$ 779

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G35H5-2PAV50AW	ImagePak® Consists of the following Pelco models: EH3515-2HD, C20-CH-6, 13VD5-50, EM1450.	\$ 888
G35H5-2PAV55AK	ImagePak® Consists of the following Pelco models: EH3515-2HD, C20-CH-6, 13VD5.5-82.5, EM1450, SS3515.	\$ 1031
G35H5-2PJV21AK	ImagePak® Consists of the following Pelco models: EH3515-2HD, C20-DW-6, 13VD2.8-12, EM1450, SS3515.	\$ 1066
G35H5-2PJV21AW	ImagePak® Consists of the following Pelco models: EH3515-2HD, C20-DW-6, 13VD2.8-12, EM1450.	\$ 1018
G35H5-2PJV2AW	ImagePak® Consists of the following Pelco models: EH3515-2HD, C20-DW-6, 13VD2.5-6, EM1450.	\$ 1087
G35H5-2PJV3AW	ImagePak® Consists of the following Pelco models: EH3515-2HD, C20-DW-6, 13VD3-8, EM1450.	\$ 959

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
G35H5-2PJV50A	ImagePak® Consists of the following Pelco models: EH3515-2HD, C20-DW-6, 13VD5-50.	\$ 1064
G35H5-2PJV50AK	ImagePak® Consists of the following Pelco models: EH3515-2HD, C20-DW-6, 13VD5-50, EM1450, SS3515.	\$ 1172
G35H5-2PJV55AS	ImagePak® Consists of the following Pelco models: EH3515-2HD, C20-DW-6, 13VD5.5-82.5, SS3515.	\$ 1064
G4718-2PAV3AS	ImagePak® Consists of the following Pelco models: EH4718-2, C20-CH-6, 13VD2.8-12, SS4718	\$ 867
G4718-2PJV1A	ImagePak® Consists of the following Pelco models: EH4718-2, C20-DW-6, 13VD1-3.	\$ 1190
G4718-2PJV21AW	ImagePak® Consists of the following Pelco models: EH4718-2, C20-DW-6, 13VD2.8-12, EM1450.	\$ 961

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
G4718-2PJV3AK	ImagePak® Consists of the following Pelco models: EH4718-2, C20-DW-6, 13VD3-8, SS4718, EM1450.	\$ 1162
G4718-2PJV3AS	ImagePak® Consists of G4718-2, C20-DW-6, 13VD3-8 AND SS4718.	\$ 1102
G4718-2PJV50A	ImagePak® Consists of the following Pelco models: EH4718-2, C20-DW-6, 13VD5-50.	\$ 1187
GIT100	Ground isolation transformer passive, compatible with Coaxitron® controls.	\$ 261
HB1	Pan/tilt accessory. Heater blanket for PT480 and PT780 series pan/tilts. 120 VAC.	\$ 85
HB1524	Thermostatically controlled 85 watt heater and blower kit for HS1500 high security enclosure. Blower provides continuous internal air circulation. 24 VAC.	\$ 254
HB2	Pan/tilt accessory. Heater blanket for PT480 and PT780 series pan/tilts. 24 VAC.	\$ 85

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
HD-KEYS	Heavy-duty Spectra/DF5 replacement keys.	\$ 15
HD35-1	Thermostatically controlled 10 watt heater kit with 3 watt continuous defroster for EH3508 and EH3512 enclosures. 120 VAC.	\$ 111
HD35-2	Thermostatically controlled 10 watt heater kit with 3 watt continuous defroster for EH3508 and EH3512 enclosures. 24 VAC.	\$ 111
HD3515-2	Thermostatically controlled 20 watt heater kit with 3 watt continuous defroster for EH3515 and EH3515L enclosures. 24 VAC.	\$ 120
HD5200-2T-72K	Replacement 2TB Drive for NSM-B	\$ 332
HD5200TRAY-RP	REPLACEMENT FOR INITIAL HD5200-TRAY	\$ 498
HK47-1	Continuous duty heater kit for EH4718, EH4722, EH4718L, and EH4722L enclosures. I/O-PCB required for thermostat control. (Included with EH4718L and EH4722L.) 60 watts, 120 VAC.	\$ 56

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
HK47-2	Continuous duty heater kit for EH4718, EH4722, EH4718L, and EH4722L enclosures. I/O-PCB required for thermostat control. (Included with EH4718L and EH4722L.) 50 watts, 24 VAC.	\$ 66
HK57-1	Continuous duty heater kit for EH5723, EH5729, EH5723L, and EH5729L enclosures. I/O-PCB required for thermostat control. (Included with EH5723L and EH5729L.) 90 watts, 120 VAC.	\$ 56
HK57-2	Continuous duty heater kit for EH5723, EH5729, EH5723L, and EH5729L enclosures. I/O-PCB required for thermostat control. (Included with EH5723L and EH5729L.) 50 watts, 24 VAC.	\$ 56
HK706-1	Thermostatically controlled heater kit for E706 series dust-tight enclosures. 80 watts, 120 VAC.	\$ 171

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
HK706-2	Thermostatically controlled heater kit for E706 series dust-tight enclosures. 80 watts, 24 VAC.	\$ 171
HKHS3000	Thermostatically controlled heater kit for HS3000 and HS3020 high security enclosures. 30 watts, 120 VAC.	\$ 120
HKHS3024	Thermostatically controlled heater kit for HS3000 and HS3020 high security enclosures. 30 watts, 24 VAC.	\$ 120
HKX4-1	Thermostatically controlled heater kit for EHX4E explosion-proof enclosure. 40 watts, 120 VAC.	\$ 161
HKX4-2	Thermostatically controlled heater kit for EHX4E explosion-proof enclosure. 40 watts, 24 VAC.	\$ 161
HKX6-1	Thermostatically controlled heater kit for EHX6E explosion-proof enclosure. 80 watts, 120 VAC.	\$ 161
HKX6-2	Thermostatically controlled heater kit for EHX6E explosion-proof enclosure. 80 watts, 24 VAC.	\$ 161

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
HKX8/10-1	Thermostatically controlled heater kit for EHX8E and EHX10E explosion-proof enclosures. 107 watts, 120 VAC.	\$ 161
HKX8/10-2	Thermostatically controlled heater kit for EHX8E and EHX10E explosion-proof enclosures. 107 watts, 24 VAC.	\$ 161
HS1500	Indoor medium size with tamper switch. For corner mount applications. Constructed from 10-gauge steel. No mount required. Use optional hood (HS1500H) for mid-wall mounting	\$ 715
HS2100	Indoor low profile wedge style for drop ceiling applications. Hinged lower steel cover. Tamper-resistant screw. Aluminum back box. Optional 360-deg. ceiling mounting plate (E2100)	\$ 224
HS3000	Indoor medium size with tamper switch. Wall or ceiling mount. Constructed from 14-gauge steel with smoked window. No mount required. 10-inch length.	\$ 310

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
HS8080	Indoor/moderate outdoor ceiling mount. Aluminum vandal-resistant with hinged lower cover and special tool to secure. Lexan window with conduit knockouts on back box and sides.	\$ 282
HS8134	Indoor/moderate outdoor ceiling mount. Steel vandal-resistant with hinged lower cover and special tool to secure. Lexan window with conduit knockouts on back box and sides.	\$ 541
HSWM12	Medium-duty high security wall mount with tamper proof hardware. Maximum load 40 lb (18.12 kg)	\$ 113
ID-CB	CONDUIT BOX PLENUM RATED F SARIX ID	\$ 100
ID-DF5	DF5 Adapter Kit for Sarix™ ID Series	\$ 75
ID-P	Pendant mount white Sarix™™ ID series	\$ 66
ID-PCB	2X2 FT PANEL W/CNDT BOX	\$ 166
ID-S	Surface mount ring for Sarix™ ID Series	\$ 58
ID10C-0	Sarix™ ID network fixed indoor dome camera 1.3 megapixel color lens not included smoked dome	\$ 1122

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
ID10C-1	Sarix™ ID network fixed indoor dome camera 1.3 megapixel color lens not included clear dome	\$ 1122
ID10DN-0	Sarix™ ID network fixed indoor dome camera 1.3 megapixel day/night lens not included smoked dome	\$ 1263
ID10DN-1	Sarix™ ID network fixed indoor dome camera 1.3 megapixel day/night lens not included clear dome	\$ 1263
ID30DN-0	Sarix™ ID network fixed indoor dome camera 3.1 megapixel day/night lens not included smoked dome	\$ 1365
ID30DN-1	Sarix™ ID network fixed indoor dome camera 3.1 megapixel day/night lens not included clear dome	\$ 1365
ID30DN8-1	Sarix™ ID network fixed indoor dome camera 3.1 megapixel day/night m2.8-8 mm lens clear dome	\$ 1542

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IDE10DN-0	Sarix Extended Platform ID Network Fixed Indoor Dome Camera 1.3 Megapixel Day/Night No-Lens Smoked Dome	\$ 1248
IDE10DN-1	Sarix Extended Platform ID Network Fixed Indoor Dome Camera 1.3 Megapixel Day/Night No-Lens Clear Dome	\$ 1248
IDE10DN-OCP1	Sarix™ Extended Platform Network Fixed Indoor Dome Camera 1.3 MegaPixel Day/Night No Lens Clear Dome OV Event Counting Plus Suite	\$ 1803
IDE10DN-OS1	Sarix™ Extended Platform Network Fixed Indoor Dome Camera 1.3 MegaPixel Day/Night No Lens Clear Dome OV Security Suite	\$ 1471
IDE10DN-OSP1	Sarix™ Extended Platform Network Fixed Indoor Dome Camera 1.3 MegaPixel Day/Night No Lens Clear Dome OV Security Plus Suite	\$ 1803
IDE10DN8-1	Sarix Extended Platform ID Network Fixed Indoor Dome Camera 1.3 Megapixel Day/Night M2.8-8 Lens Clear Dome	\$ 1426

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IDE20DN-0	Sarix™ extended platform ID network fixed indoor dome camera 2.1 megapixel day/night no-lens smoked dome	\$ 1713
IDE20DN-1	Sarix™ extended platform ID network fixed indoor dome camera 2.1 megapixel day/night no-lens clear dome	\$ 1713
IDE20DN-OCP0	Sarix™ Extended Platform Network Fixed Indoor Dome Camera 2.1 Mega Pixel Day/Night No-Lens Smoked Dome OV Event Counting Plus Suite	\$ 2268
IDE20DN-OCP1	Sarix™ Extended Platform Network Fixed Indoor Dome Camera 2.1 Mega Pixel Day/Night No-Lens Clear Dome OV Event Counting Plus Suite	\$ 2268
IDE20DN-OS0	Sarix™ Extended Platform Network Fixed Indoor Dome Camera 2.1 Mega Pixel Day/Night No-Lens Smoked Dome OV Security Suite	\$ 1936
IDE20DN-OS1	Sarix™ Extended Platform Network Fixed Indoor Dome Camera 2.1 Mega Pixel Day/Night No-Lens Clear Dome OV Security Suite	\$ 1936

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IDE20DN-OSP0	Sarix™ Extented Platform Network Fixed Indoor Dome Camera 2.1 Mega Pixel Day/Night No-Lens Smoked Dome OV Security Plus Suite	\$ 2268
IDE20DN-OSP1	Sarix™ Extented Platform Network Fixed Indoor Dome Camera 2.1 Mega Pixel Day/Night No-Lens Clear Dome OV Security Plus Suite	\$ 2268
IDE20DN8-1	Sarix™ extended platform ID network fixed indoor dome camera 2.1 megapixel day/night m2.8-8 lens clear dome	\$ 1891
IDM4012SS	Wall arm mount with feed thru for Spectra® Stainless Steel.	\$ 383
IDM4018	Wall arm mount for Intercept or Spectra® and DF5 series pendant domes and other pendant style domes using 1-½inch NPT threaded pipe. (Can also be used with PP4348 for parapet rooftop applications.)	\$ 120

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IDS0DN-0	Sarix™ ID network fixed indoor dome camera standard def day/night lens not included smoked dome	\$ 1009
IDS0DN-1	Sarix™ ID network fixed indoor dome camera standard def day/night lens not included clear dome	\$ 1009
IDS0DN12-1	Sarix™ ID network fixed indoor dome camera standard def day/night vd2.8- 12mm lens clear dome	\$ 1127
IE-P	Pendant Mount Light Grey Sarix™ IE Series	\$ 116
IE-S	Surface Mount Ring for Sarix™ IE Series	\$ 66
IE10C-0	Sarix™ IE Network Fixed Rugged Environmental Dome Camera 1.3 MegaPixel Color Lens Not Included Smoked Dome	\$ 1565
IE10C-1	Sarix™ IE Network Fixed Rugged Environmental Dome Camera 1.3 MegaPixel Color Lens Not Included Clear Dome	\$ 1565

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IE10DN-0	Sarix™ IE Network Fixed Rugged Environmental Dome Camera 1.3 MegaPixel Day/Night Lens Not Included Smoked Dome	\$ 1600
IE10DN-1	Sarix™ IE Network Fixed Rugged Environmental Dome Camera 1.3 MegaPixel Day/Night Lens Not Included Clear Dome	\$ 1600
IE30DN-0	Sarix™ IE Network Fixed Rugged Environmental Dome Camera 3.1 MegaPixel Day/Night Lens Not Included Smoked Dome	\$ 1863
IE30DN-1	Sarix™ IE Network Fixed Rugged Environmental Dome Camera 3.1 MegaPixel Day/Night Lens Not Included Clear Dome	\$ 1863
IE30DN8-1	Sarix™ IE Network Fixed Rugged Environmental Dome Camera 3.1 MegaPixel Day/Night M2.8-8 MM Lens Clear Dome	\$ 2040
IEE10DN-0	Sarix Extended Platform ID Network Fixed Rugged Environmental Dome Camera 1.3 Megapixel Day/Night No-Lens Smoked Dome	\$ 1647

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IEE10DN-1	Sarix Extended Platform ID Network Fixed Rugged Environmental Dome Camera 1.3 Megapixel Day/Night No-Lens Clear Dome	\$ 1647
IEE10DN-OCP1	Sarix™ Extended Platform IE Network Fixed Rugged Environmental Dome Camera 1.3 MegaPixel Day/Night No Lens Clear Dome OV Event Counting Plus Suite	\$ 2201
IEE10DN-OS1	Sarix™ Extended Platform IE Network Fixed Rugged Environmental Dome Camera 1.3 MegaPixel Day/Night No Lens Clear Dome OV Security Suite	\$ 1869
IEE10DN-OSP1	Sarix™ Extended Platform IE Network Fixed Rugged Environmental Dome Camera 1.3 MegaPixel Day/Night No Lens Clear Dome OV Security Plus Suite	\$ 2201
IEE10DN8-1	Sarix Extended Platform ID Network Fixed Rugged Environmental Dome Camera 1.3 Megapixel Day/Night M2.8-8 Lens Clear Dome	\$ 1824

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IEE20DN-0	Sarix™ Extended Platform IE Network Fixed Rugged Environmental Dome Camera 2.1 MegaPixel Day/Night No-Lens Smoked Dome	\$ 2095
IEE20DN-1	Sarix™ Extended Platform IE Network Fixed Rugged Environmental Dome Camera 2.1 MegaPixel Day/Night No-Lens Clear Dome	\$ 2095
IEE20DN-OCP0	Sarix™ Extended Platform Network Fixed Rugged Environmental Dome Camera 2.1 MegaPixel Day/Night No-Lens Smoked Dome OV Event Counting Plus Suite	\$ 2649
IEE20DN-OCP1	Sarix™ Extended Platform Network Fixed Rugged Environmental Dome Camera 2.1 MegaPixel Day/Night No-Lens Clear Dome OV Event Counting Plus Suite	\$ 2649
IEE20DN-OS0	Sarix™ Extended Platform Network Fixed Rugged Environmental Dome Camera 2.1 MegaPixel Day/Night No-Lens Smoked Dome OV Security Suite	\$ 2317

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IEE20DN-OS1	Sarix™ Extended Platform Network Fixed Rugged Environmental Dome Camera 2.1 MegaPixel Day/Night No-Lens Clear Dome OV Security Suite	\$ 2317
IEE20DN-OSP0	Sarix™ Extended Platform Network Fixed Rugged Environmental Dome Camera 2.1 MegaPixel Day/Night No-Lens Smoked Dome OV Security Plus Suite	\$ 2649
IEE20DN-OSP1	Sarix™ Extended Platform Network Fixed Rugged Environmental Dome Camera 2.1 MegaPixel Day/Night No-Lens Clear Dome OV Security Plus Suite	\$ 2649
IEE20DN8-1	Sarix™ Extended Platform IE Network Fixed Rugged Environmental Dome Camera 2.1 MegaPixel Day/Night M2.8-8 Lens Clear Dome	\$ 2273
IES0DN-0	Sarix™ IE Network Fixed Rugged Environmental Dome Camera Standard Def Day/Night Lens Not Included Smoked Dome	\$ 1308

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
IES0DN-1	Sarix™ IE Network Fixed Rugged Environmental Dome Camera Standard Def Day/Night Lens Not Included Clear Dome	\$ 1308
IES0DN12-0	Sarix™ IE Network Fixed Rugged Environmental Dome Camera Standard Def Day/Night VD2.8 -12MM Lens Smoke Dome	\$ 1426
IES0DN12-1	Sarix™ IE Network Fixed Rugged Environmental Dome Camera Standard Def Day/Night VD2.8 -12MM Lens Clear Dome	\$ 1426
IL10-BA	IL10 IP NETWORK INDOOR FIXED BOX 24VAC CAMERA 1MP 720P AT 30IPS H.264 AND MJPEG COLOR FIXED FOCUS INTEGRATED 63.5 DEGREE FOV LENS COMPACT AFFORDABLE EASY	\$ 413

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
IL10-BP	IL10 IP NETWORK INDOOR FIXED BOX POE CAMERA 1MP 720P AT 30IPS H.264 AND MJPEG COLOR FIXED FOCUS INTEGRATED 63.5 DEGREE FOV LENS COMPACT AFFORDABLE EASY	\$ 438
IL10-DA	IL10 IP NETWORK INDOOR MICRO DOME 24VAC CAMERA 1MP 720P AT 30IPS H.264 AND MJPEG COLOR FIXED FOCUS INTEGRATED 63.5 DEGREE FOV LENS COMPACT AFFORDABLE EASY	\$ 447
IL10-DP	IL10 IP NETWORK INDOOR MICRO DOME POE CAMERA 1MP 720P AT 30IPS H.264 AND MJPEG COLOR FIXED FOCUS INTEGRATED 63.5 DEGREE FOV LENS COMPACT AFFORDABLE EASY	\$ 471
IM-PMBL	Pendant Mount Black Sarix™ IM Series	\$ 50

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IM-PMWT	Pendant Mount White Sarix™ IM Series	\$ 50
IM-VE4S	4S Box Mounting Plate for Sarix™ IM- V IM-E	\$ 33
IM-VECM	Corner Mount For Sarix™ IM-V IM-E Light Gray	\$ 166
IM-VEPM	Pendant Mount for Sarix™ IM-V IM-E Lt Gray	\$ 91
IM-VESM	Surface Mount Ring For Sarix™ IM-V IM- E Lt Gray	\$ 50
IM-WMBL	Integrated Wall Mount Black for Sarix™ IM Series	\$ 66
IM-WMWT	Integrated Wall Mount White for Sarix™ IM Series	\$ 66
IM10C10-1	Sarix™ IM network fixed indoor mini dome camera 1.3 megapixel color vari- focal lens 2.8-10mm white clear dome with liner	\$ 896
IM10C10-B1	Sarix™ IM network fixed indoor mini dome camera 1.3 megapixel color vari- focal lens 2.8-10mm black clear dome with liner	\$ 896

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
IM10DN10-1E	Sarix™ IM-E Network Fixed Outdoor Vandal Resistant Mini dome Camera 1.3 MegaPixel Day Night Vari-focal Lens 2.8- 10mm Light Gray Clear dome With Liner	\$ 1170
IM10DN10-1V	Sarix™ IM-V Network Fixed Vandal Resistant Mini dome Camera 1.3 MegaPixel Day Night Vari-focal Lens 2.8-10mm Light Gray Clear dome With Liner	\$ 1079
IM10LW10-1	SARIX MINIDOME NETWORK CAMERA 1.2 MEGAPIXEL LOW LIGHT WIDE DYNAMIC RANGE DAY NIGHT 2.8- 10MM WHITE CLEAR DOME WITH LINER	\$ 1293
IM10LW10-1E	SARIX OUTDOOR RUGGED VANDAL MINIDOME NETWORK CAMERA 1.2 MEGAPIXEL LOW LIGHT WIDE DYNAMIC RANGE DAY NIGHT 2.8- 10MM CLEAR DOME WITH LINER	\$ 1492

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
IM10LW10-1V	Sarix Indoor Vandal Minidome Network Camera 1.2 Megalpixel Low Light Wide Dynamic Range Day Night 2.8 -10mm Clear Dome with liner	\$ 1360
IM10LW10-B1	SARIX MINIDOME NETWORK CAMERA 1.2 MEGAPIXEL LOW LIGHT WIDE DYNAMIC RANGE DAY NIGHT 2.8- 10MM BLACK CLEAR DOME WITH LINER	\$ 1293
IMS0C10-1	Sarix™ IM network fixed indoor mini dome camera standard definition color vari-focal lens 2.8-10mm white clear dome with liner	\$ 672
IMS0C10-1E	Sarix™ IM-E Network Fixed Outdoor Vandal Resistant Mini dome Camera Standard Definition Color Vari- focal Lens 2.8-10mm Light Gray Clear dome With Liner	\$ 830
IMS0C10-1V	Sarix™ IM-V Network Fixed Vandal Resistant Mini dome Camera Standard Definition Color Vari-focal Lens 2.8-10mm Light Gray Clear dome With Liner	\$ 739

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



Model Number	Description	MSRP
IMS0DN10-1E	Sarix™ IM-E Network Fixed Outdoor Vandal Resistant Mini dome Camera Standard Definition Day Night Vari-focal Lens 2.8- 10mm Light Gray Clear dome With Liner	\$ 946
IMS0DN10-1V	Sarix™ IM-V Network Fixed Vandal Resistant Mini dome Camera Standard Definition Day Night Vari-focal Lens 2.8-10mm Light Gray Clear dome With Liner	\$ 855
IMS0LW10-1	SARIX MINIDOME NETWORK CAMERA STANDARD DEFINITION LOW LIGHT WIDE DYNAMIC RANGE DAY NIGHT 2.8- 10MM WHITE CLEAR DOME WITH LINER	\$ 1127
IMS0LW10-1E	SARIX OUTDOOR RUGGED VANDAL MINIDOME NETWORK CAMERA STANDARD DEFINITION LOW LIGHT WIDE DYNAMIC RANGE DAY NIGHT 2.8- 10MM CLEAR DOME WITH LINER	\$ 1326

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IMSOLW10-1V	Sarix Indoor Vandal Minidome Network Camera Standard Definition Low Light Wide Dynamic Range Day Night 2.8 -10mm Clear Dome with liner	\$ 1194
IPCT01	IP CAMERA TESTER	\$ 830
IPS-CABLE	Spectra III™ remote monitor kit cable.	\$ 116
IPS-MINIADPT	IPS Kit SPECTRA MINI adapter for use the IPS-RMK or IPS-CABLE.	\$ 48
IPS-RDPE-2	Remote data port. 24 VAC.	\$ 302
IPSXM-2	ExSite® Explosion proof 24 VAC power module.	\$ 5865
IPSXM-7	ExSite® Explosion proof 100-240 VAC power module.	\$ 5865
IPSXM3036	ExSite® Explosion proof Integrated Optics Module, Day/Night, 36x Optical and 10x digital Zoom, 470 line Color LowLight, NTSC	\$ 3727
IPSXM3036-2	ExSite® Explosion proof Pan/Tilt System, 24 VAC, Day/Night, 36X Optical and 10x digital Zoom, 470 line Color LowLight, NTSC	\$ 27408

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IPSXM3036-7	ExSite® Explosion proof Pan/Tilt System, 100-240 VAC, Day/Night, 36X Optical and 10x digital Zoom, 470 line Color LowLight, NTSC	\$ 27408
IPSXM3136	ExSite® Explosion proof Integrated Optics Module, Day/Night, 36x Optical and 10x digital Zoom, 470 line Color LowLight, NTSC, with Wiper	\$ 4547
IPSXM3136-2	ExSite® Explosion proof Pan/Tilt System, 24 VAC, Day/Night, 36X Optical and 10x digital Zoom, 470 line Color LowLight, NTSC, with Wiper	\$ 28228
IPSXM3136-7	ExSite® Explosion proof Pan/Tilt System, 100-240 VAC, Day/Night, 36X Optical and 10x digital Zoom, 470 line Color LowLight, NTSC, with Wiper	\$ 28228
IPSXME036-2	ExSite® EX/ATEX H.264 PTZ 24V 36X NTSC	\$ 28633
IPSXME036-7	ExSite® EX/ATEX H.264 PTZ 100/240V 36X NTSC	\$ 28633
IPSXME136-2	ExSite® EX/ATEX H.264 PTZ, 24V 36X Wiper NTSC	\$ 29453

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IPXME136-7	ExSite® EX/ATEX H.264 PTZ 100/240V 36X Wiper NTSC	\$ 29453
IPXMPT30	ExSite® Explosion proof Pan/Tilt with Integrated Enclosure, no Wiper	\$ 17817
IPXMPT31	ExSite® Explosion proof Pan/Tilt with Integrated Enclosure, with Wiper	\$ 17817
IRD2024	Coaxitron®. Indoor, fixed speed. 24 VAC input, 24 VAC output for camera power and pan/tilt operation.	\$ 759
IS20-AP	CAMCLOSURE 2 IS2X 4S BOX ADAPTER PLATE FOR ADAPTING A SURFACE MOUNT UNIT TO A 4S ELECTRICAL BOX	\$ 32
IS20-CHV10F	Camclosure® 2 IS2X Series Indoor Flush mount Color High Res NTSC Fixed Dome Camera 2.8- 10mm lens with Smoked Dome - Sell In Non CE Countries Only	\$ 413

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IS20-CHV10S	Camclosure® 2 IS2X Series Indoor Surface mount Color High Res NTSC Fixed Dome Camera 2.8-10mm lens with Smoked Dome - Sell In Non CE Countries Only	\$ 369
IS20-DNV10F	Camclosure® 2 IS2X Series Indoor Flush mount Day/Night High Res NTSC Fixed Dome Camera 2.8-10mm lens with Smoked Dome - Sell In Non CE Countries Only	\$ 525
IS20-DNV10S	Camclosure® 2 IS2X Series Indoor Surface mount Day/Night High Res NTSC Fixed Dome Camera 2.8-10mm lens with Smoked Dome - Sell In Non CE Countries Only	\$ 480
IS20-DWSV8F	Camclosure® 2 IS2X Series Indoor Flush mount Day/Night Wide Dynamic Range Super High Res NTSC Fixed Dome Camera 3.8- 8mm lens with Smoked Dome - Sell In Non CE Countries Only	\$ 596

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IS20-DWSV8S	Camclosure® 2 IS2X Series Indoor Surface mount Day/Night Wide Dynamic Range Super High Res NTSC Fixed Dome Camera 3.8-8mm lens with Smoked Dome - Sell In Non CE Countries Only	\$ 553
IS20-FK	Camclosure® 2 IS2X Series Indoor Flush Kit Converts a S unit to an F unit	\$ 113
IS20-LD	CAMCLOSURE 2 IS20 REPLACEMENT LOWER DOME SMOKE FOR REPLACEMENT OF DAMAGED OR LOST LOWER DOMES	\$ 46
IS20-P	Camclosure® 2 IS2X Series Pendant Adapter for IX2X Ch and DN Cameras	\$ 33
IS20-WM	Camclosure® 2 IS2X Series Indoor Wall Mount for IX2X Ch and DN Cameras	\$ 63
IS20DWS-FK	Camclosure® 2 IS2X Model DWS Day/Night Wide Dynamic Range Super High Resolution-650HTVL Camera Flush Kit	\$ 113

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IS20DWS-P	Camclosure® 2 IS2X Model DWS Day/Night Wide Dynamic Range Super High Resolution-650HTVL Camera Indoor Pendant Adapter	\$ 42
IS20DWS-WM	Camclosure® 2 IS2X Series Indoor Wall Mount for IX2X DWS cameras	\$ 63
IS21-CHV10F	Camclosure® 2 IS2X Series Indoor Flush mount Color High Res NTSC Fixed Dome Camera 2.8- 10mm lens with Clear Dome - Sell In Non CE Countries Only	\$ 413
IS21-CHV10S	Camclosure® 2 IS2X Series Indoor Surface mount Color High Res NTSC Fixed Dome Camera 2.8-10mm lens with Clear Dome - Sell In Non CE Countries Only	\$ 369
IS21-DNV10F	Camclosure® 2 IS2X Series Indoor Flush mount Day/Night High Res NTSC Fixed Dome Camera 2.8-10mm lens with Clear Dome - Sell In Non CE Countries Only	\$ 525

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
IS21-DNV10S	Camclosure® 2 IS2X Series Indoor Surface mount Day/Night High Res NTSC Fixed Dome Camera 2.8-10mm lens with Clear Dome - Sell In Non CE Countries Only	\$ 480
IS21-DWSV8F	Camclosure® 2 IS2X Series Indoor Flush mount Day/Night Wide Dynamic Range Super High Res NTSC Fixed Dome Camera 3.8- 8mm lens with Clear Dome - Sell In Non CE Countries Only	\$ 596
IS21-DWSV8S	Camclosure® 2 IS2X Series Indoor Surface mount Day/Night Wide Dynamic Range Super High Res NTSC Fixed Dome Camera 3.8-8mm lens with Clear Dome - Sell In Non CE Countries Only	\$ 553
IS21-LD	CAMCLOSURE 2 IS21 REPLACEMENT LOWER DOME CLEAR FOR REPLACEMENT OF DAMAGED OR LOST LOWER DOMES	\$ 46

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IS50-CHV10F	Camclosure 2 IS5X Series Environmental Flush mount Color High Res NTSC Fixed Dome Camera 2.8-10mm lens with Smoked Dome - Sell In Non CE Countries Only	\$ 530
IS50-CHV10S	Camclosure 2 IS5X Series Environmental Surface mount Color High Res NTSC Fixed Dome Camera 2.8-10mm lens with Smoked Dome - Sell In Non CE Countries Only	\$ 486
IS50-CM	CAMCLOSURE 2 IS5X INSIDE CORNER MOUNT FOR USE IN INSIDE CORNER MOUNTING AT THE C	\$ 108
IS50-DNV10F	Camclosure 2 IS5X Series Environmental Flush mount Day/Night High Res NTSC Fixed Dome Camera 2.8-10mm lens with Smoked Dome - Sell In Non CE Countries Only	\$ 548

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
IS50-DNV10S	Camclosure 2 IS5X Series Environmental Surface mount Day/Night High Res NTSC Fixed Dome Camera 2.8-10mm lens with Smoked Dome - Sell In Non CE Countries Only	\$ 503
IS50-DWSV8F	Camclosure 2 IS5X Series Environmental Flush mount Day/Night Wide Dynamic Range Super High Res NTSC Fixed Dome Camera 3.8- 8mm lens with Smoked Dome - Sell In Non CE Countries Only	\$ 779
IS50-DWSV8S	Camclosure 2 IS5X Series Environmental Surface mount Day/Night Wide Dynamic Range Super High Res NTSC Fixed Dome Camera 3.8-8mm lens with Smoked Dome - Sell In Non CE Countries Only	\$ 735
IS50-FK	Camclosure 2 IS5X Series Indoor Flush Kit for IX5X Ch and DN Cameras	\$ 113

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
IS50-LD	CAMCLOSURE 2 IS50-IS20DWS REPLACEMENT LR DM SMOKE FOR REPLACEMENT OF DAMAGED OR LOST LOWER DOMES	\$ 46
IS50-P	Camclosure 2 IS5X Series Outdoor Pendant Adapter for IX5X Ch and DN Cameras	\$ 98
IS51-CHV10F	Camclosure 2 IS5X Series Environmental Flush mount Color High Res NTSC Fixed Dome Camera 2.8- 10mm lens with Clear Dome - Sell In Non CE Countries Only	\$ 530
IS51-CHV10S	Camclosure 2 IS5X Series Environmental Surface mount Color High Res NTSC Fixed Dome Camera 2.8-10mm lens with Clear Dome - Sell In Non CE Countries Only	\$ 486
IS51-DNV10F	Camclosure 2 IS5X Series Environmental Flush mount Day/Night High Res NTSC Fixed Dome Camera 2.8-10mm lens with Clear Dome - Sell In Non CE Countries Only	\$ 548

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
IS51-DNV10S	Camclosure 2 IS5X Series Environmental Surface mount Day/Night High Res NTSC Fixed Dome Camera 2.8-10mm lens with Clear Dome - Sell In Non CE Countries Only	\$ 503
IS51-DWSV8F	Camclosure 2 IS5X Series Environmental Flush mount Day/Night Wide Dynamic Range Super High Res NTSC Fixed Dome Camera 3.8- 8mm lens with Clear Dome - Sell In Non CE Countries Only	\$ 779
IS51-DWSV8S	Camclosure 2 IS5X Series Environmental Surface mount Day/Night Wide Dynamic Range Super High Res NTSC Fixed Dome Camera 3.8-8mm lens with Clear Dome - Sell In Non CE Countries Only	\$ 735
IS51-LD	CAMCLOSURE 2 IS51-IS21DWS REPLACEMENT LR DM CLEAR FOR REPLACEMENT OF DAMAGED OR LOST LOWER DOMES	\$ 46

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IWM-BK	Wall mount with cable feedthrough designed for use with Intercept or Spectra® and DF5 pendant series. Supports up to 75 pounds. Can also be used with PP4348 for parapet rooftop applications. Black finish.	\$ 125
IWM-GY	Wall mount with cable feedthrough designed for use with Intercept or Spectra® and DF5 pendant series. Supports up to 75 pounds. Can also be used with PP4348 for parapet rooftop applications. Gray finish.	\$ 129
IWM-MKIT	The IWM-MKIT marine kit is designed to protect the Spectra® Series dome system and the IWM Series mount from galvanic corrosion by electrically isolating the system from the mounting structure.	\$ 33
IWM-SR	Wall Mount Lt Gray for Sarix™ IE P Pnd Lg	\$ 129

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IWM24-BK	Wall mount (IWM-BK) with integrated weatherproof transformer. Designed for use with Intercept or Spectra® and DF5 outdoor dome series. Black finish. 120 VAC input, 24 VAC output.	\$ 357
IWM24-GY	Wall mount (IWM-GY) with integrated weatherproof transformer. Designed for use with Intercept or Spectra® and DF5 outdoor dome series. Gray finish. 120 VAC input, 24 VAC output.	\$ 357
IWM24-SR	Wall Mount 24 VAC Light Gray for Sarix™ IE Pendant Long	\$ 357
IX-SC	Sarix™ service cable to bnc, 4-ft	\$ 38
IX30DN	Sarix™ IX series, network camera, 3.1 mega pixel day/night	\$ 1775
IX30DN12	Sarix™ ImagePak® Consists of the following Pelco models: IX30DN, 13M2.8-12	\$ 2121
IX30DN12-EA	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IX30DN, 13M2.8-12	\$ 2251

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IX30DN12-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IX30DN, 13M2.8-12, EM1512	\$ 2286
IX30DN12-EAS	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IX30DN, 13M2.8-12, SS1512	\$ 2286
IX30DN12-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IX30DN, 13M2.8-12, EM1512, SS1512	\$ 2321
IX30DN12-EB	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IX30DN, 13M2.8-12	\$ 2500
IX30DN12-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IX30DN, 13M2.8-12, EM1450, SS3512	\$ 2605
IX30DN12-EBS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IX30DN, 13M2.8-12, SS3512	\$ 2545
IX30DN12-EBW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IX30DN, 13M2.8-12, EM1450	\$ 2560

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IX30DN12-EC	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IX30DN, 13M2.8-12	\$ 2415
IX30DN12-ECK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IX30DN, 13M2.8-12, EM1450, SS3512	\$ 2520
IX30DN12-ECS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IX30DN, 13M2.8-12, SS3512	\$ 2460
IX30DN12-ECW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IX30DN, 13M2.8-12, EM1450	\$ 2475
IX30DN12-EK	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-0, IX30DN, 13M2.8-12	\$ 2351
IX30DN12-EL	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-1, IX30DN, 13M2.8-12	\$ 2351
IX30DN12-EM	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E0, IX30DN, 13M2.8-12	\$ 3053

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IX30DN12-EN	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E1, IX30DN, 13M2.8-12	\$ 3053
IX30DN12-U	Sarix™ ImagePak® Consists of the following Pelco models: IX30DN, 13M2.8-12, C10-UM	\$ 2216
IX30DN50	Sarix™ ImagePak® Consists of the following Pelco models: IX30DN, 13M15-50	\$ 2271
IX30DN50-EA	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IX30DN, 13M15-50	\$ 2400
IX30DN50-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IX30DN, 13M15-50, EM1512	\$ 2435
IX30DN50-EAS	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IX30DN, 13M15-50, SS1512	\$ 2435
IX30DN50-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IX30DN, 13M15-50, EM1512, SS1512	\$ 2470

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IX30DN50-EB	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IX30DN, 13M15-50	\$ 2649
IX30DN50-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IX30DN, 13M15-50, EM1450, SS3512	\$ 2754
IX30DN50-EBS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IX30DN, 13M15-50, SS3512	\$ 2694
IX30DN50-EBW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IX30DN, 13M15-50, EM1450	\$ 2709
IX30DN50-EC	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IX30DN, 13M15-50	\$ 2565
IX30DN50-ECK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IX30DN, 13M15-50, EM1450, SS3512	\$ 2669
IX30DN50-ECS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IX30DN, 13M15-50, SS3512	\$ 2610

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IX30DN50-ECW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IX30DN, 13M15-50, EM1450	\$ 2624
IX30DN50-EK	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-0, IX30DN, 13M15-50	\$ 2500
IX30DN50-EL	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-1, IX30DN, 13M15-50	\$ 2500
IX30DN50-EM	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E0, IX30DN, 13M15-50	\$ 3202
IX30DN50-EN	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E1, IX30DN, 13M15-50	\$ 3202
IX30DN50-U	Sarix™ ImagePak® Consists of the following Pelco models: IX30DN, 13M15-50, C10-UM	\$ 2366
IX30DN6	Sarix™ ImagePak® Consists of the following Pelco models: IX30DN, 13M2.2-6	\$ 2138
IX30DN6-EA	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IX30DN, 13M2.2-6	\$ 2268

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IX30DN6-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IX30DN, 13M2.2-6, EM1512	\$ 2302
IX30DN6-EAS	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IX30DN, 13M2.2-6, SS1512	\$ 2302
IX30DN6-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IX30DN, 13M2.2-6, EM1512, SS1512	\$ 2337
IX30DN6-EB	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IX30DN, 13M2.2-6	\$ 2517
IX30DN6-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IX30DN, 13M2.2-6, EM1450, SS3512	\$ 2621
IX30DN6-EBS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IX30DN, 13M2.2-6, SS3512	\$ 2561
IX30DN6-EBW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IX30DN, 13M2.2-6, EM1450	\$ 2576

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IX30DN6-EC	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IX30DN, 13M2.2-6	\$ 2432
IX30DN6-ECK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IX30DN, 13M2.2-6, EM1450, SS3512	\$ 2536
IX30DN6-ECS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IX30DN, 13M2.2-6, SS3512	\$ 2477
IX30DN6-ECW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IX30DN, 13M2.2-6, EM1450	\$ 2492
IX30DN6-EK	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-0, IX30DN, 13M2.2-6	\$ 2367
IX30DN6-EL	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-1, IX30DN, 13M2.2-6	\$ 2367
IX30DN6-EM	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E0, IX30DN, 13M2.2-6	\$ 3069

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IX30DN6-EN	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E1, IX30DN, 13M2.2-6	\$ 3069
IX30DN6-U	Sarix™ ImagePak® Consists of the following Pelco models: IX30DN, 13M2.2-6, C10-UM	\$ 2233
IX30DN8	Sarix™ ImagePak® Consists of the following Pelco models: IX30DN, 13M2.8-8	\$ 1999
IX30DN8-EA	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IX30DN, 13M2.8-8	\$ 2128
IX30DN8-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IX30DN, 13M2.8-8, EM1512	\$ 2163
IX30DN8-EAS	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IX30DN, 13M2.8-8, SS1512	\$ 2163
IX30DN8-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IX30DN, 13M2.8-8, EM1512, SS1512	\$ 2198

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IX30DN8-EB	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2. IX30DN, 13M2.8-8	\$ 2377
IX30DN8-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2. IX30DN, 13M2.8-8, EM1450, SS3512	\$ 2482
IX30DN8-EBS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2. IX30DN, 13M2.8-8, SS3512	\$ 2422
IX30DN8-EBW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2. IX30DN, 13M2.8-8, EM1450	\$ 2437
IX30DN8-EC	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD. IX30DN, 13M2.8-8	\$ 2292
IX30DN8-ECK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD. IX30DN, 13M2.8-8, EM1450, SS3512	\$ 2397
IX30DN8-ECS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD. IX30DN, 13M2.8-8, SS3512	\$ 2337

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IX30DN8-ECW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IX30DN, 13M2.8-8, EM1450	\$ 2352
IX30DN8-EK	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-0, IX30DN, 13M2.8-8	\$ 2228
IX30DN8-EL	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-1, IX30DN, 13M2.8-8	\$ 2228
IX30DN8-EM	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E0, IX30DN, 13M2.8-8	\$ 2930
IX30DN8-EN	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E1, IX30DN, 13M2.8-8	\$ 2930
IX30DN8-U	Sarix™ ImagePak® Consists of the following Pelco models: IX30DN, 13M2.8-8, C10-UM	\$ 2093
IXE10C-OCP	Sarix™ Extended Platform IX Series, Network Camera, 1.3 Mega Pixel Color, OV Event Counting Suite Plus	\$ 2007
IXE10C-OS	Sarix™ Extended Platform IX Series, Network Camera, 1.3 Mega Pixel Color, OV Security Suite	\$ 1675

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXE10C-OSP	Sarix™ Extended Platform IX Series, Network Camera, 1.3 Mega Pixel Color, OV Security Suite Plus	\$ 2007
IXE10DN	Sarix™ Extended Platform IX Series, Network Camera, 1.3 Mega Pixel Day/Night	\$ 1260
IXE10DN-OCP	Sarix™ Extended Platform IX Series, Network Camera, 1.3 Mega Pixel Day/Night, OV Event Counting Suite Plus	\$ 1814
IXE10DN-OS	Sarix™ Extended Platform IX Series, Network Camera, 1.3 Mega Pixel Day/Night, OV Security Suite	\$ 1482
IXE10DN-OSP	Sarix™ Extended Platform IX Series, Network Camera, 1.3 Mega Pixel Day/Night, OV Security Suite Plus	\$ 1814
IXE10DN12	Sarix™ ImagePak® Consists of the following Pelco models: IXE10DN, 13M2.8-12	\$ 1607
IXE10DN12-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE10DN, 13VA2.8-12, EM1512	\$ 1771

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXE10DN12-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE10DN, 13VA2.8-12, SS1512, EM1512	\$ 1806
IXE10DN12-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE10DN, 13M2.8-12, SS3512, EM1450	\$ 2090
IXE10DN12-EBW	SARIX IPAK IXE 10DN/EH3512-2	\$ 2045
IXE10DN12-U	Sarix™ ImagePak® Consists of the following Pelco models: IXE10DN, 13M2.8-12, C10-UM	\$ 1702
IXE10DN50-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE10DN, 13M5-50, SS1512, EM1512	\$ 1955
IXE10DN8	Sarix™ ImagePak® Consists of the following Pelco models: IXE10DN, 13M2.8-8	\$ 1484
IXE10DN8-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE10DN, 13M2.8-8, EM1512.	\$ 1648

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXE10DN8-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE10DN, 13M2.8-8, EM1512, SS1512.	\$ 1683
IXE10DN8-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE10DN, 13M2.8-8, EM1450, SS3512.	\$ 1967
IXE10DN8-U	Sarix™ ImagePak® Consists of the following Pelco models: IXE10DN, 13M2.8-8, C10-UM.	\$ 1579
IXE10LW	Sarix™ Extended Platform Fixed Box Network Camera 1.2 Mega Pixel Low Light Wide Dynamic Range Day Night Pelco Analytics Suites	\$ 1459
IXE10LW-OCP	Sarix™ Extended Platform Fixed Box Network 1.2 Megapixel Low Light Wide Dynamic Range Day Night Object Event Counting Plus	\$ 2014
IXE10LW-OS	Sarix™ Extended Platform Fixed Box Network Camera 1.2 Megapixel Low Light Wide Dynamic Range Day Night Object Video Security Suite	\$ 1682

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXE10LW-OSP	Sarix™ Extended Platform Fixed Box Network 1.2 Megapixel Low Light Wide Dynamic Range Day Night Object Video Security Plus	\$ 2014
IXE10LW12	Sarix™ ImagePak® Consists of the following Pelco models: IXE10LW, 13M2.8-12	\$ 1806
IXE10LW12-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE10LW, 13M2.8-12, EM1512	\$ 1970
IXE10LW12-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE10LW, 13M2.8-12, EM1512, SS1512	\$ 2005
IXE10LW12-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE10LW, 13M2.8-12, EM1450, SS3512	\$ 2289
IXE10LW12-U	Sarix™ ImagePak® Consists of the following Pelco models: IXE10LW, 13M2.8-12, C10-UM	\$ 1901

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXE10LW8	Sarix™ ImagePak® Consists of the following Pelco models: IXE10LW, 13M2.8-8	\$ 1683
IXE10LW8-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE10LW, 13M2.8-5, EM1512	\$ 1848
IXE10LW8-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE10LW, 13M2.8-8, EM1512, SS1512	\$ 1882
IXE10LW8-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE10LW, 13M2.8-8, EM1450, SS3512	\$ 2166
IXE10LW8-U	Sarix™ ImagePak® Consists of the following Pelco models: IXE10LW, 13M2.8-8, C10-UM	\$ 1778
IXE20C-OCP	Sarix™ Extended Platform IX Series, Network Camera, 2.1 Mega Pixel Color, OV Event Counting Suite Plus.	\$ 2571
IXE20C-OS	Sarix™ Extended Platform IX Series, Network Camera, 2.1 Mega Pixel Color, OV Security Suite.	\$ 2239

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXE20C-OSP	Sarix™ Extended Platform IX Series, Network Camera, 2.1 Mega Pixel Color, OV Security Suite Plus.	\$ 2571
IXE20DN	Sarix™ extended platform IX series, network camera, 2.1 mega pixel day/night	\$ 2007
IXE20DN-OCP	Sarix™ Extended Platform IX Series, Network Camera, 2.1 Mega Pixel Day/Night, OV Event Counting Suite Plus.	\$ 2561
IXE20DN-OS	Sarix™ Extended Platform IX Series, Network Camera, 2.1 Mega Pixel Day/Night, OV Security Suite.	\$ 2229
IXE20DN-OSP	Sarix™ Extended Platform IX Series, Network Camera, 2.1 Mega Pixel Day/Night, OV Security Suite Plus.	\$ 2561
IXE20DN12	Sarix™ ImagePak® Consists of the following Pelco models: IXE20DN, 13M2.8-12	\$ 2354
IXE20DN12-EA	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE20DN, 13M2.8-12	\$ 2483

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXE20DN12-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE20DN, 13M2.8-12, EM1512	\$ 2518
IXE20DN12-EAS	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE20DN, 13M2.8-12, SS1512	\$ 2518
IXE20DN12-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE20DN, 13M2.8-12, EM1512, SS1512	\$ 2553
IXE20DN12-EB	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE20DN, 13M2.8-12	\$ 2732
IXE20DN12-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE20DN, 13M2.8-12, EM1450, SS3512	\$ 2837
IXE20DN12-EBS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE20DN, 13M2.8-12, SS3512	\$ 2777

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXE20DN12-EBW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE20DN, 13M2.8-12, EM1450	\$ 2792
IXE20DN12-EC	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXE20DN, 13M2.8-12	\$ 2648
IXE20DN12-ECK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXE20DN, 13M2.8-12, EM1450, SS3512	\$ 2752
IXE20DN12-ECS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXE20DN, 13M2.8-12, SS3512	\$ 2693
IXE20DN12-ECW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXE20DN, 13M2.8-12, EM1450	\$ 2707
IXE20DN12-EK	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-0, IXE20DN, 13M2.8-12	\$ 2583

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXE20DN12-EL	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-1, IXE20DN, 13M2.8-12	\$ 2583
IXE20DN12-EM	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E0, IXE20DN, 13M2.8-12	\$ 3285
IXE20DN12-EN	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E1, IXE20DN, 13M2.8-12	\$ 3285
IXE20DN12-U	Sarix™ ImagePak® Consists of the following Pelco models: IXE20DN, 13M2.8-12, C10-UM	\$ 2449
IXE20DN50	Sarix™ ImagePak® Consists of the following Pelco models: IXE20DN, 13M15-50	\$ 2503
IXE20DN50-EA	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE20DN, 13M15-50	\$ 2633
IXE20DN50-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE20DN, 13M15-50, EM1512	\$ 2668

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXE20DN50-EAS	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE20DN, 13M15-50, SS1512	\$ 2668
IXE20DN50-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE20DN, 13M15-50, EM1512, SS1512	\$ 2702
IXE20DN50-EB	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE20DN, 13M15-50	\$ 2882
IXE20DN50-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE20DN, 13M15-50, EM1450, SS3512	\$ 2986
IXE20DN50-EBS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE20DN, 13M15-50, SS3512	\$ 2927
IXE20DN50-EBW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE20DN, 13M15-50, EM1450	\$ 2942

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXE20DN50-EC	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXE20DN, 13M15-50	\$ 2797
IXE20DN50-ECK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXE20DN, 13M15-50, EM1450, SS3512	\$ 2902
IXE20DN50-ECS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXE20DN, 13M15-50, SS3512	\$ 2842
IXE20DN50-ECW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXE20DN, 13M15-50, EM1450	\$ 2857
IXE20DN50-EK	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-0, IXE20DN, 13M15-50	\$ 2732
IXE20DN50-EL	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-1, IXE20DN, 13M15-50	\$ 2732
IXE20DN50-EM	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E0, IXE20DN, 13M15-50	\$ 3435

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXE20DN50-EN	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E1, IXE20DN, 13M15-50	\$ 3435
IXE20DN50-U	Sarix™ ImagePak® Consists of the following Pelco models: IXE20DN, 13M15-50, C10-UM	\$ 2598
IXE20DN6	Sarix™ ImagePak® Consists of the following Pelco models: IXE20DN, 13M2.2-6	\$ 2370
IXE20DN6-EA	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE20DN, 13M2.2-6	\$ 2500
IXE20DN6-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE20DN, 13M2.2-6, EM1512	\$ 2535
IXE20DN6-EAS	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE20DN, 13M2.2-6, SS1512	\$ 2535
IXE20DN6-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE20DN, 13M2.2-6, EM1512, SS1512	\$ 2570

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXE20DN6-EB	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE20DN, 13M2.2-6	\$ 2749
IXE20DN6-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE20DN, 13M2.2-6, EM1450, SS3512	\$ 2854
IXE20DN6-EBS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE20DN, 13M2.2-6, SS3512	\$ 2794
IXE20DN6-EBW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE20DN, 13M2.2-6, EM1450	\$ 2809
IXE20DN6-EC	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXE20DN, 13M2.2-6	\$ 2664
IXE20DN6-ECK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXE20DN, 13M2.2-6, EM1450, SS3512	\$ 2769
IXE20DN6-ECS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXE20DN, 13M2.2-6, SS3512	\$ 2709

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXE20DN6-ECW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXE20DN, 13M2.2-6, EM1450	\$ 2724
IXE20DN6-EK	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-0, IXE20DN, 13M2.2-6	\$ 2600
IXE20DN6-EL	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-1, IXE20DN, 13M2.2-6	\$ 2600
IXE20DN6-EM	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E0, IXE20DN, 13M2.2-6	\$ 3302
IXE20DN6-EN	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E1, IXE20DN, 13M2.2-6	\$ 3302
IXE20DN6-U	Sarix™ ImagePak® Consists of the following Pelco models: IXE20DN, 13M2.2-6, C10-UM	\$ 2465
IXE20DN8	Sarix™ ImagePak® Consists of the following Pelco models: IXE20DN, 13M2.8-8	\$ 2231
IXE20DN8-EA	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE20DN, 13M2.8-8	\$ 2361

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXE20DN8-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE20DN, 13M2.8-8, EM1512	\$ 2395
IXE20DN8-EAS	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE20DN, 13M2.8-8, SS1512	\$ 2395
IXE20DN8-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXE20DN, 13M2.8-8, EM1512, SS1512	\$ 2430
IXE20DN8-EB	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE20DN, 13M2.8-8	\$ 2610
IXE20DN8-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE20DN, 13M2.8-8, EM1450, SS3512	\$ 2714
IXE20DN8-EBS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE20DN, 13M2.8-8, SS3512	\$ 2654
IXE20DN8-EBW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXE20DN, 13M2.8-8, EM1450	\$ 2669

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXE20DN8-EC	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXE20DN, 13M2.8-8	\$ 2525
IXE20DN8-ECK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXE20DN, 13M2.8-8, EM1450, SS3512	\$ 2629
IXE20DN8-ECS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXE20DN, 13M2.8-8, SS3512	\$ 2570
IXE20DN8-ECW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXE20DN, 13M2.8-8, EM1450	\$ 2585
IXE20DN8-EK	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-0, IXE20DN, 13M2.8-8	\$ 2460
IXE20DN8-EL	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-1, IXE20DN, 13M2.8-8	\$ 2460
IXE20DN8-EM	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E0, IXE20DN, 13M2.8-8	\$ 3162

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



Model Number	Description	MSRP
IXE20DN8-EN	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E1, IXE20DN, 13M2.8-8	\$ 3162
IXE20DN8-U	Sarix™ ImagePak® Consists of the following Pelco models: IXE20DN, 13M2.8-8, C10-UM	\$ 2326
IXS0C	Sarix™ IX series, network camera, 0.5 mega pixel standard definition color	\$ 712
IXS0C12	Sarix™ ImagePak® Consists of the following Pelco models: IXS0C, 13VD2.8-12	\$ 858
IXS0C12-EA	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0C, 13VD2.8-12	\$ 988
IXS0C12-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0C, 13VD2.8-12, EM1512	\$ 1023
IXS0C12-EAS	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0C, 13VD2.8-12, SS1512	\$ 1023
IXS0C12-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0C, 13VD2.8-12, EM1512, SS1512	\$ 1057

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXS0C12-EB	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0C, 13VD2.8-12	\$ 1237
IXS0C12-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0C, 13VD2.8-12, EM1450, SS3512	\$ 1341
IXS0C12-EBS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0C, 13VD2.8-12, SS3512	\$ 1282
IXS0C12-EBW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0C, 13VD2.8-12, EM1450	\$ 1296
IXS0C12-EC	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0C, 13VD2.8-12	\$ 1152
IXS0C12-ECK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0C, 13VD2.8-12, EM1450, SS3512	\$ 1257
IXS0C12-ECS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0C, 13VD2.8-12, SS3512	\$ 1197

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXS0C12-ECW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0C, 13VD2.8-12, EM1450	\$ 1212
IXS0C12-EK	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-0, IXS0C, 13VD2.8-12	\$ 1087
IXS0C12-EL	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-1, IXS0C, 13VD2.8-12	\$ 1087
IXS0C12-EM	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E0, IXS0C, 13VD2.8-12	\$ 1789
IXS0C12-EN	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E1, IXS0C, 13VD2.8-12	\$ 1789
IXS0C12-U	Sarix™ ImagePak® Consists of the following Pelco models: IXS0C, 13VD2.8-12, C10-UM	\$ 953
IXS0C50	Sarix™ ImagePak® Consists of the following Pelco models: IXS0C, 13VD5-50	\$ 964

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXS0C50-EA	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0C, 13VD5-50	\$ 1094
IXS0C50-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0C, 13VD5-50, EM1512	\$ 1129
IXS0C50-EAS	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0C, 13VD5-50, SS1512	\$ 1129
IXS0C50-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0C, 13VD5-50, EM1512, SS1512	\$ 1164
IXS0C50-EB	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0C, 13VD5-50	\$ 1343
IXS0C50-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0C, 13VD5-50, EM1450, SS3512	\$ 1448
IXS0C50-EBS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0C, 13VD5-50, SS3512	\$ 1388

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXS0C50-EBW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0C, 13VD5-50, EM1450	\$ 1403
IXS0C50-EC	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0C, 13VD5-50	\$ 1258
IXS0C50-ECK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0C, 13VD5-50, EM1450, SS3512	\$ 1363
IXS0C50-ECS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0C, 13VD5-50, SS3512	\$ 1303
IXS0C50-ECW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0C, 13VD5-50, EM1450	\$ 1318
IXS0C50-EK	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-0, IXS0C, 13VD5-50	\$ 1194
IXS0C50-EL	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-1, IXS0C, 13VD5-50	\$ 1194

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXS0C50-EM	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E0, IXS0C, 13VD5-50	\$ 1896
IXS0C50-EN	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E1, IXS0C, 13VD5-50	\$ 1896
IXS0C50-U	Sarix™ ImagePak® Consists of the following Pelco models: IXS0C, 13VD5-50, C10-UM	\$ 1059
IXS0C6	Sarix™ ImagePak® Consists of the following Pelco models: IXS0C, 13VD2.5-6	\$ 928
IXS0C6-EA	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0C, 13VD2.5-6	\$ 1057
IXS0C6-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0C, 13VD2.5-6, EM1512	\$ 1092
IXS0C6-EAS	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0C, 13VD2.5-6, SS1512	\$ 1092

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXS0C6-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0C, 13VD2.5-6, EM1512, SS1512	\$ 1127
IXS0C6-EB	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0C, 13VD2.5-6	\$ 1306
IXS0C6-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0C, 13VD2.5-6, EM1450, SS3512	\$ 1411
IXS0C6-EBS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0C, 13VD2.5-6, SS3512	\$ 1351
IXS0C6-EBW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0C, 13VD2.5-6, EM1450	\$ 1366
IXS0C6-EC	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0C, 13VD2.5-6	\$ 1222
IXS0C6-ECK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0C, 13VD2.5-6, EM1450, SS3512	\$ 1326

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXS0C6-ECS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0C, 13VD2.5-6, SS3512	\$ 1267
IXS0C6-ECW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0C, 13VD2.5-6, EM1450	\$ 1282
IXS0C6-EK	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-0, IXS0C, 13VD2.5-6	\$ 1157
IXS0C6-EL	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-1, IXS0C, 13VD2.5-6	\$ 1157
IXS0C6-EM	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E0, IXS0C, 13VD2.5-6	\$ 1859
IXS0C6-EN	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E1, IXS0C, 13VD2.5-6	\$ 1859
IXS0C6-U	Sarix™ ImagePak® Consists of the following Pelco models: IXS0C, 13VD2.5-6, C10-UM	\$ 1023
IXS0DN	Sarix™ IX series, network camera, 0.5 mega pixel standard definition day/night	\$ 945

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXS0DN12	Sarix™ ImagePak® Consists of the following Pelco models: IXS0DN, 13VD2.8-12	\$ 1091
IXS0DN12-EA	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0DN, 13VD2.8-12	\$ 1220
IXS0DN12-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0DN, 13VD2.8-12, EM1512	\$ 1255
IXS0DN12-EAS	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0DN, 13VD2.8-12, SS1512	\$ 1255
IXS0DN12-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0DN, 13VD2.8-12, EM1512, SS1512	\$ 1290
IXS0DN12-EB	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0DN, 13VD2.8-12	\$ 1469

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXS0DN12-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0DN, 13VD2.8-12, EM1450, SS3512	\$ 1574
IXS0DN12-EBS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0DN, 13VD2.8-12, SS3512	\$ 1514
IXS0DN12-EBW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0DN, 13VD2.8-12, EM1450	\$ 1529
IXS0DN12-EC	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0DN, 13VD2.8-12	\$ 1384
IXS0DN12-ECK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0DN, 13VD2.8-12, EM1450, SS3512	\$ 1489
IXS0DN12-ECS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0DN, 13VD2.8-12, SS3512	\$ 1429

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXS0DN12-ECW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0DN, 13VD2.8-12, EM1450	\$ 1444
IXS0DN12-EK	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-0, IXS0DN, 13VD2.8-12	\$ 1320
IXS0DN12-EL	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-1, IXS0DN, 13VD2.8-12	\$ 1320
IXS0DN12-EM	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E0, IXS0DN, 13VD2.8-12	\$ 2022
IXS0DN12-EN	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E1, IXS0DN, 13VD2.8-12	\$ 2022
IXS0DN12-U	Sarix™ ImagePak® Consists of the following Pelco models: IXS0DN, 13VD2.8-12, C10-UM	\$ 1185
IXS0DN50	Sarix™ ImagePak® Consists of the following Pelco models: IXS0DN, 13VD5-50	\$ 1197

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXS0DN50-EA	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0DN, 13VD5-50	\$ 1326
IXS0DN50-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0DN, 13VD5-50, EM1512	\$ 1361
IXS0DN50-EAS	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0DN, 13VD5-50, SS1512	\$ 1361
IXS0DN50-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0DN, 13VD5-50, EM1512, SS1512	\$ 1396
IXS0DN50-EB	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0DN, 13VD5-50	\$ 1575
IXS0DN50-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0DN, 13VD5-50, EM1450, SS3512	\$ 1680
IXS0DN50-EBS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0DN, 13VD5-50, SS3512	\$ 1620

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXS0DN50-EBW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0DN, 13VD5-50, EM1450	\$ 1635
IXS0DN50-EC	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0DN, 13VD5-50	\$ 1491
IXS0DN50-ECK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0DN, 13VD5-50, EM1450, SS3512	\$ 1595
IXS0DN50-ECS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0DN, 13VD5-50, SS3512	\$ 1536
IXS0DN50-ECW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0DN, 13VD5-50, EM1450	\$ 1550
IXS0DN50-EK	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-0, IXS0DN, 13VD5-50	\$ 1426
IXS0DN50-EL	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-1, IXS0DN, 13VD5-50	\$ 1426

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXS0DN50-EM	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E0, IXS0DN, 13VD5-50	\$ 2128
IXS0DN50-EN	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E1, IXS0DN, 13VD5-50	\$ 2128
IXS0DN50-U	Sarix™ ImagePak® Consists of the following Pelco models: IXS0DN, 13VD5-50, C10-UM	\$ 1291
IXS0DN6	Sarix™ ImagePak® Consists of the following Pelco models: IXS0DN, 13VD2.5-6	\$ 1160
IXS0DN6-EA	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0DN, 13VD2.5-6	\$ 1290
IXS0DN6-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0DN, 13VD2.5-6, EM1512	\$ 1325
IXS0DN6-EAS	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0DN, 13VD2.5-6, SS1512	\$ 1325

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXS0DN6-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0DN, 13VD2.5-6, EM1512, SS1512	\$ 1360
IXS0DN6-EB	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0DN, 13VD2.5-6	\$ 1539
IXS0DN6-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0DN, 13VD2.5-6, EM1450, SS3512	\$ 1643
IXS0DN6-EBS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0DN, 13VD2.5-6, SS3512	\$ 1584
IXS0DN6-EBW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0DN, 13VD2.5-6, EM1450	\$ 1599
IXS0DN6-EC	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0DN, 13VD2.5-6	\$ 1454
IXS0DN6-ECK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0DN, 13VD2.5-6, EM1450, SS3512	\$ 1559

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
IXS0DN6-ECS	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0DN, 13VD2.5-6, SS3512	\$ 1499
IXS0DN6-ECW	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2HD, IXS0DN, 13VD2.5-6, EM1450	\$ 1514
IXS0DN6-EK	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-0, IXS0DN, 13VD2.5-6	\$ 1389
IXS0DN6-EL	Sarix™ ImagePak® Consists of the following Pelco models: DF8A-1, IXS0DN, 13VD2.5-6	\$ 1389
IXS0DN6-EM	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E0, IXS0DN, 13VD2.5-6	\$ 2092
IXS0DN6-EN	Sarix™ ImagePak® Consists of the following Pelco models: DF8-PG-E1, IXS0DN, 13VD2.5-6	\$ 2092
IXS0DN6-U	Sarix™ ImagePak® Consists of the following Pelco models: IXS0DN, 13VD2.5-6, C10-UM	\$ 1255

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



Model Number	Description	MSRP
IXS0LW	Sarix™ Fixed Box Network Camera Standard Definition Low Light Wide Dynamic Range Day Night	\$ 1243
IXS0LW12	Sarix™ ImagePak® Consists of the following Pelco models: IXS0LW, 13VD2.8-12	\$ 1389
IXS0LW12-EAD	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0LW and EM1512.	\$ 1554
IXS0LW12-EAT	Sarix™ ImagePak® Consists of the following Pelco models: EH1512-2, IXS0LW, 13VD2.8-12, EM1512 and SS1512	\$ 1589
IXS0LW12-EBK	Sarix™ ImagePak® Consists of the following Pelco models: EH3512-2, IXS0LW, 13VD2.8-12, EM1450 and SS3512.	\$ 1872
IXS0LW12-U	Sarix™ ImagePak® Consists of the following Pelco models: IXS0LW, 13VD2.8-12, C10-UM	\$ 1484

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
KBD100	Economical switcher control keypad. Provides control of all switcher functions. Does not control or program pan/tilts.	\$ 382
KBD200A	Full-function, fixed/variable speed, pan/tilt/zoom control.	\$ 691
KBD300A	Pushbutton control keypad w/ three-axis variable speed joystick. Provides programming and control of all switcher and pan/tilt functions. Direct Mode feature provides control of a pan/tilt device without need of a matrix switcher. Auto senses operation	\$ 1087
KBD300USBKIT	KBD300 TO USB KIT-120V	\$ 445
KBD300USBKIT-X	KBD300 TO USB KIT - 220V	\$ 445
KBD4000	Pushbutton control keypad with 3-axis vari-speed joystick. Provides remote control of multiple Genex® MX4000 series multiplexers or multiplexer server.	\$ 1384
KBD4002	Pushbutton control keypad. Provides remote control of multiple Genex® MX4000 series multiplexers or multiplexer server.	\$ 732

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
KBD5000	Endura Keyboard Assembly	\$ 2244
KBD9000	Desktop Coaxitron® fixed speed controller. Transmits 15-bit Coaxitron® only. 120 VAC input.	\$ 425
KBD960-US	KBD960 Desktop keyboard with US powercord.	\$ 2346
KBDKIT	Keyboard wiring accessory for KBD100, KBD200, KBD300, and KBD4000 keyboards. Required when using multiple keyboards with the CM6700 or MX4000SVR. 120 VAC.	\$ 66
KBR960-US	KBR960 Rackmount keyboard with US powercord.	\$ 2346
LB1000	Lock Box, horizontal for top or front loading VCR's. 120 VAC.	\$ 350
LB1000DC	Lock Box, horizontal for top or front loading VCR's. 12 VDC.	\$ 435
LB1000MT	Wall mount for LB1000, LB1000DC, and LB10102 lock boxes.	\$ 66
LB1012	Lock Box, horizontal for top or front loading large size VCR's. Removable shelf. 120 VAC.	\$ 447

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
LB2000	Lock Box, vertical for computer disk drives and vertical standing devices.	\$ 447
LB3000	Lock Box, wall mount security box for VCR or multiplexer. Accepts EIA 19-inch rack mountable multiplexer and includes removable VCR rack, documentation shelf, and two VCR tape storage shelves.	\$ 910
LD4B-0	Spectra Mini lower dome. Smoked bubble. Black.	\$ 76
LD4B-1	Spectra Mini lower dome. Clear bubble. Black.	\$ 76
LD4H-0	Spectra IV Horizon Lower Dome Smoked - For Use With DD4H Dome Drives	\$ 450
LD4H-1	Spectra IV Horizon Lower Dome Clear - For Use With DD4H Dome Drives	\$ 450
LD4W-0	Spectra Mini lower dome. Smoked bubble.	\$ 76
LD4W-1	Spectra Mini lower dome. Clear bubble.	\$ 76
LD53HDCF-0	Spectra III™ heavy-duty dome, smoked. In-ceiling with cage.	\$ 596
LD53HDCF-1	Spectra III™ heavy-duty dome, clear. In-ceiling with cage.	\$ 704

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
LD53HDCPB-0	Spectra III™ heavy-duty black pendant. Smoked lower dome with cage.	\$ 641
LD53HDCPB-1	Spectra III™ heavy-duty black pendant. Clear lower dome with cage.	\$ 744
LD53HDF-0	Spectra III™ heavy-duty dome, smoked. In-ceiling.	\$ 486
LD53HDF-1	Spectra III™ heavy-duty dome, clear. In-ceiling.	\$ 589
LD53HDPB-0	Spectra III™ heavy-duty black pendant. Smoked lower dome.	\$ 530
LD53HDPB-1	Spectra III™ heavy-duty black pendant. Clear lower dome.	\$ 627
LD53PB-2	Spectra III™ lower dome, pendant mount black, Chrome dome.	\$ 422
LD53PB-3	Spectra III™ lower dome, pendant mount black, Gold dome.	\$ 458
LD53PR-0	Spectra III™ Pressurized lower dome, pendant mount, smoke.	\$ 750
LD53PR-1	Spectra III™ Pressurized lower dome, pendant mount, clear.	\$ 750
LD53PSB-0	Spectra III™ and SE stainless steel lower dome. Pendant mount, black. Gold dome.	\$ 677

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
LD53PSB-1	Spectra III™ and SE stainless steel lower dome, Pendant mount, black. Clear dome.	\$ 677
LD53SMB-0	Spectra III™ lower dome, surface mount black. Smoked dome.	\$ 229
LD53SMB-1	Spectra III™ lower dome, surface mount black. Clear dome.	\$ 229
LD53SMW-0	Spectra III™ lower dome, surface mount white. Smoked dome.	\$ 229
LD53SMW-1	Spectra III™ lower dome, surface mount white. Clear dome.	\$ 229
LDHQF-0	Spectra® High Quality lower dome/bubble, smoked, for use with all standard in-ceiling/flush-mounted Spectras (NOT FOR USE WITH IN-CEILING/FLUSH ENVIRONMENTA	\$ 229
LDHQF-1	Spectra® High Quality lower dome/bubble, clear, for use with all standard in-ceiling/flush-mounted Spectras (NOT FOR USE WITH IN-CEILING/FLUSH ENVIRONMENTAL MODELS, USE LDHQPB-1)	\$ 229

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
LDHQPB-0	Spectra® High Quality lower dome/bubble, smoked, for use with all standard pendant, environmental pendant, and environmental in-ceiling/flush-mounted Spectras	\$ 274
LDHQPB-1	Spectra® High Quality lower dome/bubble, clear, for use with all standard pendant, environmental pendant, and environmental in-ceiling/flush-mounted Spectras	\$ 274
LDID-0	Sarix™ ID megapixel lower dome white smoked	\$ 158
LDID-1	Sarix™ ID megapixel lower dome white clear	\$ 158
LDIE-0	SARIX IE MEGAPIXEL LOWER DOME WHITE SMOKED WITH LINER	\$ 158
LDIE-1	SARIX IE MEGAPIXEL LOWER DOME WHITE CLEAR WITH LINER	\$ 158
LDIM-0	Sarix™ IM Mega Pixel Lower Dome White Smoked	\$ 50
LDIM-1	Sarix™ IM Lower Dome White Clear	\$ 50

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
LDIM-B0	Sarix™ IM Mega Pixel Lower Dome Black Smoked	\$ 50
LDIM-B1	Sarix™ IM Lower Dome Black Clear	\$ 50
LDIMVE-0	Lower Dome Smoked For Sarix™ IM-V IM-E	\$ 66
LDIMVE-1	Lower Dome Clear For Sarix™ IM-V IM-E	\$ 66
LK4500	Lock kit with key for use with EH4712DB, EH4718DB, and access panel of Legacy® LWM41 wall mount.	\$ 32
LL27M	Mounting bracket for mounting LL27 infrared illuminator on PT1200 series pan and tilts.	\$ 106
LL27MF	Low light level, with 500 watt medium flood lamp.	\$ 1647
LL27NS	Low light level, with narrow spot lamp Infrared.	\$ 1647
LL27WF	Infrared illuminator, low light level, with 500 watt wide flood lamp.	\$ 1647

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



Model Number	Description	MSRP
LRD41A11-1	Fixed speed Coaxitron®-compatible for use with Legacy® series pan and tilts. Controls standard pan/tilt, zoom lens, camera and accessory functions. Use with LWM41 wall mount. 120 VAC input.	\$ 865
LRD41C-CONNKIT	Receiver accessory. Two 9-pin connectors that interface with 18-position double-stack Aux/Alarm connector on the receiver. Required to enable the Aux/Alarm capabilities of the receiver.	\$ 53
LRD41C21-1	Fixed speed Coaxitron®/RS422 compatible for use with Legacy® series pan and tilts. Controls standard pan/tilt, zoom lens, camera and accessory functions. Use with LWM41 wall mount. Up to 64 presets. 120 VAC input.	\$ 1079

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
LRD41C21-2	Fixed speed Coaxitron®/RS422 compatible for use with Legacy® series pan and tilts. Controls standard pan/tilt, zoom lens, camera and accessory functions. Use with LWM41 wall mount. Up to 64 presets. 24 VAC input.	\$ 1079
LRD41C22-1	Variable speed Coaxitron®/RS422 compatible for use with Legacy® series pan and tilts. Controls standard pan/tilt, zoom lens, camera and accessory functions. Use with LWM41 wall mount. Up to 64 presets. 120 VAC input.	\$ 1255
LRD41C22-2	Variable speed Coaxitron®/RS422 compatible for use with Legacy® series pan and tilts. Controls standard pan/tilt, zoom lens, camera and accessory functions. Use with LWM41 wall mount. Up to 64 presets. 24 VAC input.	\$ 1255

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
LWM41	Wall mount with access panel that opens from the bottom for easy access and installation of optional Legacy® Coaxitron®-compatible receiver (LRD41A* and LRD41C* series).	\$ 292
MCS16-10	Allows 16 fused outputs with total capacity of 10Amp. UL Listed. 120/240 VAC input, 24/28 VAC output.	\$ 266
MCS16-10SB	Allows 16 outputs with total capacity of 10Amp. Each output has a power switch, LED, and self-resetting circuit breaker. 120/240 VAC input, 24/28 VAC output.	\$ 447
MCS16-20	Allows 16 fused outputs with total capacity of 20Amp. UL Listed. 120/240 VAC input, 24/28 VAC output.	\$ 319
MCS16-20SB	Allows 16 outputs with total capacity of 20Amp. Each output has a power switch, LED, and self-resetting circuit breaker. 120/240 VAC input, 24/28 VAC output.	\$ 481

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
MCS4-2B	Allows 4 outputs with total capacity of 2Amp. Each output has a self-resetting circuit breaker. No master power switch. UL Listed. 120 VAC input, 24 VAC output.	\$ 216
MCS8-5B	Allows 8 outputs with total capacity of 5Amp. Each output has a self-resetting circuit breaker. UL Listed. 120/240 VAC input, 24/28 VAC output.	\$ 247
MLZ6DT	Desktop control module for use with auto/manual iris or manual iris lenses with AI701 auto iris servo assembly. 120 VAC input.	\$ 473
MM1000	Universal wall mount for 9-inch and 12-inch monitors. Adjustable horizontally and vertically. Supports up to 40 lbs.	\$ 126
MM22	Medium-duty ceiling/pedestal mount for enclosures with 2-inch mounting hole pattern and light - to medium-weight cameras. Manually adjustable swivel head. Supports up to 40 lbs.	\$ 83

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
MPS524DT	Desktop control module for PS7-24 and PS30-24 (24 VAC) scanners. 120 VAC input.	\$ 350
MPT9000CZ	Desktop Coaxitron® transmitter/control with 8-position joystick control of pan/tilts and switch control of camera/lens. 120 VAC input.	\$ 1159
MPT9000PZ	Rack mount Coaxitron® transmitter/control with 8-position joystick control of pan/tilts and switch control of camera/lens. 120 VAC input.	\$ 1159
MPT9008CZ	Desktop Coaxitron® transmitter/control with integral switcher. Controls pan/tilt and zoom lens functions for up to 8 video inputs, one at a time. 120 VAC input.	\$ 1612
MPT9008PZ	Rack mount Coaxitron® transmitter/control with integral switcher. Controls pan/tilt and zoom lens functions for up to 8 video inputs, one at a time. 120 VAC input.	\$ 1343

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
MR3000	Universal monitor mount for use with 9-inch to 14-inch monitors with 10.125-inch to 16.25-inch width and 11.5-inch to 17.62-inch height. Supports up to 65 lbs. Adjustable horizontally and vertically.	\$ 249
MR3050	Universal monitor mount for use with 14-inch to 19-inch monitors with 14-inch to 21-inch width and 15-inch to 20-inch height. Supports up to 65 lbs. Adjustable horizontally and vertically.	\$ 231
MR4050	Universal monitor mount for use with 19-inch to 31-inch monitors with 19-inch to 31-inch width and 19.1-inch to 27.85-inch height. Supports up to 150 lbs. Adjustable horizontally and vertically.	\$ 440
MRCA	Ceiling adapter for domes and MR3000, MR3050, MR4000 and MRU monitor mounts.	\$ 55
MS504LDT	Looping Manual switcher with high impedance looping units. 4 video inputs, 1 video output.	\$ 272

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
MS508DT	Terminating. 8 video inputs, 1 video output.	\$ 344
MS508LDT	Looping manual switched with high impedance looping units. 8 video inputs, 1 video output.	\$ 400
MS512DT	Terminating. 12 video inputs, 1 video output.	\$ 433
MS512LDT	Looping Manual switcher with high impedance looping units. 12 video inputs, 1 video output.	\$ 525
NET5301R	Endura Single Channel Decoder	\$ 1157
NET5400PS-US	PSU for one NET540XT, US power cord	\$ 166
NET5401T	H.264,1 Channel Encoder	\$ 913
NET5401T-OCP	H.264,1 Channel Encoder, OV Counting Suite PL	\$ 1467
NET5401T-OS	H.264,1 Channel Encoder, OV Security Suite	\$ 1135
NET5401T-OSP	H.264, 1 Channel Encoder, OV Security Suite PL	\$ 1467
NET5402R-HD-US	2 Monitor Net Decoder, US PWR CRD	\$ 3901
NET5402T	H.264,2 Channel Encoder	\$ 1643

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
NET5402T-OCP	H.264,2 Channel Encoder, OV Counting Suite PL	\$ 2752
NET5402T-OS	H.264,2 Channel Encoder, OV Security Suite	\$ 2088
NET5402T-OSP	H.264,2 Channel Encoder, OV Security Suite PL	\$ 2752
NET5404T	H.264,4 Channel Encoder	\$ 2548
NET5404T-OCP	H.264,4 Channel Encoder, OV Counting Suite PL	\$ 4766
NET5404T-OS	H.264,4 Channel Encoder, OV Security Suite	\$ 3438
NET5404T-OSP	H.264,4 Channel Encoder OV Security Suite PL	\$ 4766
NSM5200-06-US	Ntwrk Strg Mgr, 6TB, US PWR Cord	\$ 23489
NSM5200-12-US	Ntwrk Strg Mgr, 12TB, US PWR Cord	\$ 28469
NSM5200-24B-US	Ntwrk Strg Mgr, 24TB 72K US	\$ 38429
NSM5200-36-US	Network Storge Manager, 36TB, US Power Cord	\$ 48389
NSM5200-FAN	NSM5200 REPLACEMENT MID FAN	\$ 83
NSM5200-FANB	NSM5200 Replacement Rear fan	\$ 83
NSM5200-FC	FIBER CH CARD FOR NSM5200 BASE	\$ 5810

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
NSM5200-PS	NSM5200 Replacement PS Module	\$ 830
NSM5200-RP	Tray replacement for NSAM5200	\$ 19754
NSM5200F-06-US	Network Storage Manager FC 6TB US Power Cord	\$ 31042
NSM5200F-12-US	NtwNetwork Storage Manager FC 12TB US Power Cord	\$ 36022
NSM5200F-24B-US	NTWRK STRG MGR FC 24TB 72K US	\$ 45982
NSM5200F-36-US	Network Storage Manager FC 36TB US Power cord	\$ 55942
NVR5000PS	NVR5000 P/S Replacement	\$ 855
O/I-LPP	Preset position lens wiring harness. Requires plugging into I/O-PCB, as available on EH4718, EH4722, EH5723, EH5729, EH4718L, EH4722L, EH5723L, and EH5729L.	\$ 66
O/I-OUTLET	120 VAC electrical outlet. Requires plugging into I/O- PCB, as available on EH4718, EH4722, EH5723, EH5729, EH4718L, EH4722L, EH5723L, and EH5729L.	\$ 20

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
O/I-PCB	PC board kit with thermostats for EH4718, EH4722, EH5723, EH5729. Required for thermostatic control of field installed blower, heater and defroster kits.	\$ 121
PA100	Pole adapter for CM1400 and EM22 wall mounts. Minimum pole diameter 1.5-inches. Mounting straps included.	\$ 60
PA101	Pole adapter for EM1400, PM14, MM1000 mounts. Minimum pole diameter 1.5-inches. Mounting straps included.	\$ 91
PA102	Pole adapter for WM2000 mount. Minimum pole diameter 3-inches. Mounting straps included.	\$ 105
PA2000	Medium-duty pan and tilt and scanner adapter for PM2000, PM2010 or WM2000 mounts.	\$ 27
PA2010	Heavy-duty pan and tilt adapter for WM2000 wall mount.	\$ 53

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
PA3512	Pole mount adapter for EM3512 mount. Minimum pole diameter 3-inch (7.62 cm). Stainless steel straps supplied. Strap length 28.5-inch (72.39 cm).	\$ 91
PA402	Pole adapter for LWM41 Legacy®, IWM, or IWM24 wall mounts for Legacy® and Intercept series or Spectra® and DF5 pendant series. Minimum pole diameter 3 in..	\$ 106
PASMB	Pole adapter for surface mount dome, black.	\$ 51
PAXM100	Pole adapter for use with the WXM100 to mount a system to a horizontal pole.	\$ 1004
PM105	Medium-duty pan/tilt and scanner wall mount for PS7, PS7-24, PT270P, PT270-24P, and PT280-24P. Supports up to 40 lbs.	\$ 101
PM14	Light-duty pan/tilt and scanner wall mount for PS7 / PS7-24, PT270P, PT270-24P, and PT280-24P. Supports up to 20 lbs. Can also be used with PA101 pole adapter.	\$ 55

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
PM2000	Heavy-duty, for pan/tilt's or enclosures. Ceiling/pedestal mount, 24-inch height. Can be used with AH2000 adjustable head. Supports up to 125 lbs. Use ST1 support strut for increased stability.	\$ 139
PM2010	Heavy-duty, for pan/tilt's or enclosures. Ceiling/pedestal mount, 10-inch height. Can be used with AH2000 adjustable head. Supports up to 125 lbs. Use ST1 support strut for increased stability.	\$ 129
PMCL-17ARM	Rack Mount Kit for 17 inch monitor	\$ 129
PMCL-19ARM	Rack Mount Kit for 19 inch monitor	\$ 129
PMCL-19WRM	Rack Mount Kit for 19 wide monitor	\$ 129
PMCL-CM	VESA 1.5 inch NPR pipe threaded, ball-jointed Ceiling Mount and VESA 1.5" NPR pipe threaded head for LCDs up to 90 pounds (pole not included)	\$ 214

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
PMCL-CMP	VESA ball-jointed Ceiling Mount and VESA head for LCDs up to 90 pounds with Telescoping Pole from 15" to 30"	\$ 377
PMCL-V100	VESA FDMI 100mmx100mmX10 0MM adapter plate (converts to 100MMX100MM hole pattern)	\$ 85
PMCL-V200	VESA FDMI 200mmx200mm adapter plate (can also be used for 200mmx100mm mount hole sizes)	\$ 88
PMCL-WM	Wall mount for all 200/300/400 Series LCD monitors	\$ 120
PMCL-WM1A	VESA Wall Mount with 1 arm and tilt/swivel head for LCDs up to 90 pounds	\$ 269
PMCL-WMT	VESA Wall Mount with tilt/swivel head for LCDs up to 90 pounds	\$ 198
PMCL317B	17in LCD Energy Star with multiple IO 1280 x 1024	\$ 878
PMCL319BL	19in LED low pwr with multiple IO 1280 x 1024 res	\$ 988

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
PMCL417HB	17 in LCD monitor 450n brightness 1280 x 1024 resolution with input interfaces of 2BNC looping, 1 DVI, 1 S Video looping, 1 RGB certifications include CE UL NOM CCC KCC C TICK FCC	\$ 1165
PMCL419HB	19 in LCD monitor 450n brightness 1280 x 1024 resolution with input interfaces of 2BNC looping 1 DVI 1 S Video looping 1 RGB certifications include CE UL NOM CCC KCC CTICK FCC	\$ 1283
PMCL524FL	24 inch LCD desktop monitor with 1080p resolution and LED backlight 3year warranty	\$ 1338
PMCL532BL	32 Inch 1080P Industrial LED Monitor 3 Yr Warranty	\$ 1868
PMCL542BL	42 Inch 1080P Industrial LED Monitor 3 Yr Warranty	\$ 3528
PMCL546BL	46 Inch 1080P Industrial LED Monitor 3 Yr Warranty	\$ 4150
PMCL555BL	55 Inch 1080P Industrial LED Monitor 3 Yr Warranty	\$ 5561

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
PMCLNBWMF	Flat wall mount for Narrow Bezel LCD monitors compatible with PMCL542NB PMCL546NB PMCL555NB	\$ 216
PMCLNBWMS	Swing out arm wall mount for Narrow Bezel LCD monitors compatible with PMCL542NB PMCL546NB PMCL555NB	\$ 647
PMCLNBWMT	Tilt wall mount for Narrow Bezel LCD monitors compatible with PMCL542NB PMCL546NB PMCL555NB	\$ 302
POE20U560G	Compatibility with our IP3701 and IP110 Series cameras. Fully Compliant detection, disconnect, over load and voltage control IEEE802.3af. Diagnostic LEDs. Gigabit Compatible. 19.6W.	\$ 136
POE21U1AF	Single port PoE Injector IEEE 802.3AF compliant, gigabit compatible	\$ 136
PP100	Parapet for WM2000 wall mount. Mounts to inside of parapet wall (minimum height 18-inches). Positions equipment anywhere on parapet, including corners. Supports up to 175 lbs.	\$ 309

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
PP200	Parapet for pan and tilts with enclosures. Mounts to inside of parapet at least 18-inch high. Use with PA2000 or PA2010.	\$ 325
PP350	Parapet wall mount for Spectra® and DF5 outdoor pendant style domes. Mounts to inside or outside of parapet wall.	\$ 584
PP351	Parapet wall mount for Spectra® and DF5 outdoor pendant style domes. Mounts to rooftop or flat horizontal surface.	\$ 618
PP400	Parapet mount adapter for use with Legacy® LWM41 wall mount.	\$ 314
PP4348	Parapet rooftop mount adapter for use with LWM41 Legacy® or IWM series wall mounts for Intercept or Spectra® and DF5 series pendant domes.	\$ 697
PP450	Parapet adapter mount for Intercept or Spectra® and DF5 series pendant domes (or other domes utilizing 1.5-inch NPT threaded pipe for mounting). Mounts to inside or outside of parapet wall. Removable end cap.	\$ 627

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



Model Number	Description	MSRP
PP451	Parapet adapter mount for Intercept or Spectra® and DF5 series pendant domes (or other domes utilizing 1.5-inch NPT threaded pipe for mounting). Mounts to rooftop or flat horizontal surface. Removable end cap.	\$ 666
PROSRVAUDIT	Audit Pro Services	\$ 1909
PROSRVCONSULT	Consultancy Pro Services	\$ 2158
PROSRVDEPLOY	Deploy Pro Services	\$ 2075
PROSRVDESIGN	Design Pro Services	\$ 1992
PROSRVNETWORK	NETWORK PRO SERVICES	\$ 3984
PS20	Indoor/Outdoor medium-duty scanner, 120 VAC pan rotation to 380 degrees. Operates with loads up to 35 pounds (15.75 kg). Viewing from 0 to 65 degrees tilt. 3 speed settings. Microprocessor controlled. Magnetic limit stops. 2-year warranty.	\$ 1233

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
PS20-24	Indoor/Outdoor medium-duty scanner 24 VAC pan rotation to 380 degrees. Operates with loads up to 35 pounds (15.75 kg). Viewing from 0 to 65 degrees tilt. 3 speed settings. Microprocessor controlled. Magnetic limit stops. 2-year warranty.	\$ 1164
PSKIT8100	Pressure sensor kit for EH8100 or EH8106L series pressurized enclosures. Provides a contact closure which can be wired to trigger an alarm when internal pressure drops to 2 psi.	\$ 101
PT1250DC/PP	Heavy-duty, maximum load 100 lbs, preset positioning. Upright or inverted operation. 115 VDC.	\$ 4105
PT1250P	Heavy-duty, maximum load 100 lbs. Upright or inverted operation. 120 VAC.	\$ 2988
PT1250P/PP	Heavy-duty, maximum load 100 lbs, preset positioning. Upright or inverted operation. 120 VAC.	\$ 3650

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
PT1260EX	Explosion-proof. Heavy-duty with internal limit stops. NEMA 4X rated. Upright or inverted operation. Maximum load 100 lbs. 120 VAC.	\$ 5224
PT1260EX/PP	Explosion-proof. Heavy-duty with internal limit stops and preset positioning. NEMA 4X rated. Upright or inverted operation. Maximum load 100 lbs. 120 VAC.	\$ 5906
PT1280P	Heavy-duty, pre-wired for zoom lens, camera power, enclosure power, video. Upright or inverted operation. Maximum load 100 lbs. 120 VAC.	\$ 3265
PT1280P/PP	Heavy-duty, pre-wired for zoom lens, camera power, enclosure power, video. Preset positioning. Upright or inverted operation. Maximum load 100 lbs. 120 VAC.	\$ 3883
PT1280SL	Heavy-duty, pre-wired for zoom lens, camera power, enclosure power, video. 360-degree pan rotation. Upright or inverted operation. Maximum load 100 lbs. 120 VAC.	\$ 4012

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
PT1280SL/PP	Heavy-duty, pre-wired for zoom lens, camera power, enclosure power, video. 360-degree pan rotation. Preset positioning. Upright or inverted operation. Maximum load 100 lbs. 120 VAC.	\$ 4678
PT270-24P	Light-duty, High speed pan (12-degrees per second). Upright or inverted operation. Maximum load 15 lbs. 24 VAC.	\$ 998
PT280-24P	Light-duty, pre-wired for zoom lens, camera power and video. High speed pan (12-degrees per second). Can be used with pretested cable for inverted application only. 24 VAC.	\$ 1008
PT570-24P	Medium-duty. Upright or inverted operation. Maximum load 40 lbs. 24 VAC.	\$ 1315
PT570-24P/PP	Medium-duty. Preset positioning. Upright or inverted operation. Maximum load 40 lbs. 24 VAC.	\$ 1849
PT570P	Medium-duty. Upright or inverted operation. Maximum load 40 lbs. 120 VAC.	\$ 1315

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
PT570P/PP	Medium-duty. Preset positioning. Upright or inverted operation. Maximum load 40 lbs. 120 VAC.	\$ 1849
PT680-24P	Medium-duty. Pre-wired for zoom lens, camera power, enclosure power, video. Upright or inverted operation. Maximum load 50 lbs. 24 VAC.	\$ 2344
PT680-24P/PP	Pan/Tilt indoor/outdoor medium load 24VAC with feed-through and presets	\$ 3010
PT780-24P	Medium-duty with RediLINK® connector, for use with EH5700L Legacy® series enclosures only. For loads up to 52 lbs. 24 VAC.	\$ 2638
PT780-24P/PP	Medium-duty with RediLINK® connector, for use with EH5700L Legacy® series enclosures only. Preset positioning capabilities. For loads up to 52 lbs. 24 VAC.	\$ 3282

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
PT780-24SL	Medium-duty with RediLINK® connector, for use with EH5700L Legacy® series enclosures only. 360-degree pan rotation. For loads up to 52 lbs. 24 VAC.	\$ 3347
PT780-24SL/PP	Light-duty with RediLINK® connector for use with EH5700L Legacy® series enclosures only. 360-degree pan rotation. Preset positioning capabilities. For loads up to 52 lbs. 24 VAC.	\$ 4334
PT780-VS/PP	Medium-duty with RediLINK® connector, for use with EH5700L Legacy® series enclosures only. Variable speed with preset positioning. For loads up to 52 lbs. 12 VDC.	\$ 3972
PT780-VSSL	Medium-duty with RediLINK® connector, for use with EH5700L Legacy® series enclosures only. Variable speed with 360-degree pan rotation. For loads up to 52 lbs. 12 VDC.	\$ 4040

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
PT780-VSSL/PP	Medium-duty with RediLINK® connector, for use with EH5700L Legacy® series enclosures only. Variable speed with 360-degree pan rotation and presets. For loads up to 52 lbs. 12 VDC.	\$ 5025
PT780P/PP	Medium-duty with RediLINK® connector, for use with EH5700L Legacy® series enclosures only. Preset position capabilities. For loads up to 52 lbs. 120 VAC.	\$ 3282
PV140	Converter RS-232/RS-422	\$ 310
PXM100	Pedestal mount designed to mount an ExSite Series system directly to a horizontal surface in either an upright or inverted position.	\$ 208
QD104C	Color video processor. Displays full-screen or quad views of four camera inputs. All camera inputs have looping outputs. Also includes five alarm inputs, one for each of the 4 cameras, plus one for the quad input. NTSC. 120 VAC.	\$ 971

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
R300	Rack mount, black, for up to three (1.75-inches high X 5.5-inches wide ) units side by side. (1 rack unit, 1.75-inches high)	\$ 90
R400	Rack mount, black, for up to two (1.75-inches high X 8.76-inches wide) units. (1 rack unit, 1.75-inches high)	\$ 90
RACK1B	1 SLOT BLANK FILLER PLATE	\$ 33
REL2064	The Relay interface unit connects directly to the system 6800 controller and provides dry contacts for direct or automatic control of peripheral equipment. Each REL2064 provides up to 64 SPST contact outputs.	\$ 2855
RK-UDI5000	Rack Mount for UDI5200	\$ 166
RK100	Rack mount, black, for mounting one or two QD100 series quads in a standard 19-inch rack. Includes a blank filler panel for use when mounting only one quad.	\$ 51
RK5000-3U	19inch Rack Chassis with 14 slots	\$ 490

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
RK5000PS-3U	19inch Rack Chassis with 12 slots and Internal Power Supply	\$ 933
RK5001-1UEXP	1RU single width height expansion module	\$ 33
RK5001B-3U	Single width blank slot for RK5000-3U or RK5000PS-3U	\$ 35
RK5001B-4U	Endura Rack Kit Single Width Filler Panel	\$ 42
RK5002B-3U	Double width blank slot for RK5000-3U or RK5000PS-3U	\$ 46
RK51PWR-300	Replacement for RU Power Supply, 300W	\$ 1038
RK5200-PS	RACK REPLACEMENT POWER MODULE	\$ 664
RK5200PS-5U-US	Rack Kit with dual power, US power cord	\$ 4565
RK5PWR-120	Replacement power supply module for RK5000PS-3U, 120W	\$ 442
RK5PWR-300	Replacement 3RU power supply 300W	\$ 747
RKS10	Rack mount, black, for a single (1.75-inches high X 14.30-inches wide) unit. (1 rack unit, 1.75-inches high).	\$ 38
RKS20	Rack mount, black, for a single (1.75-inches high X 17.12-inches wide) unit. (1 rack unit, 1.75-inches high).	\$ 38

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
RM2001	Rack mount, black, for one Pelco TLR series VCR. (3 rack units)	\$ 138
RMA14T	Rack mount, black, for Pelco PMCS15A monitor.	\$ 143
RMA19T	Rack mount, black, for Pelco PMCS19A monitor.	\$ 143
S5118-EG0	Spectra® HD 1.3MP camera with 18X optical zoom, environmental pendant mount, light gray back box, and smoked bubble. Consists of the following Pelco components: B5-PG-E, D5118, LDHQPB-0	\$ 4929
S5118-EG1	Spectra® HD 1.3MP camera with 18X optical zoom, environmental pendant mount, light gray back box, and clear bubble. Consists of the following Pelco components: B5-PG-E, D5118, LDHQPB-1	\$ 4929

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
S5118-FW0	Spectra® HD 1.3MP camera with 18X optical zoom, flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. Consists of the following Pelco components: B5-F, D5118, LDHQF-0	\$ 4266
S5118-FW1	Spectra® HD 1.3MP camera with 18X optical zoom, flush/in-ceiling mount, black back box, white trim ring, and clear bubble. Consists of the following Pelco components: B5-F, D5118, LDHQF-1	\$ 4266
S5118-PB0	Spectra® HD 1.3MP camera with 18X optical zoom, pendant mount, black back box, and smoked bubble. Consists of the following Pelco components: B5-PB, D5118, LDHQPB-0	\$ 4432
S5118-PB1	Spectra® HD 1.3MP camera with 18X optical zoom, pendant mount, black back box, and clear bubble. Consists of the following Pelco components: B5-PB, D5118, LDHQPB-1	\$ 4432

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
S5118-PG0	Spectra® HD 1.3MP camera with 18X optical zoom, pendant mount, gray back box, and smoked bubble. Consists of the following Pelco components: B5-PG, D5118, LDHQPB-0	\$ 4432
S5118-PG1	Spectra® HD 1.3MP camera with 18X optical zoom, pendant mount, gray back box, and clear bubble. Consists of the following Pelco components: B5-PG, D5118, LDHQPB-1	\$ 4432
S5118-YB0	Spectra® HD 1.3MP camera with 18X optical zoom, flush/in-ceiling environmental mount, black back box, and smoked bubble. Consists of the following Pelco components: B5-F-E, D5118, LDHQPB-0	\$ 4787
S5118-YB1	Spectra® HD 1.3MP camera with 18X optical zoom, flush/in-ceiling environmental mount, black back box, and clear bubble. Consists of the following Pelco components: B5-F-E, D5118, LDHQPB-1	\$ 4787

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
S5220-EG0	Spectra® HD 1080P camera with 20X optical zoom, environmental pendant mount, light gray back box, and smoked bubble. Consists of the following Pelco components: B52-PG-E, D5220, LDHQPB-0	\$ 5476
S5220-EG1	Spectra® HD 1080P camera with 20X optical zoom, environmental pendant mount, light gray back box, and clear bubble. Consists of the following Pelco components: B52-PG-E, D5220, LDHQPB-1	\$ 5476
S5220-FW0	Spectra® HD 1080P camera with 20X optical zoom, flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. Consists of the following Pelco components: B52-F, D5220, LDHQF-0	\$ 4739
S5220-FW1	Spectra® HD 1080P camera with 20X optical zoom, flush/in-ceiling mount, black back box, white trim ring, and clear bubble. Consists of the following Pelco components: B52-F, D5220, LDHQF-1	\$ 4739

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
S5220-PB0	Spectra® HD 1080P camera with 20X optical zoom, pendant mount, black back box, and smoked bubble. Consists of the following Pelco components: B52-PB, D5220, LDHQPB-0	\$ 4925
S5220-PB1	Spectra® HD 1080P camera with 20X optical zoom, pendant mount, black back box, and clear bubble. Consists of the following Pelco components: B52-PB, D5220, LDHQPB-1	\$ 4925
S5220-PG0	Spectra® HD 1080P camera with 20X optical zoom, pendant mount, gray back box, and smoked bubble. Consists of the following Pelco components: B52-PG, D5220, LDHQPB-0.	\$ 4925
S5220-PG1	Spectra® HD 1080P camera with 20X optical zoom, pendant mount, gray back box, and clear bubble. Consists of the following Pelco components: B52-PG, D5220, LDHQPB-1	\$ 4925

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
S5220-YB0	Spectra® HD 1080P camera with 20X optical zoom, flush/in-ceiling environmental mount, black back box, and smoked bubble. Consists of the following Pelco components: B52-F-E, D5220, LDHQPB-0	\$ 5319
S5220-YB1	Spectra® HD 1080P camera with 20X optical zoom, flush/in-ceiling environmental mount, black back box, and clear bubble. Consists of the following Pelco components: B52-F-E, D5220, LDHQPB-1	\$ 5319
SCA1	Ceiling mount reinforcement rails. Use in suspended ceiling applications where additional support for Spectra® and DF5 series domes is needed due to weakness or instability of existing ceiling tiles.	\$ 71
SCM100	Corner adapter support strut. Use with ST1.	\$ 70
SD4-B0	Spectra® Mini Smoked Dome Black NTSC. Consists of DD4-B and LD4B-0.	\$ 1599

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4-B1	Spectra® Mini Clear Dome Black NTSC. Consists of DD4-B and LD4B-1.	\$ 1599
SD4-W0	Spectra® Mini Smoked White Dome NTSC. Consists of DD4 and LD4W-0.	\$ 1599
SD4-W1	Spectra® Mini Clear Dome White NTSC. Consists of DD4 and LD4W-1.	\$ 1599
SD423-F-E0	Spectra® IV SL 23X flush/in-ceiling environmental mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4-F-E, LDHQPB-0.	\$ 2322
SD423-F-E1	Spectra® IV SL 23X flush/in-ceiling environmental mount, black back box, and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4-F-E, LDHQPB-1.	\$ 2322
SD423-F0	Spectra® IV SL 23X flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4-F, LDHQF-0.	\$ 2193

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD423-F1	Spectra® IV SL 23X flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4-F, LDHQF-1.	\$ 2193
SD423-PB-0	Spectra® IV SL 23X pendant mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4-PB, LDHQPB-0.	\$ 2256
SD423-PB-1	Spectra® IV SL 23X pendant mount, black back box and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4-PB, LDHQPB-1.	\$ 2256
SD423-PG-0	Spectra® IV SL 23X pendant mount, light grey back box and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4-PG, LDHQPB-0.	\$ 2256
SD423-PG-1	Spectra® IV SL 23X pendant mount, light grey back box and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4-PG, LDHQPB-1.	\$ 2256

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD423-PG-E0	Spectra® IV SL 23X environmental pendant mount, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4-PG-E, LDHQPB-0.	\$ 2322
SD423-PG-E1	Spectra® IV SL 23X environmental pendant mount, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4-PG-E, LDHQPB-1.	\$ 2322
SD423-SMB-0	Spectra® IV SL 23X surface mount, black back box, and smoked bubble . NTSC. Consists of the following Pelco components: DD423, BB4-SMB, LD53SMB-0.	\$ 1984
SD423-SMB-1	Spectra® IV SL 23X surface mount, black back box, and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4-SMB, LD53SMB-1.	\$ 1984

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD423-SMB-2	Spectra® IV SL 23X surface mount, black back box, and chrome bubble. NTSC. Consists of the following Pelco components: DD423, BB4-SMB, LD53SMB-2.	\$ 2128
SD423-SMW-0	Spectra® IV SL 23X surface mount, white back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4-SMW, LD53SMW-0.	\$ 1984
SD423-SMW-1	Spectra® IV SL 23X surface mount, white back box, and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4-SMW, LD53SMW-1.	\$ 1984
SD429-F-E0	Spectra® IV SE 29X flush/in-ceiling environmental mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4-F-E, LDHQPB-0.	\$ 3619

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD429-F-E1	Spectra® IV SE 29X flush/in-ceiling environmental mount, black back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4-F-E, LDHQPB- 1.	\$ 3619
SD429-F0	Spectra® IV SE 29X flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4-F, LDHQF-0.	\$ 3317
SD429-F1	Spectra® IV SE 29X flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4-F, LDHQF-1.	\$ 3317
SD429-HCF0	Spectra® IV SE 27X heavy-duty with cage, flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD427, BB4HD-F, LD53HDCF-0	\$ 3928

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD429-HCF1	Spectra® IV SE 27X heavy-duty with cage, flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD427, BB4HD-F, LD53HDCF-1	\$ 3926
SD429-HCP0	Spectra® IV SE 27X heavy-duty pendant with cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD427, BB4HD-PG, LD53HDPB-0	\$ 4137
SD429-HCP1	Spectra® IV SE 27X heavy-duty pendant with cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD427, BB4HD-PG, LD53HDPB-1	\$ 4135
SD429-HCPE0	Spectra® IV SE 27X heavy-duty environmental pendant with cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD427, BB4HD-PG-E, LD53HDCPB-0	\$ 4351

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD429-HCPE1	Spectra® IV SE 29X heavy-duty environmental pendant with cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-PG-E, LD53HDCPB-1	\$ 4349
SD429-HF0	Spectra® IV SE 29X heavy-duty, no cage, flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-F, LD53HDF-0	\$ 3813
SD429-HF1	Spectra® IV SE 29X heavy-duty, no cage, flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-F, LD53HDF-1	\$ 3811
SD429-HP0	Spectra® IV SE 29X heavy-duty pendant, no cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-PG, LD53HDPB-0	\$ 4019

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD429-HP1	Spectra® IV SE 29X heavy-duty pendant, no cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-PG, LD53HDPB-1	\$ 4017
SD429-HPE0	Spectra® IV SE 29X heavy-duty environmental pendant, no cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-PG-E, LD53HDPB-0	\$ 4183
SD429-HPE1	Spectra® IV SE 29X heavy-duty environmental pendant, no cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-PG-E, LD53HDPB-1	\$ 4182
SD429-PB-0	Spectra® IV SE 29X pendant mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PB, LDHQPB-0.	\$ 3508

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD429-PB-1	Spectra® IV SE 29X pendant mount, black back box and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PB, LDHQPB-1.	\$ 3508
SD429-PG-0	Spectra® IV SE 29X pendant mount, light grey back box and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PG, LDHQPB-0.	\$ 3508
SD429-PG-1	Spectra® IV SE 29X pendant mount, light grey back box and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PG, LDHQPB-1.	\$ 3508
SD429-PG-E0	Spectra® IV SE 29X environmental pendant mount, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PG-E, LDHQPB-0.	\$ 3619

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



Model Number	Description	MSRP
SD429-PG-E1	Spectra® IV SE 29X environmental pendant mount, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PG-E, LDHQPB-1.	\$ 3619
SD429-PRE0	Spectra® IV SE 29X pressurized environmental pendant, light grey backbox, smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PR-E, LD53PR-0.	\$ 5242
SD429-PRE1	Spectra® IV SE 29X pressurized environmental pendant, light grey backbox, clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PR-E, LD53PR-1.	\$ 5242

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD429-PRME0	Spectra® IV SE 29X pressurized environmental pendant, light grey backbox, fiber optic feedthrough, multimode, smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PRM-E, LD53PR-0.	\$ 6130
SD429-PRME1	Spectra® IV SE 29X pressurized environmental pendant, light grey backbox, fiber optic feedthrough, multimode, clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PRM-E, LD53PR-1.	\$ 6130
SD429-PRSE0	Spectra® IV SE 29X pressurized environmental pendant, light grey backbox, fiber optic feedthrough, single- mode, smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PRS-E, LD53PR-0.	\$ 6130

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD429-PRSE1	Spectra® IV SE 29X pressurized environmental pendant, light grey backbox, fiber optic feedthrough, single- mode, clear bubble. PAL. Consists of the following Pelco components: DD429, BB4-PRS-E, LD53PR-1.	\$ 6130
SD429-PSGE0	Spectra® IV SE 29X stainless steel environmental pendant, light grey backbox, smoked bubble with black trim ring. NTSC. Consists of the following Pelco components: DD429, BB4-PSG-E, LD53PSB-0	\$ 4857
SD429-PSGE1	Spectra® IV SE 29X stainless steel environmental pendant, light grey backbox, clear bubble with black trim ring. NTSC. Consists of the following Pelco components: DD429, BB4-PSG-E, LD53PSB-1	\$ 4857

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD429-SMB-0	Spectra® IV SE 29X surface mount, black back box, and smoked bubble . NTSC. Consists of the following Pelco components: DD429, BB4-SMB, LD53SMB-0.	\$ 3149
SD429-SMB-1	Spectra® IV SE 29X surface mount, black back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4-SMB, LD53SMB-1.	\$ 3149
SD429-SMW-0	Spectra® IV SE 29X surface mount, white back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4-SMW, LD53SMW-0.	\$ 3149
SD429-SMW-1	Spectra® IV SE 29X surface mount, white back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4-SMW, LD53SMW-1.	\$ 3149

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD436-F-E0	Spectra® IV SE 36X flush/in-ceiling environmental mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4-F-E, LDHQPB- 0.	\$ 4442
SD436-F-E1	Spectra® IV SE 36X flush/in-ceiling environmental mount, black back box, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4-F-E, LDHQPB- 1.	\$ 4442
SD436-F0	Spectra® IV SE 36X flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4-F, LDHQF-0.	\$ 4140
SD436-F1	Spectra® IV SE 36X flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4-F, LDHQF-1.	\$ 4140

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD436-HCF0	Spectra® IV SE 36X heavy-duty with cage, flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-F, LD53HDCF-0	\$ 4690
SD436-HCF1	Spectra® IV SE 36X heavy-duty with cage, flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-F, LD53HDCF-1	\$ 4801
SD436-HCP0	Spectra® IV SE 36X heavy-duty pendant with cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-PG, LD53HDPB-0	\$ 4895
SD436-HCP1	Spectra® IV SE 36X heavy-duty pendant with cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-PG, LD53HDPB-1	\$ 5003

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD436-HCPE0	Spectra® IV SE 36X heavy-duty environmental pendant with cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-PG-E, LD53HDCPB-0	\$ 5060
SD436-HCPE1	Spectra® IV SE 36X heavy-duty environmental pendant with cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-PG-E, LD53HDCPB-1	\$ 5168
SD436-HF0	Spectra® IV SE 36X heavy-duty, no cage, flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-F, LD53HDF-0	\$ 4575
SD436-HF1	Spectra® IV SE 36X heavy-duty, no cage, flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-F, LD53HDF-1	\$ 4681

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD436-HP0	Spectra® IV SE 36X heavy-duty pendant, no cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-PG, LD53HDPB-0	\$ 4781
SD436-HP1	Spectra® IV SE 36X heavy-duty pendant, no cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-PG, LD53HDPB-1	\$ 4882
SD436-HPE0	Spectra® IV SE 36X heavy-duty environmental pendant, no cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-PG-E, LD53HDPB-0	\$ 4945
SD436-HPE1	Spectra® IV SE 36X heavy-duty environmental pendant, no cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-PG-E, LD53HDPB-1	\$ 5046

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD436-PB-0	Spectra® IV SE 36X pendant mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4-PB, LDHQPB-0.	\$ 4331
SD436-PB-1	Spectra® IV SE 36X pendant mount, black back box and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4-PB, LDHQPB-1.	\$ 4331
SD436-PG-0	Spectra® IV SE 36X pendant mount, light grey back box and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4-PG, LDHQPB-0.	\$ 4331
SD436-PG-1	Spectra® IV SE 36X pendant mount, light grey back box and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4-PG, LDHQPB-1.	\$ 4331

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD436-PG-E0	Spectra® IV SE 36X environmental pendant mount, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4-PG-E, LDHQPB-0.	\$ 4442
SD436-PG-E1	Spectra® IV SE 36X environmental pendant mount, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4-PG-E, LDHQPB-1.	\$ 4442
SD436-PRE0	Spectra® IV SE 36X pressurized environmental pendant, light grey backbox, smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4-PR-E, LD53PR-0.	\$ 6003
SD436-PRE1	Spectra® IV SE 36X pressurized environmental pendant, light grey backbox, clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4-PR-E, LD53PR-1.	\$ 6003

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD436-PRME0	Spectra® IV SE 36X pressurized environmental pendant, light grey backbox, fiber optic feedthrough, multimode, smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4-PRM-E, LD53PR-0.	\$ 6896
SD436-PRME1	Spectra® IV SE 36X pressurized environmental pendant, light grey backbox, fiber optic feedthrough, multimode, clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4-PRM-E, LD53PR-1.	\$ 6896
SD436-PRSE0	Spectra® IV SE 36X pressurized environmental pendant, light grey backbox, fiber optic feedthrough, single- mode, smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4-PRS-E, LD53PR-0.	\$ 6896

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
SD436-PRSE1	Spectra® IV SE 36X pressurized environmental pendant, light grey backbox, fiber optic feedthrough, single- mode, clear bubble. PAL. Consists of the following Pelco components: DD436, BB4-PRS-E, LD53PR-1.	\$ 6896
SD436-PSGE0	Spectra® IV SE 36X stainless steel environmental pendant, light grey backbox, smoked bubble with black trim ring. NTSC. Consists of the following Pelco components: DD436, BB4-PSG-E, LD53PSB-0	\$ 5619
SD436-PSGE1	Spectra® IV SE 36X stainless steel environmental pendant, light grey backbox, clear bubble with black trim ring. NTSC. Consists of the following Pelco components: DD436, BB4-PSG-E, LD53PSB-1	\$ 5619

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD436-SMB-0	Spectra® IV SE 36X surface mount, black back box, and smoked bubble . NTSC. Consists of the following Pelco components: DD436, BB4-SMB, LD53SMB-0.	\$ 3800
SD436-SMB-1	Spectra® IV SE 36X surface mount, black back box, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4-SMB, LD53SMB-1.	\$ 3800
SD436-SMW-0	Spectra® IV SE 36X surface mount, white back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4-SMW, LD53SMW-0.	\$ 3800
SD436-SMW-1	Spectra® IV SE 36X surface mount, white back box, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4-SMW, LD53SMW-1.	\$ 3800

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4E23-F-E0	Spectra® IV IP SL with H.264 23X flush/in-ceiling environmental mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4E-F-E, LDHQPB -0	\$ 2664
SD4E23-F-E1	Spectra® IV IP SL with H.264 23X flush/in-ceiling environmental mount, black back box, and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4E-F-E, LDHQPB -1.	\$ 2664
SD4E23-F0	Spectra® IV IP SL with H.264 23X flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4E-F, LDHQF-0.	\$ 2540
SD4E23-F1	Spectra® IV IP SL with H.264 23X flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4E-F, LDHQF-1.	\$ 2540

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4E23-PB-0	Spectra® IV IP SL with H.264 23X pendant mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4E-PB, LDHQPB-0.	\$ 2601
SD4E23-PB-1	Spectra® IV IP SL with H.264 23X pendant mount, black back box and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4E-PB, LDHQPB-1.	\$ 2601
SD4E23-PG-0	Spectra® IV IP SL with H.264 23X pendant mount, light grey back box and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4E-PG, LDHQPB-0.	\$ 2601
SD4E23-PG-1	Spectra® IV IP SL with H.264 23X pendant mount, light grey back box and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4E-PG, LDHQPB-1.	\$ 2601

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4E23-PG-E0	Spectra® IV IP SL with H.264 23X environmental pendant mount, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4E-PG-E, LDHQPB-0	\$ 2714
SD4E23-PG-E1	Spectra® IV IP SL with H.264 23X environmental pendant mount, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4E-PG-E, LDHQPB-1.	\$ 2714
SD4E29-F-E0	Spectra® IV IP SE with H.264 29X flush/in-ceiling environmental mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-F-E, LDHQPB -0.	\$ 4226

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4E29-F-E1	Spectra® IV IP SE with H.264 29X flush/in-ceiling environmental mount, black back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-F-E, LDHQPB-1.	\$ 4226
SD4E29-F0	Spectra® IV IP SE with H.264 29X flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-F, LDHQF-0.	\$ 3936
SD4E29-F1	Spectra® IV IP SE with H.264 29X flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-F, LDHQF-1.	\$ 3936
SD4E29-HCF0	Spectra® IV IP SE with H.264 29X heavy-duty with cage, flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-F, LD53HDCF-0	\$ 4482

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4E29-HCF1	Spectra® IV IP SE with H.264 29X heavy-duty with cage, flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-F, LD53HDCF-1	\$ 4590
SD4E29-HCP0	Spectra® IV IP SE with H.264 29X heavy-duty pendant with cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-PG, LD53HDCPB-0	\$ 4666
SD4E29-HCP1	Spectra® IV IP SE with H.264 29X heavy-duty pendant with cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-PG, LD53HDCPB-1	\$ 4769

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4E29-HCPE0	Spectra® IV IP SE with H.264 29X heavy-duty environmental pendant with cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-PG-E, LD53HDCPB-0	\$ 4809
SD4E29-HCPE1	Spectra® IV IP SE with H.264 29X heavy-duty environmental pendant with cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-PG-E, LD53HDCPB-1	\$ 4912
SD4E29-HF0	Spectra® IV IP SE with H.264 29X heavy-duty, no cage, flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-F, LD53HDF-0,	\$ 4372

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4E29-HF1	Spectra® IV IP SE with H.264 29X heavy-duty, no cage, flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-F, LD53HDF-1	\$ 4475
SD4E29-HP0	Spectra® IV IP SE with H.264 29X heavy-duty pendant, no cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-PG, LD53HDPB-0	\$ 4555
SD4E29-HP1	Spectra® IV IP SE with H.264 29X heavy-duty pendant, no cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-PG, LD53HDPB-1	\$ 4653

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4E29-HPE0	Spectra® IV IP SE with H.264 29X heavy-duty environmental pendant, no cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-PG-E, LD53HDPB-0	\$ 4698
SD4E29-HPE1	Spectra® IV IP SE with H.264 29X heavy-duty environmental pendant, no cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-PG-E, LD53HDPB-1	\$ 4796
SD4E29-PB-0	Spectra® IV IP SE with H.264 29X pendant mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-PB, LDHQPB-0.	\$ 4120
SD4E29-PB-1	Spectra® IV IP SE with H.264 29X pendant mount, black back box and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-PB, LDHQPB-1.	\$ 4120

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4E29-PG-0	Spectra® IV IP SE with H.264 29X pendant mount, light grey back box and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-PG, LDHQPB-0.	\$ 4120
SD4E29-PG-1	Spectra® IV IP SE with H.264 29X pendant mount, light grey back box and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-PG, LDHQPB-1.	\$ 4120
SD4E29-PG-E0	Spectra® IV IP SE with H.264 29X environmental pendant mount, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-PG-E, LDHQPB-0.	\$ 4226
SD4E29-PG-E1	Spectra® IV IP SE with H.264 29X environmental pendant mount, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-PG-E, LDHQPB-1.	\$ 4226

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
SD4E29-PSGE0	Spectra® IV IP SE with H.264 29X stainless steel environmental pendant, light grey backbox, smoked bubble with black trim ring. NTSC. Consists of the following Pelco components: DD429, BB4EE-PSG-E, LD53PSB-0	\$ 5299
SD4E29-PSGE1	Spectra® IV IP SE with H.264 29X stainless steel environmental pendant, light grey backbox, clear bubble with black trim ring. NTSC. Consists of the following Pelco components: DD429, BB4EE-PSG-E, LD53PSB-1	\$ 5299
SD4E36-F-E0	Spectra® IV IP SE with H.264 36X flush/in-ceiling environmental mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-F-E, LDHQP -0.	\$ 5018

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4E36-F-E1	Spectra® IV IP SE with H.264 36X flush/in-ceiling environmental mount, black back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-F-E, LDHQPB-1.	\$ 5018
SD4E36-F0	Spectra® IV IP SE with H.264 36X flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-F, LDHQF-0.	\$ 4728
SD4E36-F1	Spectra® IV IP SE with H.264 36X flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-F, LDHQF-1.	\$ 4728
SD4E36-HCF0	Spectra® IV IP SE with H.264 36X heavy-duty with cage, flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-F, LD53HDCF-0	\$ 5212

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



Model Number	Description	MSRP
SD4E36-HCF1	Spectra® IV IP SE with H.264 36X heavy-duty with cage, flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-F, LD53HDCF-1	\$ 5320
SD4E36-HCP0	Spectra® IV IP SE with H.264 36X heavy-duty pendant with cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-PG, LD53HDCPB-0	\$ 5397
SD4E36-HCP1	Spectra® IV IP SE with H.264 36X heavy-duty pendant with cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-PG, LD53HDCPB-1	\$ 5500

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4E36-HCPE0	Spectra® IV IP SE with H.264 36X heavy-duty environmental pendant with cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-PG-E, LD53HDCPB-0	\$ 5539
SD4E36-HCPE1	Spectra® IV IP SE with H.264 36X heavy-duty environmental pendant with cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-PG-E, LD53HDCPB-1	\$ 5642
SD4E36-HF0	Spectra® IV IP SE with H.264 36X heavy-duty, no cage, flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-F, LD53HDF-0,	\$ 5103

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4E36-HF1	Spectra® IV IP SE with H.264 36X heavy-duty, no cage, flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-F, LD53HDF-1	\$ 5206
SD4E36-HP0	Spectra® IV IP SE with H.264 36X heavy-duty pendant, no cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-PG, LD53HDPB-0	\$ 5285
SD4E36-HP1	Spectra® IV IP SE with H.264 36X heavy-duty pendant, no cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-PG, LD53HDPB-1	\$ 5383

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4E36-HPE0	Spectra® IV IP SE with H.264 36X heavy-duty environmental pendant, no cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-PG-E, LD53HDPB-0	\$ 5428
SD4E36-HPE1	Spectra® IV IP SE with H.264 36X heavy-duty environmental pendant, no cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4EHD-PG-E, LD53HDPB-1	\$ 5526
SD4E36-PB-0	Spectra® IV IP SE with H.264 36X pendant mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-PB, LDHQPB-0.	\$ 4912
SD4E36-PB-1	Spectra® IV IP SE with H.264 36X pendant mount, black back box and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-PB, LDHQPB-1.	\$ 4912

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4E36-PG-0	Spectra® IV IP SE with H.264 36X pendant mount, light grey back box and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-PG, LDHQPB-0.	\$ 4912
SD4E36-PG-1	Spectra® IV IP SE with H.264 36X pendant mount, light grey back box and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-PG, LDHQPB-1.	\$ 4912
SD4E36-PG-E0	Spectra® IV IP SE with H.264 36X environmental pendant mount, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-PG-E, LDHQPB-0.	\$ 5018
SD4E36-PG-E1	Spectra® IV IP SE with H.264 36X environmental pendant mount, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4E-PG-E, LDHQPB-1.	\$ 5018

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4E36-PSGE0	Spectra® IV IP SE with H.264 36X stainless steel environmental pendant, light grey backbox, smoked bubble with black trim ring. NTSC. Consists of the following Pelco components: DD429, BB4EE-PSG-E, LD53PSB-0	\$ 6029
SD4E36-PSGE1	Spectra® IV IP SE with H.264 36X stainless steel environmental pendant, light grey backbox, clear bubble with black trim ring. NTSC. Consists of the following Pelco components: DD429, BB4EE-PSG-E, LD53PSB-1	\$ 6029
SD4H36-F-E0	Spectra IV Horizon Dome System Consisting of the DD4H36 Dome Drive, BB4-F-E Backbox, and LD4H- 1 Smoked Lower Dome for NTSC	\$ 5209
SD4H36-F-E1	Spectra IV Horizon Dome System Consisting of the DD4H36 Dome Drive, BB4-F-E Backbox, and LD4H- 1 Clear Lower Dome for NTSC	\$ 5209

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4H36-PG-0	Spectra IV Horizon Dome System Consisting of the DD4H36 Dome Drive, BB4-PG Backbox, and LD4H-1 Smoked Lower Dome for NTSC	\$ 5106
SD4H36-PG-1	Spectra IV Horizon Dome System Consisting of the DD4H36 Dome Drive, BB4-PG Backbox, and LD4H-1 Clear Lower Dome for NTSC	\$ 5106
SD4H36-PG-E0	Spectra IV Horizon Dome System Consisting of the DD4H36 Dome Drive, BB4-PG-E Backbox, and LD4H-0 Smoked Lower Dome for NTSC	\$ 5209
SD4H36-PG-E1	Spectra IV Horizon Dome System Consisting of the DD4H36 Dome Drive, BB4-PG-E Backbox, and LD4H-1 Clear Lower Dome for NTSC	\$ 5209
SD4N-B0	Spectra® Mini IP Smoked Dome Black NTSC. Consists of DD4N-B and LD4B-0.	\$ 2019
SD4N-B1	Spectra® Mini IP Clear Dome Black NTSC. Consists of DD4N-B and LD4B-1.	\$ 2019

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4N-W0	Spectra® Mini IP Smoked Dome White NTSC. Consists of DD4N and LD4W-0.	\$ 2019
SD4N-W1	Spectra® Mini IP Clear Dome White NTSC. Consists of DD4N and LD4W-1.	\$ 2019
SD4N23-F-E0	Spectra® IV IP SL 23X flush/in-ceiling environmental mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4N-F-E, LDHQPB -0.	\$ 2664
SD4N23-F-E1	Spectra® IV IP SL 23X flush/in-ceiling environmental mount, black back box, and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4N-F-E, LDHQPB -1.	\$ 2664
SD4N23-F0	Spectra® IV IP SL 23X flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4N-F, LDHQF-0.	\$ 2540

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4N23-F1	Spectra® IV IP SL 23X flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4N-F, LDHQF-1.	\$ 2540
SD4N23-PB-0	Spectra® IV IP SL 23X pendant mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4N-PB, LDHQPB- 0.	\$ 2601
SD4N23-PB-1	Spectra® IV IP SL 23X pendant mount, black back box and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4N-PB, LDHQPB- 1.	\$ 2601
SD4N23-PG-0	Spectra® IV IP SL 23X pendant mount, light grey back box and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4N-PG, LDHQPB- 0.	\$ 2601

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4N23-PG-1	Spectra® IV IP SL 23X pendant mount, light grey back box and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4N-PG, LDHQPB- 1.	\$ 2601
SD4N23-PG-E0	Spectra® IV IP SL 23X environmental pendant mount, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4N-PG-E, LDHQPB-0.	\$ 2714
SD4N23-PG-E1	Spectra® IV IP SL 23X environmental pendant mount, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4N-PG-E, LDHQPB-1.	\$ 2714
SD4N29-F-E0	Spectra® IV IP SE 29X flush/in-ceiling environmental mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4-F-E, LDHQPB- 0, TXB-IP-F.	\$ 4226

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4N29-F-E1	Spectra® IV IP SE 29X flush/in-ceiling environmental mount, black back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4-F-E, LDHQPB- 1, TXB-IP-F.	\$ 4226
SD4N29-F0	Spectra® IV IP SE 29X flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4-F, LDHQF-0, TXB-IP-F.	\$ 3936
SD4N29-F1	Spectra® IV IP SE 297X flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4-F, LDHQF-1, TXB-IP-F.	\$ 3936
SD4N29-HCF0	Spectra® IV SE 29X heavy-duty with cage, flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-F, LD53HDCF-0, TXB- IP-F	\$ 4602

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4N29-HCF1	Spectra® IV SE 29X heavy-duty with cage, flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-F, LD53HDCF-1, TXB-IP-F	\$ 4598
SD4N29-HCP0	Spectra® IV SE 29X heavy-duty pendant with cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-PG, LD53HDPB-0, TXB-IP-P	\$ 4802
SD4N29-HCP1	Spectra® IV SE 29X heavy-duty pendant with cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-PG, LD53HDPB-1, TXB-IP-P	\$ 4801

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4N29-HCPE0	Spectra® IV SE 29X heavy-duty environmental pendant with cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-PG-E, LD53HDCPB-0, TXB-IP-P	\$ 4957
SD4N29-HCPE1	Spectra® IV SE 29X heavy-duty environmental pendant with cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-PG-E, LD53HDCPB-1, TXB-IP-P	\$ 4955
SD4N29-HF0	Spectra® IV SE 29X heavy-duty, no cage, flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-F, LD53HDF-0, TXB-IP-F	\$ 4492

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4N29-HF1	Spectra® IV SE 29X heavy-duty, no cage, flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-F, LD53HDF-1, TXB-IP-F	\$ 4489
SD4N29-HP0	Spectra® IV SE 29X heavy-duty pendant, no cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-PG, LD53HDPB-0, TXB-IP-P	\$ 4688
SD4N29-HP1	Spectra® IV SE 29X heavy-duty pendant, no cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-PG, LD53HDPB-1, TXB-IP-P	\$ 4686

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4N29-HPE0	Spectra® IV SE 29X heavy-duty environmental pendant, no cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-PG-E, LD53HDPB-0, TXB-IP-P	\$ 4846
SD4N29-HPE1	Spectra® IV SE 29X heavy-duty environmental pendant, no cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4HD-PG-E, LD53HDPB-1, TXB-IP-P	\$ 4844
SD4N29-PB-0	Spectra® IV IP SE 29X pendant mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PB, LDHQPB-0, TXB-IP-P.	\$ 4120
SD4N29-PB-1	Spectra® IV IP SE 29X pendant mount, black back box and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PB, LDHQPB-1, TXB-IP-P.	\$ 4120

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4N29-PG-0	Spectra® IV IP SE 29X pendant mount, light grey back box and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PG, LDHQPB- 0, TXB-IP-P.	\$ 4120
SD4N29-PG-1	Spectra® IV IP SE 29X pendant mount, light grey back box and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PG, LDHQPB- 1, TXB-IP-P.	\$ 4120
SD4N29-PG-E0	Spectra® IV IP SE 29X environmental pendant mount, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PG-E, LDHQPB -0, TXB-IP-P.	\$ 4226
SD4N29-PG-E1	Spectra® IV IP SE 29X environmental pendant mount, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD429, BB4-PG-E, LDHQPB -1, TXB-IP-P.	\$ 4226

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4N29-PSGE0	Spectra® IV IP SE 29X stainless steel environmental pendant, light grey backbox, smoked bubble with black trim ring. NTSC. Consists of the following Pelco components: DD429, BB4N-PSG-E, LD53PSB-0, TXB-IP- P.	\$ 5495
SD4N29-PSGE1	Spectra® IV IP SE 29X stainless steel environmental pendant, light grey backbox, clear bubble with black trim ring. NTSC. Consists of the following Pelco components: DD429, BB4N-PSG-E, LD53PSB-1, TXB-IP- P.	\$ 5495
SD4N36-F-E0	Spectra® IV IP SE 27X flush/in-ceiling environmental mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4-F-E, LDHQPB- 0, TXB-IP-F.	\$ 5018

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4N36-F-E1	Spectra® IV IP SE 27X flush/in-ceiling environmental mount, black back box, and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4-F-E, LDHQPB- 1, TXB-IP-F.	\$ 5018
SD4N36-F0	Spectra® IV IP SE 27X flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4-F, LDHQF-0, TXB-IP-F.	\$ 4728
SD4N36-F1	Spectra® IV IP SE 27X flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4-F, LDHQF-1, TXB-IP-F.	\$ 4728
SD4N36-HCF0	Spectra® IV SE 36X heavy-duty with cage, flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-F, LD53HDCF-0, TXB- IP-F	\$ 5335

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4N36-HCF1	Spectra® IV SE 36X heavy-duty with cage, flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-F, LD53HDCF-1, TXB-IP-F	\$ 5443
SD4N36-HCP0	Spectra® IV SE 36X heavy-duty pendant with cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-PG, LD53HDPB-0, TXB-IP-P	\$ 5534
SD4N36-HCP1	Spectra® IV SE 36X heavy-duty pendant with cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-PG, LD53HDPB-1, TXB-IP-P	\$ 5637

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4N36-HCPE0	Spectra® IV SE 36X heavy-duty environmental pendant with cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-PG-E, LD53HDCPB-0, TXB-IP-P	\$ 5692
SD4N36-HCPE1	Spectra® IV SE 36X heavy-duty environmental pendant with cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-PG-E, LD53HDCPB-1, TXB-IP-P	\$ 5795
SD4N36-HF0	Spectra® IV SE 36X heavy-duty, no cage, flush/in-ceiling mount, black back box, white trim ring, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-F, LD53HDF-0, TXB-IP-F	\$ 5226

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
SD4N36-HF1	Spectra® IV SE 36X heavy-duty, no cage, flush/in-ceiling mount, black back box, white trim ring, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-F, LD53HDF-1, TXB-IP-F	\$ 5329
SD4N36-HP0	Spectra® IV SE 36X heavy-duty pendant, no cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-PG, LD53HDPB-0, TXB-IP-P	\$ 5423
SD4N36-HP1	Spectra® IV SE 36X heavy-duty pendant, no cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-PG, LD53HDPB-1, TXB-IP-P	\$ 5521

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4N36-HPE0	Spectra® IV SE 36X heavy-duty environmental pendant, no cage, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-PG-E, LD53HDPB-0, TXB-IP-P	\$ 5581
SD4N36-HPE1	Spectra® IV SE 36X heavy-duty environmental pendant, no cage, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD436, BB4HD-PG-E, LD53HDPB-1, TXB-IP-P	\$ 5679
SD4N36-PB-0	Spectra® IV IP SE 27X pendant mount, black back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4-PB, LDHQPB-0, TXB-IP-P.	\$ 4912
SD4N36-PB-1	Spectra® IV IP SE 27X pendant mount, black back box and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4-PB, LDHQPB-1, TXB-IP-P.	\$ 4912

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4N36-PG-0	Spectra® IV IP SE 27X pendant mount, light grey back box and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4-PG, LDHQPB- 0, TXB-IP-P.	\$ 4912
SD4N36-PG-1	Spectra® IV IP SE 27X pendant mount, light grey back box and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4-PG, LDHQPB- 1, TXB-IP-P.	\$ 4912
SD4N36-PG-E0	Spectra® IV IP SE 27X environmental pendant mount, light grey back box, and smoked bubble. NTSC. Consists of the following Pelco components: DD423, BB4-PG-E, LDHQPB -0, TXB-IP-P.	\$ 5018
SD4N36-PG-E1	Spectra® IV IP SE 27X environmental pendant mount, light grey back box, and clear bubble. NTSC. Consists of the following Pelco components: DD423, BB4-PG-E, LDHQPB -1, TXB-IP-P.	\$ 5018

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4N36-PSGE0	Spectra® IV IP SE 36X stainless steel environmental pendant, light grey backbox, smoked bubble with black trim ring. NTSC. Consists of the following Pelco components: DD436, BB4N-PSG-E, LD53PSB-0, TXB-IP- P.	\$ 6228
SD4N36-PSGE1	Spectra® IV IP SE 36X stainless steel environmental pendant, light grey backbox, clear bubble with black trim ring. NTSC. Consists of the following Pelco components: DD436, BB4N-PSG-E, LD53PSB-1, TXB-IP- P.	\$ 6228
SD4NH36-F-E0	SPECTRA IV IP Horizon Dome, In- Ceiling Environmental, Black, 36X Zoom, Smoked Bubble, NTSC	\$ 5780
SD4NH36-F-E1	SPECTRA IV IP Horizon Dome, In- Ceiling Environmental, Black, 36X Zoom, Clear Bubble, NTSC	\$ 5780

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SD4NH36-PG-0	SPECTRA IV IP Horizon Dome, Pendant Mount, Gray, 36X, Smoked Bubble, NTSC	\$ 5682
SD4NH36-PG-1	SPECTRA IV IP Horizon Dome, Pendant Mount, Gray, 36X, Clear Bubble, NTSC	\$ 5682
SD4NH36-PG-E0	SPECTRA IV IP Horizon Dome, Environmental Pendant, Gray, 36X Smoked Bubble, NTSC	\$ 5780
SD4NH36-PG-E1	SPECTRA IV IP Horizon Dome, Environmental Pendant, Gray, 36X Clear Bubble, NTSC	\$ 5780
SD5-P	2-foot x 2-foot ceiling panel for use in Spectra® and DF5 dome suspended ceiling applications. Replaces existing ceiling tile. Must be used with BB5A-F or BB5T-F back box.	\$ 68
SI00-4722-006A	G- OBS - S/S,WIRELESS V.E. (S000488)	\$ 0
SM5200-03-US	Enterprise Video Management System, 3TB, US Power	\$ 10292
SM5200-12-US	Enterprise Video Management System, 12TB, US Power	\$ 16268

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SM5200-HDD-3TB	REPLACEMENT 3TB HDD	\$ 1162
SM5200-SSD-40GB	REPLACEMENT 40GB SSD	\$ 291
SP01-003	Spectra IV Pressurized anti- vibration mount	\$ 169
SPA102	Pole adapter for ST1 strut. Minimum pole diameter 3-inches. Mounting straps included.	\$ 71
SPM4-B	Pendant Mount for Spectra Mini (black)	\$ 43
SPM4-W	Pendant Mount for Spectra Mini (white)	\$ 43
SS1512	Sun shroud for the EH1512 series enclosures only.	\$ 35
SS2508	Sun shield for EH2508 series only.	\$ 45
SS2508FLIR	Sun Shield for EH2508 Series FLIR only	\$ 45
SS2512	Sun shield for EH2512 series only.	\$ 45
SS2512FLIR	Sun Shield for EH2512 Series FLIR only	\$ 45
SS2515	Sun shield for EH2515 series only.	\$ 48
SS3508	Sun shield for EH3508 series only.	\$ 45
SS3512	Sun shield for EH3512 and EH3512L series only.	\$ 45
SS3515	Sun shield for EH3515 and 3515L series only.	\$ 48

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SS4514	Sun shield for HS4514 only.	\$ 83
SS4718	Sun shield for EH4718 and EH4718L series only.	\$ 80
SS4722	Sun shield for EH4722 and EH4722L series only.	\$ 91
SS5723	Sun shield for EH5723 and EH5723L series only.	\$ 100
SS5729	Sun shield for EH5729 and EH5729L series only.	\$ 118
SS8004	Sun shield for EH8104 only.	\$ 83
SS8006	Sun shield for EH8106 and EH8106L only.	\$ 111
SSEHX4E	Sun shield for EHX4E only.	\$ 120
SSEHX6E	Sun shield for EHX6E only.	\$ 120
SSEHX6E-16	Sun shield for EHX6E-16 only.	\$ 100
SSEHX8E	Sun shield for EHX8E only.	\$ 154
ST1	Optional support strut. Use with PM2000 in high wind applications.	\$ 86
SW-EV-LNL-02	Intregal Software ENDRA + LENEL OG 5.12, 6.0	\$ 2075

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SWM-BK	Black wall mount for Intercept or Spectra® and DF5 series pendant domes. Mounts directly to a vertical load-bearing surface. Supports up to 30 lbs. Constructed of cast aluminum and provides cable feedthrough.	\$ 71
SWM-CA	Corner adapter for the SWM-GY wall mount for Intercept or Spectra® and DF5 series pendant domes.	\$ 131
SWM-CA24	Corner adapter for the SWM-GY wall mount for Intercept or Spectra® and DF5 series pendant domes. Includes a 24 VAC 100vA transformer.	\$ 305
SWM-CAWT	Corner Adapter White for SWM-WT	\$ 131
SWM-GY	Gray wall mount for Intercept or Spectra® and DF5 series pendant domes. Mounts directly to a vertical load-bearing surface. Supports up to 30 lbs. Constructed of cast aluminum and provides cable feedthrough.	\$ 71

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
SWM-PA-BK	Black pole adapter for the SWM-BK. Mounts Spectra® or DF5 pendant domes using two stainless steel straps and an attachment plate. Provides cable feedthrough.	\$ 42
SWM-PA-GY	Gray pole adapter for the SWM-GY. Mounts Spectra® or DF5 pendant domes using two stainless steel straps and an attachment plate. Provides cable feedthrough.	\$ 42
SWM-PAWT	Pole Adapter White for SWM-WT	\$ 46
SWM-SR	Wall Mount Lt Gray for Sarix™ IE Pend Sh	\$ 71
SWM-WT	WALL Mount White for Sarix™ ID Pendant	\$ 78
SWM4-B	Wall Mount for Spectra Mini (black)	\$ 76
SWM4-W	Wall Mount for Spectra Mini (white)	\$ 76
SX8205R	Ethernet Switch, Five 10BASE-T/100BASE-T Ports single-width module	\$ 518

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
TB1750	Universal mount for cameras weighing up to 7 pounds. T-rail clip for use in false ceiling applications. Adjustable swivel head with set screw for final positioning of swivel assembly. Same as BS1	\$ 51
TF2000	Camera power supply for 24 VAC cameras, 120 VAC to 24 VAC (Class 2), 20 vA.	\$ 23
TF9000	Camera power supply for 24 VAC cameras, 120 VAC to 24 VAC (Class 2), 50 vA.	\$ 50
TI206	Sarix Fixed IP or NTSC Thermal Imaging Environmental Camera 240x184 with 6mm Lens	\$ 5810
TI3100	Sarix Fixed IP or NTSC Thermal Imaging Environmental Camera 384x288 with 100mm Lens	\$ 21578
TI314	Sarix Fixed IP or NTSC Thermal Imaging Environmental Camera 384x288 with 14.25mm Lens	\$ 7136

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
TI335	Sarix Fixed IP or NTSC Thermal Imaging Environmental Camera 384x288 with 35mm Lens	\$ 8796
TI350	Sarix Fixed IP or NTSC Thermal Imaging Environmental Camera 384x288 with 50mm Lens	\$ 11286
TI47	Thermal insulation for EH4718, EH4722, EH4718L, and EH4722L. (Cannot be used with EH4718DB.)	\$ 50
TI57	Thermal insulation for EH5723, EH5729, EH5723L, and EH5729L.	\$ 60
TI6100	Sarix Fixed IP or NTSC Thermal Imaging Environmental Camera 640x480 with 100mm Lens	\$ 33200
TI614	Sarix Fixed IP or NTSC Thermal Imaging Environmental Camera 640x480 with 14.25mm Lens	\$ 12282
TI635	Sarix Fixed IP or NTSC Thermal Imaging Environmental Camera 640x480 with 35mm Lens	\$ 15436

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
TI650	Sarix Fixed IP or NTSC Thermal Imaging Environmental Camera 640x480 with 50mm Lens	\$ 17926
TW3001AR	Single Channel Video Receiver Active Video Transmission Over Unshielded Twisted Pair	\$ 329
TW3001AT	Single Channel Video Transmitter Active Video Transmission Over Unshielded Twisted Pair. 120 VAC	\$ 345
TW3001AT-X	Single Channel Video Transmitter Active Video Transmission Over Unshielded Twisted Pair. 230 VAC	\$ 345
TW4001P	1 CH TRANsCEIVER FOR UTP, PASSIVE	\$ 53
TW4004AR	4 CH RECEIVER FOR UTP, ACTIVE	\$ 1278
TW4004P	4 Channel Transceiver for UTP, Passive	\$ 329
TW4008P	8 Channel Transceiver for UTP Passive	\$ 656
TW4016P	16 Channel Transceiver for UTP Passive	\$ 1303
TW4032P	32 Channel Transceiver for UTP Passive	\$ 2606

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited



<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
TXB-AD	Tested and shown to work with the following American Dynamics models: AD1600 Series, AD2050 Series, AD2150 Series. Based on information published by American Dynamics, Pelco has reason to believe the TXB-AD will also work with AD1650, AD2350, AD168 Series	\$ 131
TXB-B	Pan/Tilt translator for Burle/Philips.	\$ 131
TXB-H	Hernis Protocol Translator Board for use in ExSite, Spectra and Esprit Systems.	\$ 171
TXB-IP-F	IP translator board for use with Spectra IV ONLY! Allows the use of SP IV on a network.	\$ 1225
TXB-IP-P	IP translator board for use with Spectra IV ONLY! Allows the use of SP IV on a network.	\$ 1225
TXB-N-F	SP IV H.264 Network Interface Flush	\$ 1225
TXB-N-P	SP IV H.264 Network Interface Pnd	\$ 1225

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
TXB-NTCIP	Compatible with NTCIP Camera Control Protocol and the Following Controllers: American Dynamics, Phillips (Burle), Sensormatic, and Vicon (as specified). For Use in Spectra® Domes, ExSite™ Series, and Esprit® Series Systems	\$ 297
TXB-S422	Translator board for Sensormatic controllers. For use with Spectra® Domes and Esprit® systems. Converts command signals to Pelco's D protocol.	\$ 131
TXB-V	Tested and shown to work with the following Vicon systems: V1300X-DVC, V1422, VPS324, V4480SCC, V6680SCC. Based on information published by Vicon, Pelco has reason to believe the TXB-V will also work with V1300 Series, V1400X-DVC and VPS1344.	\$ 131
UDI5000-CAM-US	Univ Dev Int 3P Cams Base Unit	\$ 1743

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
UDI5000-MTRX-US	Endura® UDI5000-MTRX Universal Device Interface FLEXIBLE INTEGRATION PLATFORM FOR ENDURA AND THIRD-PARTY DEVICES	\$ 3486
USB-DS	USB imaged memory with DS software and documents included	\$ 50
USPS	POWER SUPPLY FOR ANALOG FIBER CARD CAGE US AND NA	\$ 581
USRACK	CARD CAGE FOR US	\$ 913
VC-UTP	Spectra III™ video module converts video for use with unshielded twisted pair, Coaxitron®-ready when used with passive receiver. Works with all major suppliers of UTP Modules.	\$ 46
VCD5202-US	Video Console Display, US PWR CRD	\$ 6574
VS5104	Sequential switcher with manual or automatic switching of 4 video inputs (terminating or looping), 2 video outputs. No alarm inputs. Desktop only. 120 VAC input.	\$ 262

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
VS5108	Sequential switcher with manual or automatic switching of 8 video inputs (terminating or looping), 2 video outputs. No alarm inputs. Desktop only. 120 VAC input.	\$ 372
WCS1-4	Allows 1 fused output with a total capacity of 4Amp. 120/240 VAC input, 24/26/28 VAC output.	\$ 231
WCS4-20	Allows 4 fused outputs with a total capacity of 20Amp. 120/240 VAC input, 24/28 VAC output.	\$ 413
WCS4-20B	Allows 4 outputs with a total capacity of 20Amp. Each output has a self-resetting circuit breaker. 120/240 VAC input, 24/28 VAC output.	\$ 422
WD47-1	Continuous duty window defroster kit for EH4700 series enclosures. I/O-PCB required for thermostat control. (Included with EH4718L and EH4722L.) 15 watts, 120 VAC.	\$ 61

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
WD47-2	Continuous duty window defroster kit for EH4700 series enclosures. I/O-PCB required for thermostat control. (Included with EH4718L and EH4722L.) 15 watts, 24 VAC.	\$ 61
WD57-1	Continuous duty window defroster kit for EH5700 series enclosures. I/O-PCB required for thermostat control. (Included with EH5723L and EH5729L.) 30 watts, 120 VAC.	\$ 61
WD57-2	Continuous duty window defroster kit for EH5700 series enclosures. I/O-PCB required for thermostat control. (Included with EH5723L and EH5729L.) 30 watts, 24 VAC.	\$ 61
WM2000	Universal medium/heavy-duty, for pan/tilts or enclosures. Use with PA2000, PA2010, and PM102A pan/tilt adapters or AH2000 adjustable head. Supports up to 75 lbs.	\$ 131

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

<b>Model Number</b>	<b>Description</b>	<b>MSRP</b>
WM3026	Extra heavy-duty wall mount for use with pan/tilts and/or enclosures. Maximum load up to 300 lbs.	\$ 480
WM5001-3U	Wall Mount, for Single Width Module	\$ 58
WM5001-3UEXP	Wall Mount, for Single Width Expansion Kit	\$ 35
WM5002-3U	Wall Mount, for Double Width Module	\$ 75
WM5002-3UEXP	Wall Mount, for Double Width Expansion Kit	\$ 75
WM5003-3U	Wall Mount, for Triple Width Module	\$ 68
WM5004-3U	Wall Mount, for Quad Width Module	\$ 80
WM5200-4U	Wall Mount Kit for 1 Module - 4U	\$ 116
WM5200-4UEXP	Wall Mount Exp Kit to Add 1 Module - 4U	\$ 83
WM5300	Wall Mount Kit for NET5308T/ENC5316	\$ 315
WMVE-SR	Wall Mount Vandal Resistant 1.5 Inch NPT Cool Light Gray For Sarix™ Series IE, IM-V, IM-E, Others	\$ 75
WMVE-WT	Wall Mount Vandal Resistant 1.5 Inch NPT White For Sarix™ Series ID, Others	\$ 75

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
WP13	Wall plate for use in mounting CM1300 to a standard 2-inch by 4-inch electrical box.	\$ 13
WS5070-US	Wkstn w/WS5200 SW- US PWR Cord	\$ 6574
WS5200-1	2ND GEN WS5000 SW,1 SEAT LIC	\$ 2356
WS5200-10	2ND GEN WS5000 SW,10 SEAT LIC	\$ 11064
WS5200-25	2ND GEN WS5000 SW,25 SEAT LIC	\$ 14105
WS5200-5	2ND GEN WS5000 SW,5 SEAT LIC	\$ 9069
WS5200-MAP	2ND GEN MAPPING SW,SITE LIC	\$ 1577
WS5200-SITE	2ND GEN WS5000 SW,SITE LIC	\$ 17491
WS5220-UPG	2ND GEN WS5000 SW UGRADE	\$ 828
WS5220-UPGSITE	2ND GEN WS5000 SW UPGRADE SITE LIC	\$ 6159
WW5723-1	Window wiper for EH5723 and EH5723L enclosures. (This is a factory installed option only. Consult factory before ordering.) 15 watts, 120 VAC.	\$ 531
WW5723-2	Window wiper for EH5723 and EH5723L enclosures. (This is a factory installed option only. Consult factory before ordering.) 15 watts, 24 VAC.	\$ 531

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited

Model Number	Description	MSRP
WW5729-1	Window wiper for EH5729 and EH5729L enclosures. (This is a factory installed option only. Consult factory before ordering.) 15 watts, 120 VAC.	\$ 531
WW5729-2	Window wiper for EH5729 and EH5729L enclosures. (This is a factory installed option only. Consult factory before ordering.) 15 watts, 24 VAC.	\$ 531
WXM100	Wall mount designed to mount the ExSite Series system directly to a load-bearing verticle surface	\$ 1638

**Footer:**

If goods are destined outside USA these commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. law is prohibited